

**SonicWall™ SonicOS**

**6.2.5 / 6.2.7 / 6.2.9 記錄事件**

參考指南

SONICWALL™

**Copyright © 2017 SonicWall Inc. 保留所有權利。**

SonicWall 是 SonicWall Inc. 和/或其分支機構在美國和/或其他國家/地區的商標或註冊商標。所有其他商標和註冊商標為其各自擁有者的財產。

本文件內含資訊係依 SonicWall Inc. 和/或其分支機構的產品提供。本文件未透過禁止反悔或其他方式明確表示或暗示授與有關智慧財產權或與銷售 SonicWall 產品相關之任何權利。除了本產品所附授權合約之使用條款所規定以外，SonicWall 和/或其分支機構對於有關其產品之任何明示、暗示或法定擔保，包括（但不限於）適售性、適合某特定用途或未侵權等，概不負責。任何情況下，SonicWall 和/或其分支機構對於因使用本文件或無法使用本文件所造成之任何直接損害、間接損害、衍生性損害、懲罰性損害、特殊損害或附隨性損害（包括但不限於利潤損失、業務中斷或資訊損失等損害）概不負責，即使已告知 SonicWall 和/或其分支機構可能發生上述損害亦同。SonicWall 和/或其分支機構不表示或保證本文件內容之正確性或完整性，並保留無需進行事先通知得隨時變更規格與產品說明之權利。SonicWall Inc. 和/或其分支機構並未承諾更新本文件內含之資訊。

如需更多資訊，請造訪 <https://www.sonicwall.com/legal/>。

## 圖例



**警告：**警告圖示表示，可能造成財產損害、人員受傷或死亡。



**注意：**注意圖示表示，若未遵循指示，可能造成硬體損害或資料損失。



**重要事項、備註、提示、行動或影片：**資訊圖示表示有支援資訊。

SonicOS 記錄事件 參考指南

已更新 - 2017 年 9 月

軟體版本 - 6.2.5 / 6.2.7 / 6.2.9

232-004050-00 Rev A

# 目錄

<b>SonicOS 記錄事件簡介</b> .....	<b>4</b>
記錄 > 監控 .....	4
記錄 > 設定 .....	5
<b>記錄事件訊息索引</b> .....	<b>6</b>
<b>Syslog 事件</b> .....	<b>135</b>
記錄 > Syslog .....	135
Syslog 標籤索引欄位說明 .....	136
標準 Syslog 訊息的範例 .....	142
ArcSight Syslog 訊息的範例 .....	142
舊型類別 .....	143
已延伸類別 .....	144
優先權層級 .....	147
<b>SonicWall 支援</b> .....	<b>148</b>

# SonicOS 記錄事件簡介

本參考指南列出和說明 SonicWall™ SonicOS 產品系列中 SonicOS 6.2.5 / 6.2.7 / 6.2.9，包括 SonicOS 6.2.7.7 的記錄事件訊息。記錄事件訊息索引表依照事件 ID 號碼列出所有事件。Syslog 標籤表列出和說明所有可用 Syslog 標籤，內含記錄事件特定的其他資訊。

本節提供 SonicOS Web 管理介面中**記錄 > 監控**和**記錄 > 設定**的基礎概述。

主題：

- 第 4 頁「[記錄 > 監控](#)」
- 第 5 頁「[記錄 > 設定](#)」

## 記錄 > 監控

SonicWall 安全性設備會維護一份事件日誌，以追蹤可能的安全性威脅。您可以瀏覽到**儀表板 > 記錄監控**或**記錄 > 記錄監控**頁面檢視此日誌，該日誌也會自動傳送到電子郵件地址以便於使用和封存。記錄顯示為表格，並可以按欄位進行排序。

如需設定**記錄監控**頁面的詳細資訊，請參閱《[SonicOS 6.2 管理指南](#)》。

本地時間	ID	類別	優先順序	訊息	來源	目的地	IP 通訊協定	備註
01:54:26 9 08	1043	System	錯誤	Power supply without redundancy				
01:54:25 9 08	713	Network	偵錯	TCP connection abort received; TCP connection dropped	192.168.95.91, 443, X1	192.168.95.230, 60912, X1	tcp	
01:53:52 9 08	1445	WAN Acceleration	警告	WXA Warning - 使用中的連線數已達到授權上限。				
01:53:41 9 08	1420	Network	偵錯	DHCPv6 Server received message (MSG_SOLICIT)	fe80::54c7:2fbf:4db8:cf74, X2			
01:53:24 9 08	1233	Firewall Settings	通知	Unhandled link-local or multicast IPv6 packet dropped	fe80::bd67:dbe7:880b:5d9c, 51318, X2	ff02::1:3, 5355	udp	
01:53:24 9 08	1254	Network	通知	ICMPv6 packet from LAN dropped	fe80::bd67:dbe7:880b:5d9c, X2	ff02::16, X2	ipv6-icmp	
01:53:24 9 08	1431	Network	資訊	ICMPv6 packet received	fe80::bd67:dbe7:880b:5d9c, X2	ff02::16	ipv6-icmp	

最新更新：9月8日 01:54:33

# 記錄 > 設定

記錄 > 設定頁面可讓您將 SonicWall 安全性設備上的記錄功能分類和進行自訂，以便故障排除和診斷。

如需設定和管理記錄 > 設定頁面的詳細資訊，請參閱《SonicOS 6.2 管理指南》。

類別	顏色	ID	優先順序	Gui	Alert	Syslog	Ipfix	Email	事件數
System	<input type="checkbox"/>		混合	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	212750
Log	<input type="checkbox"/>		混合	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2
Security Services	<input type="checkbox"/>		混合	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	69
Users	<input type="checkbox"/>		混合	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	34
Firewall Settings	<input type="checkbox"/>		混合	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	202414
Network	<input type="checkbox"/>		混合	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3093017
VPN	<input type="checkbox"/>		混合	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0
High Availability	<input type="checkbox"/>		混合	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0
3G/4G, Modem, and Module	<input type="checkbox"/>		混合	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0
Firewall	<input type="checkbox"/>		混合	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0
Wireless	<input type="checkbox"/>		混合	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0
VoIP	<input type="checkbox"/>		混合	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0
SSL VPN	<input checked="" type="checkbox"/>		資訊	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0
Anti-Spam	<input type="checkbox"/>		混合	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0
WAN Acceleration	<input type="checkbox"/>		混合	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	37106

# 記錄事件訊息索引

本節包含 [記錄事件訊息索引](#) 表格，是 SonicOS 6.2.5 / 6.2.7 / 6.2.9 韌體的記錄事件訊息清單。

表格中所述的每個記錄事件訊息，提供下列記錄事件詳細資料：

- **事件 ID** — 顯示記錄事件訊息的 ID 號碼。
- **舊型類別** — 顯示類別事件類型。這是與第 143 頁「[舊型類別](#)」相同的類別。
- **SonicOS 類別** — 顯示 SonicOS 類別類型。這是與第 144 頁「[已延伸類別](#)」相同的類別。
- **優先權層級** — 顯示記錄事件訊息的緊急層級。如需其他資料，請參閱第 147 頁「[優先權層級](#)」。
- **SNMP 陷阱類型** — 顯示記錄事件訊息的 SNMP 陷阱 ID 號碼。
- **事件名稱** — 顯示該記錄事件的描述性名稱，在 [記錄 > 記錄監控](#) 頁面的 **事件** 欄中的值相對應。
- **記錄事件訊息** — 顯示記錄事件訊息的文字。有時會包含「%s」，在真實的記錄事件訊息中會由附有描述性文字的 SonicOS 動態取代。

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
4	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Firewall Event [防火牆事件]	ALERT [警示]	---	Activate Firewall [啟用防火牆]	Network Security Appliance activated [網路安全性設備已啟用]
5	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Firewall Logging [防火牆記錄]	INFO [資訊]	---	Clear Log [清除記錄]	Log Cleared [記錄已清除]
6	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Firewall Logging [防火牆記錄]	INFO [資訊]	---	E-mail Log [電子郵件記錄]	Log successfully sent via E-mail [記錄成功透過電子郵件傳送]
10	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	Security Services [安全服務]	ERROR [錯誤]	602	Setting Error on Load [載入時發生設定錯誤]	Problem loading the URL List; check Filter settings [載入 URL 清單時發生問題；檢查篩選器設定]
12	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	Firewall Logging [防火牆記錄]	WARNING [警告]	604	E-mail Check Error on Load [載入時發生電子郵件檢查錯誤]	Problem sending log E-mail; check log settings [傳送記錄電子郵件時發生問題；檢查記錄設定]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
14	6.2.5	Blocked Sites [封鎖的網站]	Network Access [網路存取]	ERROR [錯誤]	701	Website Blocked [已封鎖的網站]	Web site access denied [網站存取被拒]
14	6.2.7 6.2.7.7 6.2.9	Blocked Sites [封鎖的網站]	Security Services [安全服務]	ERROR [錯誤]	701	Website Blocked [已封鎖的網站]	Web site access denied [網站存取被拒]
15	6.2.5	Blocked Sites [封鎖的網站]	Network Access [網路存取]	NOTICE [注意]	702	News Group Blocked [新群組已封鎖]	Newsgroup access denied [新聞群組存取被拒]
16	6.2.5	Blocked Sites [封鎖的網站]	Network Access [網路存取]	NOTICE [注意]	703	Website Accessed [已存取的網站]	Web site access allowed [網站存取允許]
16	6.2.7 6.2.7.7 6.2.9	Blocked Sites [封鎖的網站]	Security Services [安全服務]	NOTICE [注意]	703	Website Accessed [已存取的網站]	Web site access allowed [網站存取允許]
17	6.2.5	Blocked Sites [封鎖的網站]	Network Access [網路存取]	NOTICE [注意]	704	News Group Accessed [新群組已存取]	Newsgroup access allowed [新聞群組存取允許]
18	6.2.5	Blocked Code [封鎖的代碼]	Network Access [網路存取]	NOTICE [注意]	---	ActiveX Blocked [ActiveX 已封鎖]	ActiveX access denied [ActiveX 存取被拒]
19	6.2.5	Blocked Code [封鎖的代碼]	Network Access [網路存取]	NOTICE [注意]	---	Java Blocked [Java 已封鎖]	Java access denied [Java 存取被拒]
20	6.2.5	Blocked Code [封鎖的代碼]	Network Access [網路存取]	NOTICE [注意]	---	Archive Blocked [封存已封鎖]	ActiveX or Java archive access denied [ActiveX 或 Java 封存存取被拒]
21	6.2.5	Blocked Code [封鎖的代碼]	Network Access [網路存取]	NOTICE [注意]	---	Cookie Removed [Cookie 已移除]	Cookie removed [Cookie 已移除]
22	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	501	Ping of Death Blocked [死亡偵測已捨棄]	Ping of death dropped [死亡偵測已捨棄]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
23	6.2.5	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	502	IP Spoof Detected [偵測到的 IP 詐騙]	IP spoof dropped [IP 詐騙已捨棄]
23	6.2.7 6.2.7.7 6.2.9	---	Intrusion Detection [入侵偵測]	ALERT [警示]	502	IP Spoof Detected [偵測到的 IP 詐騙]	IP spoof dropped [IP 詐騙已捨棄]
24	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	User Disconnect Detected [偵測到使用者 中斷連線]	User logged out - user disconnect detected [使用者已登出 - 偵測到使 用者中斷連線]
25	6.2.5	Attack [攻擊]	Intrusion Detection [入侵偵測]	WARNING [警告]	503	Possible SYN Flood [可能的 SYN 洪水攻擊]	Possible SYN flood attack detected [偵測到可能的 SYN 洪水攻 擊]
25	6.2.7 6.2.7.7 6.2.9	---	Intrusion Detection [入侵偵測]	WARNING [警告]	503	Possible SYN Flood [可能的 SYN 洪水攻擊]	Possible SYN flood attack detected [偵測到可能的 SYN 洪水攻 擊]
27	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	505	Land Attack Land [降落攻擊]	Land attack dropped [降落攻擊已捨棄]
28	6.2.5 6.2.7 6.2.7.7 6.2.9	TCP   UDP   ICMP	Network [網路]	NOTICE [注意]	---	Fragmented Packet [片段式封包]	Fragmented packet dropped [片段式封包已捨棄]
29	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	Successful Admin Login [成功的管理 員登入]	Administrator login allowed [管理員登入已允許]
30	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Authenticated Access [驗證存取]	ALERT [警示]	560	Wrong Admin Password [管理員密碼 錯誤]	Administrator login denied due to bad credentials [管理員登入因為憑證不良 而被拒]
31	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	Successful User Login [成功的使用 者登入]	User login from an internal zone allowed [使用者從內部區域登入已 允許]
32	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	Wrong User Password [使用者密碼 錯誤]	User login denied due to bad credentials [使用者登入因為憑證不良 而被拒]



## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
33	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	Unknown User Login Attempt [未知的使用者登入嘗試]	User login denied due to bad credentials [使用者登入因為憑證不良而被拒]
34	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	Login Timeout [登入逾時]	Pending login timed out [擱置登入已逾時]
35	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Authenticated Access [驗證存取]	ALERT [警示]	506	Admin Login Disabled [已停用的管理員登入]	Administrator login denied from %s; logins disabled from this interface [從 %s 的管理員登入被拒；已從此介面停用登入]
36	6.2.5 6.2.7 6.2.7.7 6.2.9	TCP	Network Access [網路存取]	NOTICE [注意]	---	TCP Packets Dropped [TCP 封包已捨棄]	TCP connection dropped [TCP 連線已捨棄]
37	6.2.5 6.2.7 6.2.7.7 6.2.9	UDP	Network Access [網路存取]	NOTICE [注意]	---	UDP Packets Dropped [UDP 封包已捨棄]	UDP packet dropped [UDP 封包已捨棄]
38	6.2.5 6.2.7 6.2.7.7 6.2.9	ICMP	Network Access [網路存取]	NOTICE [注意]	---	ICMP Packets Dropped [ICMP 封包已捨棄]	ICMP packet dropped due to Policy [ICMP 封包因為原則已捨棄]
41	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network Access [網路存取]	NOTICE [注意]	---	Unknown Protocol Dropped [未知的通訊協定已捨棄]	Unknown protocol dropped [未知的通訊協定已捨棄]
43	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network Access [網路存取]	DEBUG [偵錯]	---	IPsec Interrupt Error [IPsec 中斷錯誤]	IPsec connection interrupt [IPsec 連線中斷]
45	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network [網路]	DEBUG [偵錯]	---	ARP Failure [ARP 失敗]	ARP Timeout [ARP 逾時]
46	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network Access [網路存取]	DEBUG [偵錯]	---	Broadcast Packets Dropped [廣播封包已捨棄]	Broadcast packet dropped [廣播封包已捨棄]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
48	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network Access [網路存取]	DEBUG [偵錯]	---	Out of Order Packets Dropped [失序封包已捨棄]	Out-of-order command packet dropped [失序命令封包已捨棄]
49	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Unused [未使用]	DEBUG [偵錯]	---		Failure to add data channel [無法新增資料通道]
53	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	Firewall Event [防火牆事件]	ERROR [錯誤]	607	Connection Cache Full [連線快取已滿]	The cache is full; %s open connections; some will be dropped [快取已滿；%s 開放連線；部分將會捨棄]
58	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	Firewall Event [防火牆事件]	ERROR [錯誤]	608	Too Many IP on LAN [LAN 上的 IP 過多]	License exceeded: Connection dropped because too many IP addresses are in use on your LAN [授權已超過：連線因為您的 LAN 上太多 IP 位址在使用中而捨棄]
60	6.2.5	Blocked Sites [封鎖的網站]	Network Access [網路存取]	NOTICE [注意]	705	Proxy Access Blocked [代理存取已封鎖]	Access to proxy server denied [對於代理伺服器的存取被拒]
61	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	VPN IPsec	ERROR [錯誤]	609	Out of Memory [記憶體用完]	Diagnostic Code E [診斷代碼 E]
63	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network [網路]	DEBUG [偵錯]	---	ICMP Too Big [ICMP 過大]	Received fragmented packet or fragmentation needed [已接收的片段式封包或需要分段]
65	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IPsec	INFO [資訊]	---	Illegal SPI [非法的 SPI]	Illegal IPsec SPI [非法的 IPsec SPI]
67	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	VPN IPsec	ERROR [錯誤]	508	IPsec Authenticate Failure [IPsec 驗證失敗]	IPsec Authentication Failed [IPsec 驗證失敗]
69	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IPsec	INFO [資訊]	---	Incompatible SA [不相容的 SA]	Incompatible IPsec Security Association [不相容的 IPsec 安全性關聯]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
70	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	VPN IPsec	ERROR [錯誤]	510	Illegal IPsec Peer [非法 IPsec 對等]	IPsec packet from or to an illegal host [非法主機收發的 IPsec 封包]
81	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	520	Smurf Attack [Smurf 攻擊]	Smurf Amplification attack dropped [Smurf 放大效應攻擊已捨棄]
82	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	521	Port Scan Possible [可能的連接埠掃描]	Possible port scan detected [偵測到可能的連接埠掃描]
83	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	522	Port Scan Probable [可能的連接埠掃描]	Probable port scan detected [偵測到可能的連接埠掃描]
84	6.2.5	Maintenance [維護]	Network [網路]	INFO [資訊]	---	Name Resolve Failed [解析名稱失敗]	Failed to resolve name [無法解析名稱]
84	6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Network [網路]	NOTICE [注意]	---	Name Resolve Failed [解析名稱失敗]	Failed to resolve name [無法解析名稱]
87	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	IPsec Proposal Accepted [已接受的 IPsec 建議]	IKE Responder: Accepting IPsec proposal (Phase 2) [IKE 回應程式：接受 IPsec 建議 (階段 2)]
88	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	523	IPsec Proposal Rejected [已拒絕的 IPsec 建議]	IKE Responder: IPsec proposal does not match (Phase 2) [IKE 回應程式：IPsec 建議不符 (階段 2)]
89	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	IPsec SA Added [已新增的 IPsec SA ]	IKE negotiation complete [IKE 交涉完成] Adding IPsec SA [正在新增 IPsec SA](階段 2)
93	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	Firewall Hardware [防火牆硬體]	ERROR [錯誤]	611	Suspend Reboot [暫停重新開機]	Diagnostic Code A [診斷代碼 A]
94	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	Firewall Hardware [防火牆硬體]	ERROR [錯誤]	612	Deadlock Reboot [鎖死重新開機]	Diagnostic Code B [診斷代碼 B]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
95	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	Firewall Hardware [防火牆硬體]	ERROR [錯誤]	613	Low Memory Reboot [記憶體不足重新開機]	Diagnostic Code C [診斷代碼 C]
96	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	GMS	INFO [資訊]	---	GMS Heartbeat [GMS 活動訊號]	Status [狀態]
97	6.2.5 6.2.7 6.2.7.7 6.2.9	Connection Traffic [連線流量]	Network Traffic [網路流量]	INFO [資訊]	---	Syslog Website Accessed [已存取的 Syslog 網站]	Web site hit [網站點擊]
98	6.2.5 6.2.7 6.2.7.7 6.2.9	Connection [連線]	Network Traffic [網路流量]	INFO [資訊]	---	Connection Opened [連線已開啟]	Connection Opened [連線已開啟]
99	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Client [DHCP 用戶端]	INFO [資訊]	---	DHCP Retransmit Discover [DHCP 重新傳輸 Discover]	Retransmitting DHCP DISCOVER. [重新傳輸 DHCP DISCOVER。]
100	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Client [DHCP 用戶端]	INFO [資訊]	---	DHCP Retransmit Request [DHCP 重新傳輸請求]	Retransmitting DHCP Request (Requesting). [重新傳輸 DHCP 請求 (請求中)。]
101	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Client [DHCP 用戶端]	INFO [資訊]	---	DHCP Retransmit Request Renew [DHCP 重新傳輸請求更新]	Retransmitting DHCP Request (Renewing). [重新傳輸 DHCP 請求 (更新中)。]
102	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Client [DHCP 用戶端]	INFO [資訊]	---	DHCP Retransmit Request Rebind [重新傳輸請求重新繫結]	Retransmitting DHCP Request (Rebinding). [重新傳輸 DHCP 請求 (重新繫結中)。]
103	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Client [DHCP 用戶端]	INFO [資訊]	---	DHCP Retransmit Request Reboot [DHCP 重新傳輸請求重新啟動]	Retransmitting DHCP Request (Rebooting). [重新傳輸 DHCP 請求 (重新啟動中)。]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
104	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Client [DHCP 用戶端]	INFO [資訊]	---	DHCPC Retransmit Request Verify [DHCPC 重新傳輸請求驗證]	Retransmitting DHCP Request (Verifying). [重新傳輸 DHCP 請求 (驗證中)。]
105	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Client [DHCP 用戶端]	INFO [資訊]	---	DHCPC Discover [DHCPC 探索]	Sending DHCP DISCOVER. [傳送 DHCP DISCOVER。]
106	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Client [DHCP 用戶端]	INFO [資訊]	---	DHCPC No Offer [DHCPC 無提供]	DHCP Server not available. Did not get any DHCP OFFER. [DHCP 伺服器無法使用。未取得任何 DHCP OFFER。]
107	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Client [DHCP 用戶端]	INFO [資訊]	---	DHCPC Offer Receive [DHCPC 提供接收]	Got DHCP OFFER. [已取得 DHCP OFFER。] Selecting. [選擇。]
108	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Client [DHCP 用戶端]	INFO [資訊]	---	DHCPC Selecting [DHCPC 選擇]	Sending DHCP Request. [傳送 DHCP 請求。]
109	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Client [DHCP 用戶端]	INFO [資訊]	---	DHCPC Request Failed [DHCPC 請求失敗]	DHCP Client did not get DHCP ACK. [DHCP 用戶端未取得 DHCP ACK。]
110	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Client [DHCP 用戶端]	INFO [資訊]	---	DHCPC Request NAK [DHCPC 請求 NAK]	DHCP Client got NACK. [DHCP 用戶端已取得 NACK。]
111	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Client [DHCP 用戶端]	INFO [資訊]	---	DHCPC Request ACK [DHCPC 請求 ACK]	DHCP Client got ACK from server. [DHCP 用戶端已從伺服器取得 ACK。]
112	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Client [DHCP 用戶端]	INFO [資訊]	---	DHCPC Request Decline [DHCPC 請求拒絕]	DHCP Client is declining address offered by the server. [DHCP 用戶端拒絕伺服器提供的位址。]
113	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Client [DHCP 用戶端]	INFO [資訊]	---	DHCPC Bound Rebind [已繫結的 DHCPC 重新繫結]	DHCP Client sending Request and going to REBIND state. [DHCP 用戶端傳送請求並將進入 REBIND 狀態。]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
114	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Client [DHCP 用戶端]	INFO [資訊]	---	DHCPC Bound Renew [已繫結的 DHCP 更新]	DHCP Client sending Request and going to RENEW state. [DHCP 用戶端傳送請求並將進入 RENEW 狀態。]
115	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Client [DHCP 用戶端]	INFO [資訊]	---	DHCPC Request Renew [DHCP 請求更新]	Sending DHCP Request (Renewing). [傳送 DHCP 請求 (更新中)。]
116	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Client [DHCP 用戶端]	INFO [資訊]	---	DHCPC Request Rebind [DHCP 請求重新繫結]	Sending DHCP Request (Rebinding). [傳送 DHCP 請求 (重新繫結中)。]
117	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Client [DHCP 用戶端]	INFO [資訊]	---	DHCPC Request Reboot [DHCP 請求重新啟動]	Sending DHCP Request (Rebooting). [傳送 DHCP 請求 (重新啟動中)。]
118	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Client [DHCP 用戶端]	INFO [資訊]	---	DHCPC Request Verify [DHCP 請求驗證]	Sending DHCP Request (Verifying). [傳送 DHCP 請求 (驗證中)。]
119	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Client [DHCP 用戶端]	INFO [資訊]	---	DHCPC Verify Initiation Failed [DHCP 驗證初始化失敗]	DHCP Client failed to verify and lease has expired.Go to INIT state. [DHCP 用戶端無法驗證而租用已過期。進入 INIT 狀態。]
121	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Client [DHCP 用戶端]	INFO [資訊]	---	DHCPC Get New IP [DHCP 取得新 IP]	DHCP Client got a new IP address lease. [DHCP 用戶端已取得新的 IP 位址租用。]
122	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Client [DHCP 用戶端]	INFO [資訊]	---	DHCPC Send Release [DHCP 傳送租用]	Sending DHCP RELEASE. [傳送 DHCP 租用。]
123	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Security Services [安全服務]	INFO [資訊]	---	AV Access Without Agent [AV 無代理存取]	Access attempt from host without Anti-Virus agent installed [嘗試從未安裝防毒代理的主機存取]
124	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Security Services [安全服務]	INFO [資訊]	---	AV Agent Out of Date [AV 代理已過時]	Anti-Virus agent out-of-date on host [防毒代理在主機上已過時]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
125	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Security Services [安全服務]	WARNING [警告]	524	AV Alert Receive [AV 警示接收]	Received AV Alert: %s [已接收 AV 警示 : %s]
127	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPPoE	INFO [資訊]	---	PPPoE Start [PPPoE 啟動]	Starting PPPoE discovery [啟動 PPPoE 探索]
128	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPPoE	INFO [資訊]	---	PPPoE Link Up [PPPoE 連結啟動]	PPPoE LCP Link Up [PPPoE LCP 連結啟動]
129	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPPoE	INFO [資訊]	---	PPPoE Link Down [PPPoE 連結停止]	PPPoE LCP Link Down [PPPoE LCP 連結停止]
130	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPPoE	INFO [資訊]	---	PPPoE Link Finish [PPPoE 連結完成]	PPPoE terminated [PPPoE 已終止]
131	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPPoE	INFO [資訊]	---	PPPoE Network Up [PPPoE 網路連接]	PPPoE Network Connected [PPPoE 網路已連接]
132	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPPoE	INFO [資訊]	---	PPPoE Network Down [PPPoE 網路中斷]	PPPoE Network Disconnected [PPPoE 網路已中斷連接]
133	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPPoE	INFO [資訊]	---	PPPoE Discover Complete [PPPoE 探索完成]	PPPoE discovery process complete [PPPoE 探索程序完成]
134	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPPoE	INFO [資訊]	---	PPPoE CHAP Authentication [PPPoE CHAP 驗證]	PPPoE starting CHAP Authentication [PPPoE 啟動 CHAP 驗證]
138	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	Firewall Event [防火牆事件]	WARNING [警告]	636	WAN IP Change [WAN IP 變更]	Wan IP Changed [Wan IP 已變更]
139	6.2.5	User Activity [使用者活動]	VPN Client [VPN 用戶端]	INFO [資訊]	---	XAUTH Success [XAUTH 成功]	XAUTH Succeeded with VPN client [VPN 用戶端的 XAUTH 成功]
139	6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN Client [VPN 用戶端]	INFO [資訊]	---	XAUTH Success [XAUTH 成功]	XAUTH Succeeded with VPN %s [VPN %s 的 XAUTH 成功]



## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
140	6.2.5	User Activity [使用者活動]	VPN Client [VPN 用戶端]	ERROR [錯誤]	---	XAUTH Failure [XAUTH 失敗]	XAUTH Failed with VPN client, Authentication failure [VPN 用戶端的 XAUTH 失敗，驗證失敗]
140	6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN Client [VPN 用戶端]	ERROR [錯誤]	---	XAUTH Failure [XAUTH 失敗]	XAUTH Failed with VPN %s, Authentication failure [VPN %s 的 XAUTH 失敗，驗證失敗]
141	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN Client [VPN 用戶端]	INFO [資訊]	---	XAUTH Timeout [XAUTH 逾時]	XAUTH Failed with VPN client, Cannot Contact %s Server [VPN 用戶端的 XAUTH 失敗，無法聯絡 %s 伺服器]
142	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Firewall Event [防火牆事件]	ERROR [錯誤]	---	Log Debug [記錄偵錯]	Log Debug [記錄偵錯]
143	6.2.5	Attack [攻擊]	Firewall Event [防火牆事件]	ERROR [錯誤]	525		Add an attack message [新增攻擊訊息]
144	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	High Availability [高可用性]	ALERT [警示]	6201	HA Active Primary [HA 使用中主要]	Primary firewall has transitioned to Active [主要防火牆已轉換為使用中]
145	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	High Availability [高可用性]	ALERT [警示]	6202	HA Active Secondary [HA 使用中次要]	Secondary firewall has transitioned to Active [次要防火牆已轉換為使用中]
146	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	High Availability [高可用性]	ALERT [警示]	6203	HA Standby Primary [HA 待機主要]	Primary firewall has transitioned to Standby [主要防火牆已轉換為待機]
147	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	High Availability [高可用性]	ALERT [警示]	6204	HA Standby Secondary [HA 待機次要]	Secondary firewall has transitioned to Standby [次要防火牆已轉換為待機]
148	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	High Availability [高可用性]	ERROR [錯誤]	615	HA Primary Missed Heartbeat [HA 主要已遺失活動訊號]	Primary missed heartbeats from Secondary [主要已遺失次要的活動訊號]
149	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	High Availability [高可用性]	ERROR [錯誤]	616	HA Secondary Missed Heartbeat [次要已遺失活動訊號]	Secondary missed heartbeats from Primary [次要已遺失主要的活動訊號]



## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
150	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	High Availability [高可用性]	ERROR [錯誤]	617	HA Primary Error Receive [HA 主要錯誤接收]	Primary received error signal from Secondary [主要已接收次要的錯誤訊息]
151	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	High Availability [高可用性]	ERROR [錯誤]	618	HA Secondary Error Receive [HA 次要錯誤接收]	Secondary received error signal from Primar [次要已接收主要的錯誤訊息]
153	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	High Availability [高可用性]	ERROR [錯誤]	620	HA Primary Preempt [HA 主要先佔]	Primary firewall preempting Secondary [主要防火牆先佔次要]
157	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	High Availability [高可用性]	INFO [資訊]	---	HA Sync HA Peer [HA 同步 HA 對等]	HA Peer Firewall Synchronized [HA 對等防火牆已同步]
158	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	High Availability [高可用性]	ERROR [錯誤]	662	HA Sync Error [HA 同步錯誤]	Error synchronizing HA peer firewall (%s) [同步 HA 對等防火牆 (%s) 時發生錯誤]
159	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Security Services [安全服務]	WARNING [警告]	526	AV Expire message [AV 到期訊息]	Received AV Alert: Your Network Anti-Virus subscription has expired. %s [已接收 AV 警示：您的網路防毒訂閱已過期。%s]
162	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	High Availability [高可用性]	INFO [資訊]	---	HA Packet Error [HA 封包錯誤]	HA packet processing error [HA 封包處理錯誤]
164	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	Firewall Hardware [防火牆硬體]	ERROR [錯誤]	621	HTTP Server Reboot [HTTP 伺服器重新開機]	Diagnostic Code F [診斷代碼 F]
165	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	527	Allow E-mail Attachment [允許電子郵件附件]	Forbidden E-Mail attachment disabled [禁止的電子郵件附件已停用]
168	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPPoE	INFO [資訊]	---	PPPoE Traffic Timeout [PPPoE 流量逾時]	Disconnecting PPPoE due to traffic Timeout [因為流量逾時而中斷連接 PPPoE]
169	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPPoE	INFO [資訊]	---	PPPoE LCP Unack [PPPoE LCP 未確認]	No response from ISP Disconnecting PPPoE. [ISP 無回應，正在中斷連接 PPPoE。]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
170	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	High Availability [高可用性]	ERROR [錯誤]	622	Secondary Active Preempt [次要使用中先佔]	Secondary going Active in preempt mode after reboot [次要重新啟動後在對等模式中進入使用中狀態]
171	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	DEBUG [偵錯]	---	IPsec Dead Peer Detection [IPsec 失效對等偵測]	%s
173	6.2.5 6.2.7 6.2.7.7 6.2.9	LAN TCP	Network Access [網路存取]	NOTICE [注意]	---	LAN TCP Deny [LAN TCP 拒絕]	TCP connection from LAN denied [TCP 與 LAN 的連線被拒]
174	6.2.5 6.2.7 6.2.7.7 6.2.9	LAN UDP   LAN TCP	Network Access [網路存取]	NOTICE [注意]	---	LAN UDP Deny [LAN UDP 拒絕]	UDP packet from LAN dropped [從 LAN 的 UDP 封包已捨棄]
175	6.2.5 6.2.7 6.2.7.7 6.2.9	LAN ICMP   LAN TCP	Network Access [網路存取]	NOTICE [注意]	---	LAN ICMP Deny [LAN ICMP 拒絕]	ICMP packet from LAN dropped [從 LAN 的 ICMP 封包已捨棄]
177	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	528	TCP FIN Scan [TCP FIN 掃描]	Probable TCP FIN scan detected [已偵測到可能的 TCP FIN 掃描]
178	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	529	TCP Xmas Scan [TCP Xmas 掃描]	Probable TCP XMAS scan detected [已偵測到可能的 TCP XMAS 掃描]
179	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	530	TCP Null Scan [TCP Null 掃描]	Probable TCP NULL scan detected [已偵測到可能的 TCP NULL 掃描]
180	6.2.5	Attack [攻擊]	VPN IPsec	ALERT [警示]	531	Replay Detected [已偵測到重送]	IPsec Replay Detected [已偵測到 IPsec 重送]
181	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network [網路]	DEBUG [偵錯]	---	TCP FIN Drop [TCP FIN 捨棄]	TCP FIN packet dropped [TCP FIN 封包已捨棄]
182	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Network [網路]	INFO [資訊]	---	Path MTU Receive [路徑 MTU 接收]	Received a path MTU ICMP message from router/gateway [已接收來自路由器/閘道的路徑 MTU ICMP 訊息]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
183	6.2.5	System Error [系統錯誤]	Security Services [安全服務]	ERROR [錯誤]	623	Appliance Not Registered [設備未註冊]	Problem loading the URL List; Appliance not registered. [載入 URL 清單時發生問題；設備未註冊。]
188	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Network [網路]	INFO [資訊]	---	Path MTU ICMP [路徑 MTU ICMP]	Received a path MTU ICMP message from router/gateway [已接收來自路由器/閘道的路徑 MTU ICMP 訊息]
190	6.2.5	System Error [系統錯誤]	Security Services [安全服務]	ERROR [錯誤]	628	Content Filter List Expired [內容篩選清單已到期]	The loaded content URL List has expired. [載入的內容 URL 清單已過期。]
191	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	High Availability [高可用性]	ERROR [錯誤]	629	HA Set Error [HA 設定錯誤]	Error setting the IP address of the Secondary, please manually set to Secondary LAN IP [設定次要的 IP 位址時發生錯誤，請手動設定為次要 LAN IP]
199	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	Admin Login From CLI [管理員從 CLI 登入]	CLI administrator login allowed [CLI 管理員登入已允許]
200	6.2.5	User Activity [使用者活動]	Authenticated Access [驗證存取]	WARNING [警告]	---	Admin Password Error From CLI [管理員從 CLI 登入密碼錯誤]	CLI administrator login denied due to bad credentials [CLI 管理員登入因為憑證不良而被拒]
201	6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	L2TP Client [L2TP 用戶端]	INFO [資訊]	---	L2TP Tunnel Start [L2TP 通道開始]	L2TP Tunnel Negotiation Started [L2TP 通道交涉已開始]
202	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	L2TP Client [L2TP 用戶端]	INFO [資訊]	---	L2TP Session Start [L2TP 工作階段開始]	L2TP Session Negotiation Started [L2TP 工作階段交涉已開始]
204	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	L2TP Client [L2TP 用戶端]	INFO [資訊]	---	L2TP Tunnel Finish [L2TP 通道完成]	L2TP Tunnel Established [L2TP 通道已建立]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
205	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	L2TP Client [L2TP 用戶端]	INFO [資訊]	---	L2TP Tunnel Disconnect From Remote [L2TP 通道已從遠端中斷連接]	L2TP Tunnel Disconnect from Remote [L2TP 通道已從遠端中斷連接]
206	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	L2TP Client [L2TP 用戶端]	INFO [資訊]	---	L2TP Session Success [L2TP 工作階段成功]	L2TP Session Established [L2TP 工作階段已建立]
207	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	L2TP Client [L2TP 用戶端]	INFO [資訊]	---	L2TP Session Disconnect From Remote [L2TP 工作階段已從遠端中斷連接]	L2TP Session Disconnect from Remote [L2TP 工作階段已從遠端中斷連接]
208	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	L2TP Client [L2TP 用戶端]	INFO [資訊]	---	L2TP PPP Start [L2TP PPP 開始]	L2TP PPP Negotiation Started [L2TP PPP 交涉已開始]
210	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	L2TP Client [L2TP 用戶端]	INFO [資訊]	---	L2TP PPP Up [L2TP PPP 啟動]	L2TP PPP Session Up [L2TP PPP 工作階段啟動]
211	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	L2TP Client [L2TP 用戶端]	INFO [資訊]	---	L2TP Net Down [L2TP 網路停止]	L2TP PPP Down [L2TP PPP 停止]
212	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	L2TP Client [L2TP 用戶端]	INFO [資訊]	---	L2TP PPP Authenticate Failed [L2TP PPP 驗證失敗]	L2TP PPP Authentication Failed [L2TP PPP 驗證失敗]
215	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	L2TP Client [L2TP 用戶端]	INFO [資訊]	---	L2TP Traffic Timeout [L2TP 流量逾時]	Disconnecting L2TP Tunnel due to traffic Timeout [因為流量逾時而中斷連接 L2TP 通道]
217	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	L2TP Client [L2TP 用戶端]	INFO [資訊]	---	L2TP PPP Down [L2TP PPP 停止]	L2TP PPP link down [L2TP PPP 連結停止]
222	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP 轉接	INFO [資訊]	---	DHCP Remote Release [DHCP 遠端釋放]	DHCP RELEASE relayed to Central Gateway [DHCP RELEASE 已轉送至中央閘道]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
223	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Relay [DHCP 轉接]	INFO [資訊]	---	DHCP Remote ACK [DHCP 遠端 ACK]	DHCP lease relayed to local device [DHCP 租用已轉送至本機裝置]
224	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	DHCP Relay [DHCP 轉接]	INFO [資訊]	---	DHCP Central Release [DHCP 中央釋放]	DHCP RELEASE received from remote device [DHCP RELEASE 已從遠端裝置接收]
225	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	DHCP Relay [DHCP 轉接]	INFO [資訊]	---	DHCP Central ACK [DHCP 中央 ACK]	DHCP lease relayed to remote device [DHCP 租用已轉送至遠端裝置]
226	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Relay [DHCP 轉接]	INFO [資訊]	---	DHCP IP Conflict [DHCP IP 衝突]	DHCP lease to LAN device conflicts with remote device, deleting remote IP entry [DHCP 租用給 LAN 裝置與遠端裝置相衝突，刪除遠端 IP 項目]
227	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Relay [DHCP 轉接]	INFO [資訊]	---	DHCP IP Conflict With Static IP [DHCP IP 與固定 IP 衝突]	WARNING: DHCP lease relayed from Central Gateway conflicts with IP in Static Devices list [警告：從中央閘道轉送的 DHCP 租用與靜態裝置清單中的 IP 相衝突]
228	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Relay [DHCP 轉接]	WARNING [警告]	---	DHCP IP Drop [DHCP IP 捨棄]	DHCP lease dropped. Lease from Central Gateway conflicts with Relay IP [DHCP 租用已捨棄。從中央閘道的租用與轉送 IP 相衝突。]
229	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	DHCP Relay [DHCP 轉接]	ERROR [錯誤]	533	DHCP IP Spoof [DHCP IP 詐騙]	IP spoof detected on packet to Central Gateway, packet dropped [在到中央閘道的封包上偵測到 IP 詐騙，封包已捨棄]
230	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Relay [DHCP 轉接]	INFO [資訊]	---	DHCP Get Remote IP Table [DHCP 取得遠端 IP 表格]	Request for Relay IP Table from Central Gateway [從中央閘道要求轉送 IP 表格]
231	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Relay [DHCP 轉接]	INFO [資訊]	---	DHCP Get Central IP Table [DHCP 取得中央 IP 表格]	Requesting Relay IP Table from Remote Gateway [從遠端閘道要求轉送 IP 表格]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
232	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Relay [DHCP 轉接]	INFO [資訊]	---	DHCPR Send Remote IP Table [DHCPR 傳送遠端 IP 表格]	Sent Relay IP Table to Central Gateway [已傳送 IP 表格到中央閘道]
233	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Relay [DHCP 轉接]	INFO [資訊]	---	DHCPR Receive Remote IP Table [DHCPR 接收遠端 IP 表格]	Obtained Relay IP Table from Remote Gateway [從遠端閘道取得轉送 IP 表格]
234	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	DHCP Relay [DHCP 轉接]	WARNING [警告]	632	DHCPR Table Request Timeout [DHCPR 表格請求逾時]	Failed to synchronize Relay IP Table [無法同步轉送 IP 表格]
235	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	Admin VPN Login [管理員 VPN 登入]	VPN zone administrator login allowed [VPN 區域管理員登入已允許]
236	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	Admin WAN Login [管理員 WAN 登入]	WAN zone administrator login allowed [WAN 區域管理員登入已允許]
237	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	User VPN Login [使用者 VPN 登入]	VPN zone remote user login allowed [VPN 區域遠端使用者登入已允許]
238	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	User WAN Login [使用者 WAN 登入]	WAN zone remote user login allowed [WAN 區域遠端使用者登入已允許]
239	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	VPN Peer Behind NAT Device [NAT 裝置後方的 VPN 對等]	NAT Discovery: Peer IPsec Security Gateway behind a NAT/NAPT Device [NAT 探索：NAT/NAPT 裝置後方的對等 IPsec 安全性閘道]
240	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	VPN Local Behind NAT Device [NAT 裝置後方的 VPN 本機]	NAT Discovery: Local IPsec Security Gateway behind a NAT/NAPT Device [NAT 探索：NAT/NAPT 裝置後方的本機 IPsec 安全性閘道]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
241	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	VPN No NAT Device Detected [沒有 NAT 裝置偵測到 VPN]	NAT Discovery: No NAT/NAPT device detected between IPsec Security gateways [NAT 探索：IPsec 安全性閘道間沒有偵測到 NAT/NAPT 裝置]
242	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	VPN Peer Does Not Support NAT [VPN 對等不支援 NAT]	NAT Discovery: Peer IPsec Security Gateway doesn't support VPN NAT Traversal [NAT 探索：對等 IPsec 安全性閘道不支援 VPN NAT 週遊]
243	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	RADIUS	INFO [資訊]	---	User Login Failed [使用者登入失敗]	User login denied - RADIUS authentication failure [使用者登入被拒 - RADIUS 驗證失敗]
244	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	RADIUS	WARNING [警告]	---	User Login Timeout [使用者登入逾時]	User login denied - RADIUS server Timeout [使用者登入被拒 - RADIUS 伺服器逾時]
245	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	RADIUS	WARNING [警告]	---	User Login Error [使用者登入錯誤]	User login denied - RADIUS configuration error [使用者登入被拒 - RADIUS 設定錯誤]
246	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	User Login From Wrong Location [使用者從錯誤位置登入]	User login denied - User has no privileges for login from that location [使用者登入被拒 - 使用者沒有從該位置登入的權限]
247	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	VPN IPsec	INFO [資訊]	---	Illegal Packet from IPsec Host [來自 IPsec 主機的非法封包]	IPsec packet from an illegal host [來自非法主機的 IPsec 封包]
248	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ERROR [錯誤]	534	E-mail Attachment [電子郵件附件]	Forbidden E-Mail attachment deleted [禁止的電子郵件附件已刪除]
249	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	535	Bad Tunnel Mode [錯誤通道模式]	IKE Responder: Mode %s - not tunnel mode [IKE 回應程式：模式 %s - 非通道模式]



## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
250	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	536	Phase 1 ID Mismatch [階段 1 ID 不符]	IKE Responder: No matching Phase 1 ID found for proposed remote network [IKE 回應程式：所建議的遠端網路找不到相符的階段 1 ID]
251	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	537	Bad Remote Network [錯誤遠端網路]	IKE Responder: Proposed remote network is 0.0.0.0 but not DHCP relay nor default route [IKE 回應程式：建議的遠端網路是 0.0.0.0 但非 DHCP 轉送也非預設路由]
252	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	538	No Remote Network Match [沒有遠端網路相符]	IKE Responder: No match for proposed remote network address [IKE 回應程式：建議的遠端網路位址沒有相符者]
253	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	539	Default Gateway Not Match Proposal [預設閘道沒有相符建議]	IKE Responder: Default LAN gateway is set but peer is not proposing to use this SA as a default route [IKE 回應程式：預設 LAN 閘道已設定但未建議使用此 SA 作為預設路由]
254	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	540	Tunnel Terminates Outside [通道終止在外]	IKE Responder: Tunnel terminates outside firewall but proposed local network is not NAT public address [IKE 回應程式：通道終止於防火牆以外，但是建議的本機網路不是 NAT 公用位址]
255	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	541	Tunnel Terminates Inside [通道終止在內]	IKE Responder: Tunnel terminates inside firewall but proposed local network is not inside firewall [IKE 回應程式：通道終止於防火牆以內，但是建議的本機網路不在防火牆內]
256	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	542	Tunnel Terminates DMZ [通道終止 DMZ]	IKE Responder: Tunnel terminates on DMZ but proposed local network is on LAN [IKE 回應程式：通道終止於 DMZ 但建議的本機網路是在 LAN]



## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
257	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	543	Tunnel Terminates LAN [通道終止 LAN]	IKE Responder: Tunnel terminates on LAN but proposed local network is on DMZ [IKE 回應程式：通道終止於 LAN 但建議的本機網路是在 DMZ]
258	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	544	AH PFS Mismatch [AH PFS 不符]	IKE Responder: AH Perfect Forward Secrecy mismatch [IKE 回應程式：AH 完整轉寄密碼不符]
259	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	545	ESP PFS Mismatch [ESP PFS 不符]	IKE Responder: ESP Perfect Forward Secrecy mismatch [IKE 回應程式：ESP 完整轉寄密碼不符]
260	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	546	Algorithm or Key Mismatch [演算法或金鑰不符]	IKE Responder: Algorithms and/or keys do not match [IKE 回應程式：演算法和/或金鑰不符]
261	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	Admin Logout [管理員登出]	Administrator logged out [管理員已登出]
262	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	Admin Logout - Timer Expire [管理員登出 - 計時器到期]	Administrator logged out - inactivity timer expired [管理員已登出 - 非使用狀態計時器到期]
263	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	User Logout [使用者登出]	User logged out - %s [使用者已登出 - %s]
264	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	User Logout - Max Session [使用者登出 - 最大工作階段]	User logged out - max session time exceeded [使用者已登出 - 超過最大工作階段時間]
265	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	User Logout - Timer Expire [使用者登出 - 計時器到期]	User logged out - inactivity timer expired [使用者已登出 - 非使用狀態計時器到期]
266	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	VPN IPsec	INFO [資訊]	---	IPsec AH Does Not Support NAT [IPsec AH 不支援 NAT]	NAT device may not support IPsec AH pass-through [NAT 裝置可能不支援 IPsec AH 穿透]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
267	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	547	TCP Xmas Tree Attack [TCP Xmas Tree 攻擊]	TCP Xmas Tree dropped [TCP Xmas Tree 已捨棄]
269	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN PKI	INFO [資訊]	---	CRL Request [CRL 請求]	Requesting CRL from [請求 CRL 自]
270	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN PKI	INFO [資訊]	---	CRL Download Success [CRL 下載成功]	CRL loaded from [CRL 載入自]
271	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN PKI	ALERT [警示]	---	CRL Download Failed [CRL 下載失敗]	Failed to get CRL from [無法取得 CRL 自]
272	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN PKI	WARNING [警告]	---	CRL Failed - No Memory [CRL 失敗 - 無 記憶體]	Not enough memory to hold the CRL [無足夠的記憶體保存 CRL]
273	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN PKI	ALERT [警示]	---	CRL Failed - Timeout [CRL 失敗 - 逾 時]	Connection timed out [連線已逾時]
274	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN PKI	ALERT [警示]	---	CRL Failed - No Connect [CRL 失敗 - 無 連線]	Cannot connect to the CRL server [無法連線到 CRL 伺服器]
275	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN PKI	ERROR [錯誤]	---	CRL Failed - No Reason [CRL 失敗 - 無 確切原因]	Unknown reason [不明原因]
276	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN PKI	ALERT [警示]	---	CRL Process Failed [CRL 處理失敗]	Failed to Process CRL from [無法處理 CRL 自]
277	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN PKI	ALERT [警示]	---	CRL Bad Format [CRL 錯誤格式]	Bad CRL format [CRL 格式錯誤]
278	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN PKI	ALERT [警示]	---	CRL Wrong Issuer [CRL 錯誤簽發 者]	Issuer match failed [簽發者比對失敗]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
279	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN PKI	ALERT [警示]	---	CRL Certificate Revoke [CRL 憑證撤銷]	Certificate on Revoked list(CRL) [已撤銷憑證清單 (CRL)]
280	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN PKI	ALERT [警示]	---	No Certificate [無憑證]	No Certificate for [無憑證]
281	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	PPP Dial-Up [PPP 撥號]	INFO [資訊]	---	PP Dial Up [PPP 撥號]	PPP Dial-Up: Dialing: %s [PPP 撥號：撥號：%s]
282	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	PPP Dial-Up [PPP 撥號]	INFO [資訊]	---	PPP No Dialtone [PPP 無撥號音]	PPP Dial-Up: No dial tone detected - check phone-line connection [PPP 撥號：未偵測到撥號音 - 檢查電話線連接]
283	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	PPP Dial-Up [PPP 撥號]	INFO [資訊]	---	PPP No Carrier [PPP 無營運商]	PPP Dial-Up: No link carrier detected - check phone number [PPP 撥號：未偵測到連結載波 - 檢查電話號碼]
284	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	PPP Dial-Up [PPP 撥號]	INFO [資訊]	---	PPP Peer Number Busy [PPP 對等號碼忙線]	PPP Dial-Up: Dialed number is busy [PPP 撥號：所撥號碼忙線中]
285	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	PPP Dial-Up [PPP 撥號]	INFO [資訊]	---	PPP No Answer [PPP 無人接聽]	PPP Dial-Up: Dialed number did not answer [PPP 撥號：所撥號碼無人接聽]
286	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	PPP Dial-Up [PPP 撥號]	INFO [資訊]	---	Start PPP [啟動 PPP]	PPP Dial-Up: Connected at %s bps - starting PPP [PPP 撥號：以 %s bps 連接 - 啟動 PPP]
287	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	PPP Dial-Up [PPP 撥號]	INFO [資訊]	---	PPP Failure [PPP 失敗]	PPP Dial-Up: Unknown dialing failure [PPP 撥號：未知撥號失敗]
288	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	PPP Dial-Up [PPP 撥號]	INFO [資訊]	---	PPP Disconnect [PPP 連線中斷]	PPP Dial-Up: Link carrier lost [PPP 撥號：連結載波遺失]
289	6.2.5 6.2.7 6.2.7.7 6.2.9	---	PPP	INFO [資訊]	---	PPP Authenticate Success [PPP 驗證成功]	PPP: Authentication successful [PPP：驗證成功]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
290	6.2.5 6.2.7 6.2.7.7 6.2.9	---	PPP	INFO [資訊]	---	PPP PAP Failed [PPP PAP 失敗]	PPP: PAP Authentication failed - check username / password [PPP : PAP 驗證失敗 - 檢查使用者名稱 / 密碼]
291	6.2.5 6.2.7 6.2.7.7 6.2.9	---	PPP	INFO [資訊]	---	PPP CHAP Failed [PPP CHAP 失敗]	PPP: CHAP authentication failed - check username / password [PPP : CHAP 驗證失敗 - 檢查使用者名稱 / 密碼]
292	6.2.5 6.2.7 6.2.7.7 6.2.9	---	PPP	INFO [資訊]	---	PPP MS-CHAP Failed [PPP MS-CHAP 失敗]	PPP: MS-CHAP authentication failed - check username / password [PPP : MS-CHAP 驗證失敗 - 檢查使用者名稱 / 密碼]
293	6.2.5 6.2.7 6.2.7.7 6.2.9	---	PPP	INFO [資訊]	---	PPP MS-CHAP Start [PPP MS-CHAP 啟動]	PPP: Starting MS-CHAP authentication [PPP : 啟動 MS-CHAP 驗證]
294	6.2.5 6.2.7 6.2.7.7 6.2.9	---	PPP	INFO [資訊]	---	PPP CHAP Start [PPP CHAP 啟動]	PPP: Starting CHAP authentication [PPP : 啟動 CHAP 驗證]
295	6.2.5 6.2.7 6.2.7.7 6.2.9	---	PPP	INFO [資訊]	---	PPP PAP Start [PPP PAP 啟動]	PPP: Starting PAP authentication [PPP : 啟動 PAP 驗證]
297	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	PPP Dial-Up [PPP 撥號]	INFO [資訊]	---	PPP Idle Timer Exceed [超過 PPP 閒置計時器]	PPP Dial-Up: Idle time limit exceeded - disconnecting [PPP 撥號 : 已超過閒置時間限制 - 正在中斷連接]
299	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	PPP Dial-Up [PPP 撥號]	INFO [資訊]	---	PPP IP Update [PPP IP 更新]	PPP Dial-Up: Received new IP address [PPP 撥號 : 已接收新的 IP 位址]
300	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	PPP Dial-Up [PPP 撥號]	INFO [資訊]	---	PPP Link Establish [PPP 連結建立]	PPP Dial-Up: PPP link established [PPP 撥號 : PPP 連結已建立]
301	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	PPP Dial-Up [PPP 撥號]	INFO [資訊]	---	PPP Link Down [PPP 連結停止]	PPP Dial-Up: PPP link down [PPP 撥號 : PPP 連結停止]
302	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	PPP Dial-Up [PPP 撥號]	INFO [資訊]	---	PPP Link Closing [PPP 關閉連結]	PPP Dial-Up: Shutting down link [PPP 撥號 : 關閉連結]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
303	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	PPP Dial-Up [PPP 撥號]	INFO [資訊]	---	PPP Initialization [PPP 初始化]	PPP Dial-Up: Initialization: %s [PPP 撥號：初始化：%s]
306	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	PPP Dial-Up [PPP 撥號]	INFO [資訊]	---	PPP Dial Cancel [PPP 撥號取消]	PPP Dial-Up: Connect request canceled [PPP 撥號：連接請求已取消]
307	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	WAN Failover [WAN 容錯移轉]	WARNING [警告]	639	WAN Mode [WAN 模式]	The network connection in use is %s [使用中的網路連線是 %s]
308	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	L2TP Server [L2TP 伺服器]	INFO [資訊]	---	L2TP Tunnel Establish [L2TP 通道建立]	L2TP Server: L2TP Tunnel Established [L2TP 伺服器：L2TP 通道已建立]
309	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	L2TP Server [L2TP 伺服器]	INFO [資訊]	---	L2TP Session Establish [L2TP 工作階段建立]	L2TP Server: L2TP Session Established [L2TP 伺服器：L2TP 工作階段已建立]
311	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	L2TP Server [L2TP 伺服器]	INFO [資訊]	---	L2TP RADIUS Authentication Failure [L2TP RADIUS 驗證失敗]	L2TP Server: RADIUS/LDAP reports Authentication Failure [L2TP 伺服器：RADIUS/LDAP 報告驗證失敗]
312	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	L2TP Server [L2TP 伺服器]	INFO [資訊]	---	L2TP Local Authentication Failure [L2TP 本機驗證失敗]	L2TP Server: Local Authentication Failure [L2TP 伺服器：本機驗證失敗]
318	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	L2TP Server [L2TP 伺服器]	INFO [資訊]	---	L2TP Local Authentication Success [L2TP 本機驗證成功]	L2TP Server: Local Authentication Success. [L2TP 伺服器：本機驗證成功]
319	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	L2TP Server [L2TP 伺服器]	INFO [資訊]	---	L2TP RADIUS Authentication Success [L2TP RADIUS 驗證成功]	L2TP Server: RADIUS/LDAP Authentication Success [L2TP 伺服器：RADIUS/LDAP 報告驗證成功]
321	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	PPP Dial-Up [PPP 撥號]	INFO [資訊]	---	PPP Manual Action Needed [PPP 需要手動操作]	PPP Dial-Up: Manual intervention needed. Check Primary Profile or Profile details [PPP 撥號：需要手動介入。檢查主要設定檔或設定檔詳細資料]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
322	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	PPP Dial-Up [PPP 撥號]	INFO [資訊]	---	PPP Profile is Manual [PPP 設定檔是手動]	PPP Dial-Up: Trying to failover but Primary Profile is manual [PPP 撥號：嘗試容錯移轉但是主要設定檔是手動]
326	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	WAN Failover [WAN 容錯移轉]	ALERT [警示]	637	Probe Failed [探查失敗]	Probing failure on %s [在 %s 的探查失敗]
327	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	PPP Dial-Up [PPP 撥號]	INFO [資訊]	---	PPP Max Connection Exceed [PPP 超過最大連線時間]	PPP Dial-Up: Maximum connection time exceeded - disconnecting [PPP 撥號：超過最大連線時間 - 正在中斷連接]
328	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Authenticated Access [驗證存取]	INFO [資訊]	---	Admin Name Change [管理員名稱變更]	Administrator name changed [管理員名稱已變更]
329	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Authenticated Access [驗證存取]	ERROR [錯誤]	561	User Login Lockout [使用者登入鎖定]	User login failure rate exceeded - logins from user IP address denied [超過使用者登入失敗率 - 從使用者 IP 位址登入被拒]
330	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPP Dial-Up [PPP 撥號]	INFO [資訊]	---	Disable VPN Network [停用 VPN 網路]	PPP Dial-Up: The profile in use disabled VPN networking. [PPP 撥號：使用中的設定檔已停用 VPN 網路。]
331	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPP Dial-Up [PPP 撥號]	INFO [資訊]	---	Enable VPN Network [啟用 VPN 網路]	PPP Dial-Up: VPN networking restored. [PPP 撥號：已還原 VPN 網路。]
335	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	L2TP Server [L2TP 伺服器]	INFO [資訊]	---	L2TPS Tunnel Disconnect from Remote [L2TPS 通道已從遠端中斷連接]	L2TP Server: Tunnel Disconnect from Remote. [L2TP 伺服器：通道已從遠端中斷連接]
336	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	L2TP Server [L2TP 伺服器]	INFO [資訊]	---	L2TPS Tunnel Delete [L2TPS 通道刪除]	L2TP Server: Deleting the Tunnel [L2TP 伺服器：刪除通道]
337	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	L2TP Server [L2TP 伺服器]	INFO [資訊]	---	L2TPS Session Delete [L2TPS 工作階段刪除]	L2TP Server: Deleting the L2TP active Session [L2TP 伺服器：刪除 L2TP 使用中工作階段]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
338	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	L2TP Server [L2TP 伺服器]	INFO [資訊]	---	L2TPS Retransmission Timeout [L2TPS 重新傳輸逾時]	L2TP Server: Retransmission Timeout, Deleting the Tunnel [L2TP 伺服器：重新傳輸逾時，正在刪除通道]
339	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network [網路]	DEBUG [偵錯]	---	NAT Overwrite [NAT 覆寫]	NAT translated packet exceeds size limit, packet dropped [NAT 轉譯的封包超過大小限制，已捨棄封包]
340	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Firewall Event [防火牆事件]	INFO [資訊]	---	HTTP Port Change [HTTP 連接埠變更]	HTTP management port has changed [HTTP 管理連接埠已變更]
341	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Firewall Event [防火牆事件]	INFO [資訊]	---	HTTPS Port Change [HTTPS 連接埠變更]	HTTPS management port has changed [HTTPS 管理連接埠已變更]
344	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	L2TP Server [L2TP 伺服器]	INFO [資訊]	---	L2TPS Authentication Local Failure [L2TPS 本機驗證失敗]	L2TP Server: User Name authentication Failure locally. [L2TP 伺服器：在本機的使用者名稱驗證失敗。]
346	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Quick Mode Started [已啟動快速模式]	IKE Initiator: Start Quick Mode (Phase 2). [IKE 啟動器：啟動快速模式 (階段 2)。]
347	6.2.5 6.2.7 6.2.7.7 6.2.9	TCP   UDP   ICMP	Network Access [網路存取]	WARNING [警告]	---	Drop Clear Packet [捨棄清除封包]	Port configured to receive IPsec protocol ONLY; drop packet received in the clear [連接埠設定為只接收 IPsec 通訊協定；捨棄在無任何阻礙下接收的封包]
348	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Firewall Event [防火牆事件]	WARNING [警告]	---	VPN SA Import Invalid [VPN SA 匯入無效]	Imported VPN SA is invalid - disabled [匯入的 VPN SA 無效 - 已停用]
350	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	IKE SA Life Expired [IKE SA 存留過期]	IKE SA lifetime expired. [IKE SA 存留時間已過期。]
351	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	IKE Main Mode Started [IKE 主要模式已啟動]	IKE Initiator: Start Main Mode negotiation (Phase 1) [IKE 啟動器：啟動主要模式交涉 (階段 1)]



## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
352	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	IKE Quick Mode Request Received [已接收 IKE 快速模式請求]	IKE Responder: Received Quick Mode Request (Phase 2) [IKE 回應程式：已接收快速模式請求 (階段 2)]
353	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Initial Main Mode Completed [初始主要模式已完成]	IKE Initiator: Main Mode complete (Phase 1) [IKE 啟動器：主要模式完成 (階段 1)]
354	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Initial Aggressive Mode Completed [初始加強模式已完成]	IKE Initiator: Aggressive Mode complete (Phase 1). [IKE 啟動器：加強模式完成 (階段 1)。]
355	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Responder Main Mode Request Received [回應程式已接收主要模式請求]	IKE Responder: Received Main Mode Request (Phase 1) [IKE 回應程式：已接收主要模式請求 (階段 1)]
356	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Responder Aggressive Mode Request Received [回應程式已接收加強模式請求]	IKE Responder: Received Aggressive Mode Request (Phase 1) [IKE 回應程式：已接收加強模式請求 (階段 1)]
357	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Responder Main Mode Completed [回應程式主要模式已完成]	IKE Responder: Main Mode complete (Phase 1) [IKE 回應程式：主要模式完成 (階段 1)]
358	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Aggressive Mode Started [加強模式已啟動]	IKE Initiator: Start Aggressive Mode negotiation (Phase 1) [IKE 啟動器：啟動加強模式交涉 (階段 1)]
360	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Crypto Test [Crypto 測試]	ERROR [錯誤]	---	DES Test Failed [DES 測試失敗]	Crypto DES test failed [Crypto DES 測試失敗]
361	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Crypto Test [Crypto 測試]	ERROR [錯誤]	---	DH Test Failed [DH 測試失敗]	Crypto DH test failed [Crypto DH 測試失敗]



## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
362	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Crypto Test [Crypto 測試]	ERROR [錯誤]	---	HMAC-MD5 Test Failed [HMAC-MD5 測試失敗]	Crypto Hmac-MD5 test failed [Crypto Hmac-MD5 測試失敗]
363	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Crypto Test [Crypto 測試]	ERROR [錯誤]	---	HMAC-SHA1 Test Failed [HMAC-SHA1 測試失敗]	Crypto Hmac-Sha1 test failed [Crypto Hmac-Sha1 測試失敗]
364	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Crypto Test [Crypto 測試]	ERROR [錯誤]	---	RSA Test Failed [RSA 測試失敗]	Crypto RSA test failed [Crypto RSA 測試失敗]
365	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Crypto Test [Crypto 測試]	ERROR [錯誤]	---	SHA1 Test Failed [SHA1 測試失敗]	Crypto Sha1 test failed [Crypto Sha1 測試失敗]
366	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Crypto Test [Crypto 測試]	ERROR [錯誤]	---	Hardware DES Test Failed [硬體 DES 測試失敗]	Crypto hardware DES test failed [Crypto 硬體 DES 測試失敗]
367	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Crypto Test [Crypto 測試]	ERROR [錯誤]	---	Hardware 3DES Test Failed [硬體 3DES 測試失敗]	Crypto hardware 3DES test failed [Crypto 硬體 3DES 測試失敗]
368	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Crypto Test [Crypto 測試]	ERROR [錯誤]	---	Hardware DES-SHA Test Failed [硬體 DES-SHA 測試失敗]	Crypto hardware DES with SHA test failed [Crypto 硬體 DES 和 SHA 測試失敗]
369	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Crypto Test [Crypto 測試]	ERROR [錯誤]	---	Hardware 3DES-SHA Test Failed [硬體 3DES-SHA 測試失敗]	Crypto Hardware 3DES with SHA test failed [Crypto 硬體 3DES 和 SHA 測試失敗]
371	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN Client [VPN 用戶端]	INFO [資訊]	---	Client Policy Provisioned [用戶端原則已佈建]	VPN Client Policy Provisioning [VPN 用戶端原則佈建]
372	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	IKE Initiator: Accept Proposal [IKE 啟動器：接受建議]	IKE Initiator: Accepting IPsec proposal (Phase 2) [IKE 啟動器：接受 IPsec 建議 (階段 2)]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
373	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	IKE Responder: Aggressive Mode complete [IKE 回應程式：加強模式完成]	IKE Responder: Aggressive Mode complete (Phase 1) [IKE 回應程式：加強模式完成 (階段 1)]
375	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPTP	INFO [資訊]	---	Start Control Connection Negotiation [開始控制連線交涉]	PPTP Control Connection Negotiation Started [PPTP 控制連線交涉已開始]
376	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPTP	INFO [資訊]	---	Start Session Negotiation [開始工作階段交涉]	PPTP Session Negotiation Started [PPTP 工作階段交涉已開始]
378	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPTP	INFO [資訊]	---	PPTP Control Establish [PPTP 控制建立]	PPTP Control Connection Established [PPTP 控制連線已建立]
379	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPTP	INFO [資訊]	---	PPTP Remote Disconnect Tunnel [PPTP 遠端中斷連接通道]	PPTP Tunnel Disconnect from Remote [PPTP 通道已從遠端中斷連接]
380	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPTP	INFO [資訊]	---	PPTP Session Success [PPTP 工作階段成功]	PPTP Session Established [PPTP 工作階段已建立]
381	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPTP	INFO [資訊]	---	PPTP Remote Disconnect Session [PPTP 遠端中斷連接工作階段]	PPTP Session Disconnect from Remote [PPTP 工作階段已從遠端中斷連接]
382	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPTP	INFO [資訊]	---	PPP Start [PPP 開始]	PPTP PPP Negotiation Started [PPTP PPP 交涉已開始]
384	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPTP	INFO [資訊]	---	PPP Up [PPP 啟動]	PPTP PPP Session Up [PPTP PPP 工作階段啟動]
385	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPTP	INFO [資訊]	---	PPP Down [PPP 停止]	PPTP PPP Down [PPTP PPP 停止]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
388	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPTP	INFO [資訊]	---	PPTP User Disconnect [PPTP 使用者中斷連接]	PPTP Disconnect Initiated by the User [由使用者起始的 PPTP 中斷連接]
389	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPTP	INFO [資訊]	---	PPTP Traffic Timeout [PPTP 流量逾時]	Disconnecting PPTP Tunnel due to traffic Timeout [因為流量逾時而中斷連接 PPTP 通道]
390	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPTP	INFO [資訊]	---	PPTP User Connect [PPTP 使用者連接]	PPTP Connect Initiated by the User [由使用者起始的 PPTP 連接]
392	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPTP	INFO [資訊]	---	PPTP CHAP Authentication [PPTP CHAP 驗證]	PPTP starting CHAP Authentication [PPTP 啟動 CHAP 驗證]
393	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPTP	INFO [資訊]	---	PPTP PAP Authentication [PPTP PAP 驗證]	PPTP starting PAP Authentication [PPTP 啟動 PAP 驗證]
396	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPTP	INFO [資訊]	---	PPTP Authentication ACK [PPTP 驗證 ACK]	PPTP PAP Authentication success. [PPTP PAP 驗證成功。]
398	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPTP	INFO [資訊]	---	PPTP PPP Link Up [PPTP PPP 連結啟動]	PPTP PPP Link Up [PPTP PPP 連結啟動]
399	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPTP	INFO [資訊]	---	PPTP PPP Link down [PPTP PPP 連結停止]	PPTP PPP Link down [PPTP PPP 連結停止]
400	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPTP	INFO [資訊]	---	PPTP PPP Link Finish [PPTP PPP 連結完成]	PPTP PPP Link Finished [PPTP PPP 連結完成]
401	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	No Proposal Chosen [未選擇任何建議]	Received notify.NO_PROPOSAL_CHOSEN [已收到通知。NO_PROPOSAL_CHOSEN]
402	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Proposal Rejected [建議已拒絕]	IKE Responder: IKE proposal does not match (Phase 1) [IKE 回應程式：IKE 建議不符 (階段 1)]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
403	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Negotiation Aborted [交涉已中止]	IKE negotiation aborted due to Timeout [IKE 交涉因為逾時而中止]
404	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Decryption Failed: Key Mismatch [解密失敗：金鑰不符]	Failed payload verification after decryption; possible preshared key mismatch [解密後承載驗證失敗；可能預先共用的金鑰不符]
405	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Payload Validation Failed [承載驗證失敗]	Failed payload validation [承載驗證失敗]
406	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Duplicate Packet Dropped [重複封包已捨棄]	Received packet retransmission.Drop duplicate packet [接收的封包重新傳輸。捨棄重複的封包]
408	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Security Services [安全服務]	INFO [資訊]	---	AV License Exceeded [超出防毒授權範圍]	Anti-Virus Licenses Exceeded [超過防毒授權數]
409	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Authentication Failed [身份驗證失敗]	Received notify.ISAKMP_AUTH_FAILED [已收到通知：ISAKMP_AUTH_FAILED]
410	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Hash Failed [雜湊失敗]	Computed hash does not match hash received from peer; preshared key mismatch [運算的雜湊與從對等接收的雜湊不符；預先共用的金鑰不符]
411	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Notification on Malformed Payload [格式錯誤的承載通知]	Received notify.PAYLOAD_MALFORMED [已收到通知：PAYLOAD_MALFORMED]
412	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Receive IPsec Delete Request [接收 IPsec 刪除請求]	Received IPsec SA delete request [已接收 IPsec SA 刪除請求]
413	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Receive IKE Delete Request [接收 IKE 刪除請求]	Received IKE SA delete request [已接收 IKE SA 刪除請求]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
414	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Invalid Cookies [無效 Cookie]	Received notify.INVALID_COOKIES [已收到通知： INVALID_COOKIES]
415	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Notification on Responder Lifetime [回應程式存留時間通知]	Received notify.RESPONDER_LIFETIME [已收到通知： RESPONDER_LIFETIME]
416	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Notification on Invalid SPI [無效 SPI 通知]	Received notify.INVALID_SPI [已收到通知： INVALID_SPI]
419	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	RIP	INFO [資訊]	8401	LAN RIP Disable [LAN RIP 已停用]	RIP disabled on interface %s [RIP 已在介面 %s 上停用]
420	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	RIP	INFO [資訊]	8402	LAN RIPv1 Enable [LAN RIPv1 啟用]	RIPv1 enabled on interface %s [RIPv1 已在介面 %s 上啟用]
421	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	RIP	INFO [資訊]	8403	LAN RIPv2 Enable [LAN RIPv2 啟用]	RIPv2 enabled on interface %s [RIPv2 已在介面 %s 上啟用]
422	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	RIP	INFO [資訊]	8404	LAN RIPv2c Enable [LAN RIPv2c 啟用]	RIPv2 compatibility (broadcast) mode enabled on interface %s [RIPv2 相容性 (廣播) 模式已在介面 %s 上啟用]
423	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	RIP	INFO [資訊]	8405	DMZ RIP Disable [DMZ RIP 停用]	RIP disabled on DMZ interface [RIP 已在 DMZ 介面上停用]
424	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	RIP	INFO [資訊]	8406	DMZ RIPv1 Enable [DMZ RIPv1 啟用]	RIPv1 enabled on DMZ interface [RIPv1 已在 DMZ 介面上啟用]
425	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	RIP	INFO [資訊]	8407	DMZ RIPv2 Enable [DMZ RIPv2 啟用]	RIPv2 enabled on DMZ interface [RIPv2 已在 DMZ 介面上啟用]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
426	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	RIP	INFO [資訊]	8408	DMZ RIPV2c Enable [DMZ RIPV2c 啟用]	RIPv2 compatibility (broadcast) mode enabled on DMZ interface [RIPv2 相容性 (廣播) 模式已在 DMZ 介面上啟用]
427	6.2.5 6.2.7 6.2.7.7 6.2.9	VPN Tunnel Status [VPN 通道狀態]	VPN	INFO [資訊]	801	IPsec Tunnel Status Changed [IPsec 通道狀態已變更]	IPsec Tunnel status changed [IPsec 通道狀態已變更]
428	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Intrusion Detection [入侵偵測]	WARNING [警告]	---	Drop Source Route Packet [捨棄來源路由封包]	Source routed IP packet dropped [來源路由的 IP 封包已捨棄]
429	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPTP	INFO [資訊]	---	PPTP Disconnect Echo Request [PPTP 中斷連接回應要求]	No response from server to Echo Requests, disconnecting PPTP Tunnel [伺服器沒有回應要求，正在中斷 PPTP 通道的連接]
430	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPTP	INFO [資訊]	---	PPTP Disconnect Control Connection Request [PPTP 中斷連接控制連線請求]	No response from PPTP server to control connection requests [從 PPTP 伺服器沒有回應控制連線的請求]
431	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPTP	INFO [資訊]	---	PPTP Disconnect Session Request [PPTP 中斷連接工作階段請求]	No response from PPTP server to call requests [從 PPTP 伺服器沒有回應呼叫請求]
432	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPTP	INFO [資訊]	---	PPTP Disconnect Control Connection Reject [PPTP 中斷連接控制連線拒絕]	PPTP server rejected control connection [PPTP 伺服器已拒絕控制連線]
433	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPTP	INFO [資訊]	---	PPTP Disconnect Session Reject [PPTP 中斷連接工作階段拒絕]	PPTP server rejected the call request [PPTP 伺服器已拒絕呼叫請求]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
434	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	WAN Failover [WAN 容錯移轉]	INFO [資訊]	---	Manual Alternate Profile [手動替代設定檔]	PPP Dial-Up: Trying to failover but Alternate Profile is manual [PPP 撥號：嘗試容錯移轉但是替代設定檔是手動]
435	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	WAN Failover [WAN 容錯移轉]	ALERT [警示]	652	WLB Failback [WLB 後援]	WLB Failback initiated by %s [由 %s 起始的 WLB 後援]
436	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	WAN Failover [WAN 容錯移轉]	ALERT [警示]	638	WLB Probe Success [WLB 探查成功]	Probing succeeded on %s [在 %s 的探查成功]
437	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ERROR [錯誤]	550	E-mail Fragment Dropped [電子郵件片段已捨棄]	E-Mail fragment dropped [電子郵件片段已捨棄]
438	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	User Login Lockout Expired [使用者登入鎖定已過期]	Locked-out user logins allowed - lockout period expired [已允許鎖定使用者登入 - 鎖定期間已過期]
439	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	User Login Lockout Clear [使用者登入鎖定清除]	Locked-out user logins allowed by %s [%s 允許鎖定使用者登入]
440	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Firewall Rule [防火牆規則]	INFO [資訊]	---	Rule Added [新增的規則]	Access rule added [存取規則已新增]
441	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Firewall Rule [防火牆規則]	INFO [資訊]	---	Rule Modified [修改的規則]	Access rule modified [存取規則已修改]
442	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Firewall Rule [防火牆規則]	INFO [資訊]	---	Rule Deleted [刪除的規則]	Access rule deleted [存取規則已刪除]
443	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Firewall Rule [防火牆規則]	INFO [資訊]	---	Rule Restore to Defaulted [規則還原為預設值]	Access rules restored to defaults [存取規則已還原為預設值]



## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
444	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPTP	INFO [資訊]	---	PPTP Server Down [PPTP 伺服器停止]	PPTP Server is not responding, check if the server is UP and running. [PPTP 伺服器沒有回應，檢查伺服器是否已啟動並在執行中。]
445	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	IKE Initiator: Peer Lifetime Accept [對等存留時間接受]	IKE Initiator: Accepting peer lifetime.(Phase 1) [IKE 啟動器：接受對等存留時間。(階段 1)]
446	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ERROR [錯誤]	551	FTP Passive Attack [FTP 被動攻擊]	FTP: PASV response spoof attack dropped [FTP：PASV 回應詐騙攻擊已捨棄]
448	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	VPN PKI	ERROR [錯誤]	---	PKI Output Buffer Failure [PKI 輸出緩衝區失敗]	PKI Failure: Output buffer too small [PKI 失敗：輸出緩衝區太小]
449	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	VPN PKI	ERROR [錯誤]	---	PKI Allocate Memory Failure [PKI 配置記憶體失敗]	PKI Failure: Cannot alloc memory [PKI 失敗：無法配置記憶體]
450	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	VPN PKI	ERROR [錯誤]	---	PKI Certificate Failure [PKI 憑證失敗]	PKI Failure: Reached the limit for local certs, cant load any more [PKI 失敗：已達到本機憑證的限制，無法載入更多]
451	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	VPN PKI	ERROR [錯誤]	---	PKI Import Failure [PKI 匯入失敗]	PKI Failure: Import failed [PKI 失敗：匯入失敗]
452	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	VPN PKI	ERROR [錯誤]	---	PKI Bad Password [PKI 錯誤密碼]	PKI Failure: Incorrect admin password [PKI 失敗：管理密碼不正確]
453	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	VPN PKI	ERROR [錯誤]	---	PKI CA Certificate Failure [PKI CA 憑證失敗]	PKI Failure: CA certificates store exceeded.Cannot verify this Local Certificate [PKI 失敗：超過 CA 憑證儲存區。無法驗證此本機憑證]



## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
454	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	VPN PKI	ERROR [錯誤]	---	PKI Import File Format Failure [PKI 匯入檔案格式失敗]	PKI Failure: Improper file format. Please select PKCS#12 (*.p12) file [PKI 失敗：不適當的檔案格式。請選擇 PKCS#12 (*.p12) 檔]
455	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	VPN PKI	ERROR [錯誤]	---	PKI Certificate ID Failure [PKI 憑證 ID 失敗]	PKI Failure: Certificate's ID does not match this Network Security Appliance [PKI 失敗：憑證的 ID 與此網路安全性設備不符]
456	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	VPN PKI	ERROR [錯誤]	---	PKI Key Mismatch [PKI 金鑰不符]	PKI Failure: public-private key mismatch [PKI 失敗：公用-私人金鑰不符]
457	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	VPN PKI	ERROR [錯誤]	---	PKI Local Certificate Name Duplicate [PKI 本機憑證名稱重複]	PKI Failure: Duplicate local certificate name [PKI 失敗：重複的本機憑證名稱]
458	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	VPN PKI	ERROR [錯誤]	---	PKI Local Certificate Duplicate [PKI 本機憑證重複]	PKI Failure: Duplicate local certificate [PKI 失敗：重複的本機憑證]
459	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	VPN PKI	ERROR [錯誤]	---	PKI No Certificate [PKI 無憑證]	PKI Failure: No CA certificates yet loaded [PKI 失敗：尚未載入 CA 憑證]
460	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	VPN PKI	ERROR [錯誤]	---	PKI Internal Error [PKI 內部錯誤]	PKI Failure: Internal error [PKI 失敗：內部錯誤]
461	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	VPN PKI	ERROR [錯誤]	---	PKI No Resource [PKI 無資源]	PKI Failure: Temporary memory shortage, try again [PKI 失敗：暫存記憶體不足，請再試一次]
462	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	VPN PKI	ERROR [錯誤]	---	PKI Certificate Chain Circular [PKI 憑證鏈結循環]	PKI Failure: The certificate chain is circular [PKI 失敗：憑證鏈結為循環式]
463	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	VPN PKI	ERROR [錯誤]	---	PKI Certificate Chain Incomplete [PKI 憑證鏈結不完整]	PKI Failure: The certificate chain is incomplete [PKI 失敗：憑證鏈結不完整]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
464	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	VPN PKI	ERROR [錯誤]	---	PKI Certificate Chain No Root [PKI 憑證鏈結沒有根]	PKI Failure: The certificate chain has no root [PKI 失敗：憑證鏈結沒有根]
465	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	VPN PKI	ERROR [錯誤]	---	PKI Certificate Expire [PKI 憑證到期]	PKI Failure: Certificate expiration [PKI 失敗：憑證到期]
466	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	VPN PKI	ERROR [錯誤]	---	PKI Certificate Invalid [PKI 憑證無效]	PKI Failure: The certificate or a certificate in the chain has a validity period in the future [PKI 失敗：憑證或鏈結中的憑證的有效期間在未來]
467	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	VPN PKI	ERROR [錯誤]	---	PKI Certificate Corrupt [PKI 憑證毀損]	PKI Failure: The certificate or a certificate in the chain is corrupt [PKI 失敗：憑證或鏈結中的憑證毀損]
468	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	VPN PKI	ERROR [錯誤]	---	PKI Certificate Bad Signature [PKI 憑證簽章不正確]	PKI Failure: The certificate or a certificate in the chain has a bad signature [PKI 失敗：憑證或鏈結中的憑證的簽章不正確]
469	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	VPN PKI	ERROR [錯誤]	---	PKI Certificate Not Verified [PKI 憑證未驗證]	PKI Failure: Loaded but could not verify certificate [PKI 失敗：已載入但無法驗證憑證]
470	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	VPN PKI	ERROR [錯誤]	---	PKI Certificate Chain Not Verified [PKI 憑證鏈結未驗證]	PKI Warning: Loaded the certificate but could not verify its chain [PKI 警告：已載入憑證但無法驗證其鏈結]
473	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	DHCP Relay [DHCP 轉接]	INFO [資訊]	---	Remote: DHCP Request [遠端：DHCP 請求]	DHCP REQUEST received from remote device [DHCP REQUEST 已從遠端裝置接收]
474	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	DHCP Relay [DHCP 轉接]	INFO [資訊]	---	Remote: DHCP Discover [遠端：DHCP 探索]	DHCP DISCOVER received from remote device [DHCP DISCOVER 已從遠端裝置接收]
476	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	DHCP Relay [DHCP 轉接]	INFO [資訊]	---	Server: DHCP Offer [伺服器：DHCP 提供]	DHCP OFFER received from server [DHCP OFFER 已從伺服器接收]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
477	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	DHCP Relay [DHCP 轉接]	INFO [資訊]	---	Server: DHCP Nack [伺服器： DHCP Nack]	DHCP NACK received from server [DHCP NACK 已從伺服器接 收]
481	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPP Dial-Up [PPP 撥號]	INFO [資訊]	---	PPP No Peer IP [PPP 沒有對等 IP]	PPP Dial-Up: No peer IP address from Dial-Up ISP, local and remote IPs will be the same [PPP 撥號：沒有從撥號 ISP 的對等 IP 位址，本機和遠 端 IP 將會相同]
482	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Security Services [安全服務]	WARNING [警告]	552	AV Expiration Warning [AV 到期警告]	Received AV Alert: Your Network Anti-Virus subscriPtion will expire in 7 days. [已接收 AV 警示：您的網 路防毒訂閱將在 7 天內到 期。]
483	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IPsec	WARNING [警告]	---	Invalid ID [無效 ID]	Received notify.INVALID_ID_INFO [已收到通知： INVALID_ID_INFO]
484	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Relay [DHCP 轉接]	WARNING [警告]	---	DHCP Release Drop [DHCP 釋放捨 棄]	DHCP lease dropped.Lease from Central Gateway conflicts with Remote Management IP [DHCP 租用已捨棄。從中 央閘道的租用與遠端管理 IP 相衝突]
486	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	WLAN User Login Deny [WLAN 使用者 登入拒絕]	User login denied - User has no privileges for guest service [使用者登入被拒 - 使用者 沒有請求服務的權限]
488	6.2.5 6.2.7 6.2.7.7 6.2.9	TCP   UDP   ICMP	Network Access [網路存取]	WARNING [警告]	---	Guest Check [訪客檢查]	Packet dropped by guest check [封包被訪客檢查捨棄]
489	6.2.5	Maintenance [維護]	Security Services [安全服務]	WARNING [警告]	562	CFS Expiration Warning [CFS 到期警告 ]	Received CFS Alert: Your Content Filtering subscriPtion will expire in 7 days. [已接收 CFS 警示：您的內 容篩選訂閱將在 7 天內到 期。]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
490	6.2.5	Maintenance [維護]	Security Services [安全服務]	WARNING [警告]	563	CFS Expiration Message [CFS 到期訊息]	Received CFS Alert: Your Content Filtering subscription has expired. [已接收 CFS 警示：您的內容篩選訂閱已過期。]
491	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Security Services [安全服務]	WARNING [警告]	564	E-mail Filtering Expiration Warning [電子郵件篩選到期警示]	Received E-Mail Filter Alert: Your E-Mail Filtering subscription will expire in 7 days. [已接收電子郵件篩選警示：您的電子郵件篩選訂閱將在 7 天內到期。]
492	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Security Services [安全服務]	WARNING [警告]	565	E-mail Filtering Expiration Message [電子郵件篩選到期訊息]	Received E-Mail Filter Alert: Your E-Mail Filtering subscription has expired. [已接收電子郵件篩選警示：您的電子郵件篩選訂閱已過期。]
493	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Firewall Event [防火牆事件]	INFO [資訊]	---	ISDN Update [ISDN 更新]	ISDN Driver Firmware successfully updated [ISDN 驅動程式韌體已成功更新]
494	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	VPN Client [VPN 用戶端]	INFO [資訊]	658	GVC License Exceed [GVC 授權超出範圍]	Global VPN Client License Exceeded: Connection denied. [超過全域 VPN 用戶端授權：連線被拒]
496	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Security Services [安全服務]	WARNING [警告]	---	DEA Registration [DEA 註冊]	Registration Update Needed, Please restore your existing security service subscriptions. [需要註冊更新，請還原您現有的安全性服務訂閱。]
502	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Firewall Event [防火牆事件]	INFO [資訊]	---	WAN Not Ready [WAN 未就緒]	WAN not ready [WAN 未就緒]
505	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	VPN Client [VPN 用戶端]	ERROR [錯誤]	660	Blocked Quick Mode With Default Key ID [使用預設 Key ID 封鎖快速模式]	Blocked Quick Mode for Client using Default KeyId [使用預設 KeyId 已為用戶端封鎖快速模式]
506	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Authenticated Access [驗證存取]	INFO [資訊]	---	VPN Disabled [VPN 已停用]	VPN disabled by administrator [管理員已停用 VPN]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
507	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Authenticated Access [驗證存取]	INFO [資訊]	---	VPN Enabled [VPN 已啟用]	VPN enabled by administrator [管理員已啟用 VPN]
508	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Authenticated Access [驗證存取]	INFO [資訊]	---	WLAN Disabled [WLAN 已停用]	WLAN disabled by administrator [管理員已停用 WLAN]
509	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Authenticated Access [驗證存取]	INFO [資訊]	---	WLAN Enabled [WLAN 已啟用]	WLAN enabled by administrator [管理員已啟用 WLAN]
518	6.2.5 6.2.7 6.2.7.7 6.2.9	802.11b Management [802.11b 管理]	Wireless [無線]	INFO [資訊]	---	WLAN 802.11 Management [WLAN 802.11 管理]	802.11 Management [802.11 管理]
520	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	Admin Logout From CLI [管理員從 CLI 登出]	CLI administrator logged out [CLI 管理員已登出]
521	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Firewall Event [防火牆事件]	INFO [資訊]	---	Initializing [正在初始化]	Network Security Appliance initializing [網路安全性設備正在初始化]
522	6.2.5	Debug [偵錯]	Network Access [網路存取]	ALERT [警示]	554	Malformed IP Packet [格式錯誤的 IP 封包]	Malformed or unhandled IP packet dropped [格式錯誤或未處理的 IP 封包已捨棄]
522	6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network Access [網路存取]	INFO [資訊]	554	Malformed IP Packet [格式錯誤的 IP 封包]	Malformed or unhandled IP packet dropped [格式錯誤或未處理的 IP 封包已捨棄]
523	6.2.5 6.2.7 6.2.7.7 6.2.9	ICMP	Network Access [網路存取]	NOTICE [注意]	---	No Match ICMP Drop [不相符的 ICMP 捨棄]	ICMP packet dropped no match [ICMP 封包已捨棄不符者]
524	6.2.5 6.2.7 6.2.7.7 6.2.9	TCP	Network Access [網路存取]	NOTICE [注意]	---	Web Request Drop [Web 請求捨棄]	Web access Request dropped [Web 存取請求已捨棄]
526	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Network Access [網路存取]	NOTICE [注意]	---	Web Request Receiver [Web 請求接收程式]	Web management request allowed [已允許 Web 管理請求]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
527	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	555	FTP Port Bounce Attack [FTP 連接埠退回攻擊]	FTP: PORT bounce attack dropped. [FTP : PORT 退回攻擊已捨棄。]
528	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	556	FTP Passive Bounce Attack [FTP 被動退回攻擊]	FTP: PASV response bounce attack dropped. [FTP : PASV 回應詐騙退回已捨棄]
529	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	VPN Client [VPN 用戶端]	INFO [資訊]	643	GVC Not Authorized [GVC 未授權]	Global VPN Client connection is not allowed. Appliance is not registered. [不允許全域 VPN 用戶端連線。設備未註冊。]
533	6.2.5 6.2.7 6.2.7.7 6.2.9	TCP   UDP   ICMP	VPN IPsec	NOTICE [注意]	---	ESP Drop [ESP 捨棄]	IPsec (ESP) packet dropped [IPsec (ESP) 封包已捨棄]
534	6.2.5 6.2.7 6.2.7.7 6.2.9	TCP   UDP   ICMP	VPN IPsec	NOTICE [注意]	---	AH Drop [AH 捨棄]	IPsec (AH) packet dropped [IPsec (AH) 封包已捨棄]
535	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	VPN IPsec	DEBUG [偵錯]	---	ESP Connection Drop [ESP 連線捨棄]	IPsec (ESP) packet dropped; waiting for pending IPsec connection [IPsec (ESP) 封包已捨棄；正在等候擱置的 IPsec 連線]
537	6.2.5 6.2.7 6.2.7.7 6.2.9	Connection Traffic [連線流量]	Network Traffic [網路流量]	INFO [資訊]	---	Connection Closed [連線已關閉]	Connection Closed [連線已關閉]
538	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Network Access [網路存取]	ALERT [警示]	557	FTP Data Port [FTP 資料連接埠]	FTP: Data connection from non default port dropped [FTP : 從非預設連接埠的資料連線已捨棄]
542	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	PPP Dial-Up [PPP 撥號]	INFO [資訊]	---	Duration [持續時間]	PPP Dial-Up: Previous session was connected for %s [PPP 撥號：已為 %s 連接之前的工作階段]
543	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Negotiation on Second GW [次要 GW 交涉]	IKE Initiator: Using secondary gateway to negotiate [IKE 啟動器：使用次要閘道交涉]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
544	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Initiator: Bound Scope Mismatch [啟動器：退 回範圍不符]	IKE Initiator drop: VPN tunnel end point does not match configured VPN Policy Bound to scope [IKE 啟動器捨棄：VPN 通 道端點不符合設定的 VPN 原則退回，以配合範圍]
545	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Responder: Bound Scope Mismatch [回應程式： 退回範圍不符]	IKE Responder drop: VPN tunnel end point does not match configured VPN Policy Bound to scope [IKE 回應程式捨棄：VPN 通 道端點不符合設定的 VPN 原則退回，以配合範圍]
546	6.2.5 6.2.7 6.2.7.7 6.2.9	WLAN IDS	WLAN IDS	ALERT [警示]	901	Rogue AP Found [找到欺詐存 取點]	Found Rogue Access Point [找到 Rogue 存取點]
548	6.2.5 6.2.7 6.2.7.7 6.2.9	WLAN IDS	WLAN IDS	ALERT [警示]	903	WLAN Association Flood [WLAN 關聯洪 水]	Association Flood from WLAN station [來自 WLAN 工作站的關聯 洪水]
549	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	WLAN Guest Limit [WLAN 訪客限 制]	User login failed - Guest service limit reached [使用者登入失敗 - 已達到 訪客服務限制]
550	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	WLAN Session Timeout [WLAN 工作階 段逾時]	Guest Session Timeout [訪客工作階段逾時]
551	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	WLAN Account Timeout [WLAN 帳戶逾 時]	Guest Account Timeout [訪客帳戶逾時]
557	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	WLAN Guest Already Login [WLAN 訪客已 登入]	Guest login denied.Guest '%s' is already logged in.Please try again later. [訪客登入被拒。訪客 '%s' 已經登入，請稍後再試一 次。]
558	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	WLAN Guest Create [WLAN 訪客建 立]	Guest account '%s' created [訪客帳戶 '%s' 已建立]



## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
559	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	WLAN Guest Delete [WLAN 訪客刪除]	Guest account '%s' deleted [訪客帳戶 '%s' 已刪除]
560	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	WLAN Guest Disable [WLAN 訪客停用]	Guest account '%s' disabled [訪客帳戶 '%s' 已停用]
561	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	WLAN Guest Re-enable [WLAN 訪客重新啟用]	Guest account '%s' re-enabled [訪客帳戶 '%s' 已重新啟用]
562	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	WLAN Guest Prune [WLAN 訪客剪除]	Guest account '%s' pruned [訪客帳戶 '%s' 已剪除]
563	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	WLAN Guest Re-Generate [WLAN 訪客重新產生]	Guest account '%s' re-generated [訪客帳戶 '%s' 已重新產生]
564	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	WLAN Idle Timeout [WLAN 閒置逾時]	Guest Idle Timeout [訪客閒置逾時]
565	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	Firewall Event [防火牆事件]	ALERT [警示]	646	Multi-Interface Link Up [多介面連結啟動]	Interface %s Link Is Up [介面 %s 連結啟動]
566	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	Firewall Event [防火牆事件]	ALERT [警示]	647	Multi-Interface Link Down [多介面連結停止]	Interface %s Link Is Down [介面 %s 連結停止]
567	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Firewall Event [防火牆事件]	INFO [資訊]	---	Multi-Interface Shutdown [多介面關閉]	Interface IP Assignment changed: Shutting down %s [介面 IP 指派已變更：正在關閉 %s]
568	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Firewall Event [防火牆事件]	INFO [資訊]	---	Multi-Interface Bind Initiate [多介面繫結初始化]	Interface IP Assignment: Binding and initializing %s [介面 IP 指派：繫結和初始化 %s]
569	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Firewall Event [防火牆事件]	INFO [資訊]	---	Network Overlap [網路重疊]	Network for interface %s overlaps with another interface. [介面 %s 的網路與其他介面重疊。]



## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
570	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Firewall Event [防火牆事件]	INFO [資訊]	---	Invalid Network [無效網路]	Please connect interface %s to another network to function properly [請將介面 %s 連接到其他網路使其運作正常]
573	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	Firewall Event [防火牆事件]	WARNING [警告]	649	Preferences Too Big [偏好設定太大]	The preferences file is too large to be saved in available flash memory [偏好設定檔太大，無法儲存到可用的快閃記憶體中]
574	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	Firewall Event [防火牆事件]	WARNING [警告]	650	Preferences Defaulted [偏好設定已預設]	All preference values have been set to factory default values [偏好設定值已經設定為原廠預設值]
575	6.2.5 6.2.7 6.2.7.7 6.2.9	System Environment [系統環境]	Firewall Hardware [防火牆硬體]	ERROR [錯誤]	101	Voltages Out of Tolerance [電壓超出公差]	Voltages Out of Tolerance [電壓超出公差]
576	6.2.5 6.2.7 6.2.7.7 6.2.9	System Environment [系統環境]	Firewall Hardware [防火牆硬體]	ALERT [警示]	102	Fan Failure [風扇故障]	Fan Failure [風扇故障]
577	6.2.5 6.2.7 6.2.7.7 6.2.9	System Environment [系統環境]	Firewall Hardware [防火牆硬體]	ALERT [警示]	103	Thermal Yellow [黃熱]	Thermal Yellow [黃熱]
578	6.2.5 6.2.7 6.2.7.7 6.2.9	System Environment [系統環境]	Firewall Hardware [防火牆硬體]	ALERT [警示]	104	Thermal Red [紅熱]	Thermal Red [紅熱]
579	6.2.5 6.2.7 6.2.7.7 6.2.9	System Environment [系統環境]	Firewall Hardware [防火牆硬體]	ALERT [警示]	105	Thermal Red Timer Exceeded [超出紅熱計時器]	Thermal Red Timer Exceeded [超出紅熱計時器]
580	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Network Access [網路存取]	ALERT [警示]	558	TCP SYN/FIN Packet Drop [TCP SYN/FIN 封包捨棄]	TCP SYN/FIN packet dropped [TCP SYN/FIN 封包已捨棄]
581	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	WAN Failover [WAN 容錯移轉]	WARNING [警告]	---	WLB Spill-Over Start [WLB 溢出啟動]	WLB Spill-over started, configured threshold exceeded [WLB 溢出已啟動，超出設定的閾值]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
582	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	WAN Failover [WAN 容錯移轉]	WARNING [警告]	---	WLB Spill-Over Stop [WLB 溢出停止]	WLB Spill-over stopped [WLB 溢出已停止]
583	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Authenticated Access [驗證存取]	ERROR [錯誤]	559	User Login Disable [使用者登入停用]	User login disabled from %s [使用者登入已從 %s 停用]
584	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	WAN Failover [WAN 容錯移轉]	ALERT [警示]	651	WLB Failover [WLB 容錯移轉]	WLB Failover in progress [WLB 容錯移轉進行中]
585	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	WAN Failover [WAN 容錯移轉]	ALERT [警示]	653	WLB Resource Available [WLB 資源可用]	WLB Resource is now available [WLB 資源現在可供使用]
586	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	WAN Failover [WAN 容錯移轉]	ALERT [警示]	654	LB Resource Failed [WLB 資源失敗]	WLB Resource failed [WLB 資源失敗]
587	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Header Verification Failed [標頭驗證失敗]	Header verification failed [標頭驗證失敗]
588	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Client [DHCP 用戶端]	INFO [資訊]	---	Offer Error [提供錯誤]	Received DHCP offer packet has errors [接收的 DHCP 提供封包有錯誤]
589	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Client [DHCP 用戶端]	INFO [資訊]	---	Request Response Error [請求回應錯誤]	Received response packet for DHCP request has errors [接收的 DHCP 請求回應封包有錯誤]
590	6.2.5 6.2.7 6.2.7.7 6.2.9	LAN UDP   LAN TCP	Network Access [網路存取]	NOTICE [注意]	---	LAN IP Deny [LAN IP 拒絕]	IP type %s packet dropped [IP 類型 %s 封包已捨棄]
591	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	PPP Dial-Up [PPP 撥號]	ERROR [錯誤]	566	Max Failed Dials [最大撥號失敗次數]	Maximum sequential failed dial attempts (10) to a single dial-up number: %s [單一撥號號碼的最大連續撥號嘗試失敗次數 (10) : %s]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
592	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	PPP Dial-Up [PPP 撥號]	ERROR [錯誤]	567	30 Mins Dial Delay [30 分鐘撥號延遲]	Regulatory requirements prohibit %s from being re-dialed for 30 minutes [法規要求禁止 %s 重新撥號 30 分鐘]
593	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPPoE	INFO [資訊]	---	Receive PAD Offer [接收 PAD 提供]	Received PPPoE Active Discovery Offer [接收的 PPPoE 主動發現提供]
594	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPPoE	INFO [資訊]	---	Receive PAD Confirm [接收 PAD 確認]	Received PPPoE Active Discovery Session_confirmation [接收的 PPPoE 主動發現工作階段確認]
595	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPPoE	INFO [資訊]	---	Sending PADR [傳送 PADR]	Sending PPPoE Active Discovery Request [傳送 PPPoE 主動發現要求]
596	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	PPTP	DEBUG [偵錯]	---	Decode Failure [解碼失敗]	PPTP decode failure [PPTP 解碼失敗]
597	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network Access [網路存取]	INFO [資訊]	---	ICMP Allow [ICMP 允許]	ICMP packet allowed [已允許 ICMP 封包]
598	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network Access [網路存取]	INFO [資訊]	---	LAN ICMP Allow [LAN ICMP 允許]	ICMP packet from LAN allowed [已允許從 LAN 的 ICMP 封包]
599	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	Firewall Hardware [防火牆硬體]	ERROR [錯誤]	655	Stack Margin Reboot [堆疊邊界重新開機]	Diagnostic Code G [診斷代碼 G]
600	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	Firewall Hardware [防火牆硬體]	ERROR [錯誤]	656	Delete Reboot [刪除重新開機]	Diagnostic Code H [診斷代碼 H]
601	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	Firewall Hardware [防火牆硬體]	ERROR [錯誤]	657	Delete Stack Reboot [刪除堆疊重新開機]	Diagnostic Code I [診斷代碼 I]
602	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network Access [網路存取]	INFO [資訊]	---	DNS Allow [DNS 允許]	DNS packet allowed [已允許 DNS 封包]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
603	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	L2TP Server [L2TP 伺服器]	ERROR [錯誤]	661	Problem Adding L2TP IP Pool [新增 L2TP IP 集區問題]	Adding L2TP IP pool Address object Failed. [新增 L2TP IP 集區位址物件失敗。]
605	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Received Unencrypted Packet [接收的未加密封包]	Received unencrypted packet in crypto active state [接收的未加密封包在 Crypto 使用中狀態]
606	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	568	Spank Attack [Spank 攻擊]	Spank attack multicast packet dropped [Spank 攻擊多點傳送封包已捨棄]
607	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug   UDP [除錯   UDP]	VPN IKE	INFO [資訊]	---	ISAKMP Packet on Wrong Port [錯誤連接埠的 ISAKMP 封包]	Received ISAKMP packet destined to port %s [接收的 ISAKMP 封包目的地為連接埠 %s]
608	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	569	IPS Detection Alert [IPS 偵測警示]	IPS Detection Alert: %s [IPS 偵測警示：%s]
609	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	570	IPS Prevention Alert [IPS 預防警示]	IPS Prevention IP Alert: %s [IPS 預防警示：%s]
610	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Crypto Test [Crypto 測試]	ERROR [錯誤]	---	Hardware AES Test Failed [硬體 AES 測試失敗]	Crypto Hardware AES test failed [Crypto 硬體 AES 測試失敗]
614	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Security Services [安全服務]	WARNING [警告]	571	IDP Expiration Message [IDP 到期訊息]	Received IPS Alert: Received IPS Alert: Your Intrusion Prevention (IDP) subscription has expired. [已接收 IPS 警示：您的入侵預防 (IDP) 訂閱已過期。]
615	6.2.5 6.2.7 6.2.7.7 6.2.9	WLAN IDS	WLAN IDS	WARNING [警告]	904	WLAN Probe Check [WLAN 探查檢查]	WLAN client null probing [WLAN 用戶端 Null 探查]
616	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	VPN IKE	ERROR [錯誤]	---	Detail Error Log [詳細的錯誤記錄]	Payload processing failed [承載處理失敗]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
617	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Wireless [無線]	INFO [資訊]	---	WLAN Mode Not With DHCP [WLAN 模式不使用 DHCP]	WLAN not in AP mode, DHCP server will not provide lease to clients on WLAN [WLAN 不在 AP 模式，DHCP 伺服器將不提供租用給 WLAN 上的用戶端]
618	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Bootp	DEBUG [偵錯]	---	Response to Remote Device [回應至遠端裝置]	BOOTP server response relayed to remote device [BOOTP 伺服器回應已轉送至遠端裝置]
619	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Bootp	INFO [資訊]	---	Reply IP Conflict [回應 IP 衝突]	BOOTP Client IP address on LAN conflicts with remote device IP, deleting IP address from remote table [LAN 上的 BOOTP 用戶端 IP 位址與遠端裝置 IP 相衝突，從遠端表格刪除 IP 位址]
620	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Bootp	INFO [資訊]	---	Response to Local Device [回應至本機裝置]	BOOTP reply relayed to local device [BOOTP 回覆已轉送至本機裝置]
622	6.2.5 6.2.7 6.2.7.7 6.2.9	VoIP	VoIP	INFO [資訊]	---	Call Connect [呼叫連接]	VoIP Call Connected [VoIP 呼叫已連接]
623	6.2.5 6.2.7 6.2.7.7 6.2.9	VoIP	VoIP	INFO [資訊]	---	Call Disconnect [呼叫中斷連接]	VoIP Call Disconnected [VoIP 呼叫已中斷連接]
624	6.2.5 6.2.7 6.2.7.7 6.2.9	VoIP	VoIP	DEBUG [偵錯]	---	H.323/RAS Admission Reject [H.323/RAS 許可拒絕]	H.323/RAS Admission Reject [H.323/RAS 許可拒絕]
625	6.2.5 6.2.7 6.2.7.7 6.2.9	VoIP	VoIP	DEBUG [偵錯]	---	H.323/RAS Admission Confirm [H.323/RAS 許可確認]	H.323/RAS Admission Confirm [H.323/RAS 許可確認]
626	6.2.5 6.2.7 6.2.7.7 6.2.9	VoIP	VoIP	DEBUG [偵錯]	---	H.323/RAS Admission Request [H.323/RAS 許可請求]	H.323/RAS Admission Request [H.323/RAS 許可請求]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
627	6.2.5 6.2.7 6.2.7.7 6.2.9	VoIP	VoIP	DEBUG [偵錯]	---	H.323/RAS Bandwidth Reject [H.323/RAS 頻寬拒絕]	H.323/RAS Bandwidth Reject [H.323/RAS 頻寬拒絕]
628	6.2.5 6.2.7 6.2.7.7 6.2.9	VoIP	VoIP	DEBUG [偵錯]	---	H.323/RAS Disengage Confirm [H.323/RAS 停用確認]	H.323/RAS Disengage Confirm [H.323/RAS 停用確認]
629	6.2.5 6.2.7 6.2.7.7 6.2.9	VoIP	VoIP	DEBUG [偵錯]	---	H.323/RAS Gatekeeper Reject [H.323/RAS 閘道管理員拒絕]	H.323/RAS Gatekeeper Reject [H.323/RAS 閘道管理員拒絕]
630	6.2.5 6.2.7 6.2.7.7 6.2.9	VoIP	VoIP	DEBUG [偵錯]	---	H.323/RAS Location Confirm [H.323/RAS 位置確認]	H.323/RAS Location Confirm [H.323/RAS 位置確認]
631	6.2.5 6.2.7 6.2.7.7 6.2.9	VoIP	VoIP	DEBUG [偵錯]	---	H.323/RAS Location Reject [H.323/RAS 位置拒絕]	H.323/RAS Location Reject [H.323/RAS 位置拒絕]
632	6.2.5 6.2.7 6.2.7.7 6.2.9	VoIP	VoIP	DEBUG [偵錯]	---	H.323/RAS Registration Reject [H.323/RAS 註冊拒絕]	H.323/RAS Registration Reject [H.323/RAS 註冊拒絕]
633	6.2.5 6.2.7 6.2.7.7 6.2.9	VoIP	VoIP	DEBUG [偵錯]	---	H.323/H.225 Setup [H.323/H.225 設定]	H.323/H.225 Setup [H.323/H.225 設定]
634	6.2.5 6.2.7 6.2.7.7 6.2.9	VoIP	VoIP	DEBUG [偵錯]	---	H.323/H.225 Connect [H.323/H.225 連接]	H.323/H.225 Connect [H.323/H.225 連接]
635	6.2.5 6.2.7 6.2.7.7 6.2.9	VoIP	VoIP	DEBUG [偵錯]	---	H.323/H.245 Address [H.323/H.245 位址]	H.323/H.245 Address [H.323/H.245 位址]
636	6.2.5 6.2.7 6.2.7.7 6.2.9	VoIP	VoIP	DEBUG [偵錯]	---	H.323/H.245 End Session [H.323/H.245 結束工作階段]	H.323/H.245 End Session [H.323/H.245 結束工作階段]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
637	6.2.5 6.2.7 6.2.7.7 6.2.9	VoIP	VoIP	DEBUG [偵錯]	---	Endpoint Added [新增的端點]	VoIP %s Endpoint added [VoIP %s 端點已新增]
638	6.2.5 6.2.7 6.2.7.7 6.2.9	VoIP	VoIP	DEBUG [偵錯]	---	Endpoint Removed [移除的端點]	VoIP %s Endpoint removed [VoIP %s 端點已移除]
639	6.2.5 6.2.7 6.2.7.7 6.2.9	VoIP	VoIP	WARNING [警告]	---	Endpoint Deny [拒絕端點]	VoIP %s Endpoint not added - configured 'public' endpoint limit reached [VoIP %s 端點未新增 - 已達到所設定的「公用」端點限制]
640	6.2.5 6.2.7 6.2.7.7 6.2.9	VoIP	VoIP	DEBUG [偵錯]	---	H.323/RAS Unknown Message Response [H.323/RAS 未知訊息回應]	H.323/RAS Unknown Message Response [H.323/RAS 未知訊息回應]
641	6.2.5 6.2.7 6.2.7.7 6.2.9	VoIP	VoIP	DEBUG [偵錯]	---	H.323/RAS Disengage Reject [H.323/RAS 停用拒絕]	H.323/RAS Disengage Reject [H.323/RAS 停用拒絕]
642	6.2.5 6.2.7 6.2.7.7 6.2.9	VoIP	VoIP	DEBUG [偵錯]	---	H.323/RAS Unregistration Reject [H.323/RAS 取消註冊拒絕]	H.323/RAS Unregistration Reject [H.323/RAS 取消註冊拒絕]
643	6.2.5 6.2.7 6.2.7.7 6.2.9	VoIP	VoIP	DEBUG [偵錯]	---	SIP Request [SIP 請求]	SIP Request [SIP 請求]
644	6.2.5 6.2.7 6.2.7.7 6.2.9	VoIP	VoIP	DEBUG [偵錯]	---	SIP Response [SIP 回應]	SIP Response [SIP 回應]
645	6.2.5 6.2.7 6.2.7.7 6.2.9	VoIP	VoIP	WARNING [警告]	---	SIP Register Expire [SIP 註冊到期]	SIP Register expiration exceeds configured Signaling inactivity time out [SIP 註冊到期超過設定的訊號無活動逾時]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
646	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	Firewall Event [防火牆事件]	ALERT [警示]	5238	Source IP Connection Limit [來源 IP 連線限制]	Packet dropped; connection limit for this source IP address has been reached [封包已捨棄；已達到此來源 IP 位址的連線限制]
647	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	Firewall Event [防火牆事件]	ALERT [警示]	5239	Destination IP Connection Limit [目的地 IP 連線限制]	Packet dropped; connection limit for this destination IP address has been reached [封包已捨棄；已達到此目的地 IP 位址的連線限制]
648	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	VPN IPsec	ERROR [錯誤]	572	Illegal Destination [非法目的地]	Packet destination not in VPN Access list [封包目的地不在 VPN 存取清單中]
651	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	IPComp	DEBUG [偵錯]	---	IPComp Interrupt Error [IPComp 中斷錯誤]	IPComp connection interrupt [IPComp 連線中斷]
652	6.2.5 6.2.7 6.2.7.7 6.2.9	TCP   UDP   ICMP	IPComp	NOTICE [注意]	---	IPComp Packet Drop [IPComp 封包捨棄]	IPComp packet dropped [IPComp 封包已捨棄]
653	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	IPComp	DEBUG [偵錯]	---	IPComp Packet Drop, Waiting [IPComp 封包捨棄，正在等候]	IPComp packet dropped; waiting for pending IPComp connection [IPComp 封包已捨棄；正在等候擱置的 IPComp 連線]
654	6.2.5	System Error [系統錯誤]	Firewall Logging [防火牆記錄]	CRITICAL [嚴重]	---	Maximum Events Rate Exceeded [超過事件速率上限]	Maximum events per second threshold exceeded [已超過每秒事件數上限的閾值]
654	6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	Firewall Logging [防火牆記錄]	CRITICAL [嚴重]	---	Maximum Events Rate Exceeded [超過事件速率上限]	Maximum events per second threshold exceeded: %s [已超過每秒事件數上限的閾值：%s]
655	6.2.5	System Error [系統錯誤]	Firewall Logging [防火牆記錄]	CRITICAL [嚴重]	---	Maximum Syslog Data Rate Exceeded [超過 Syslog 資料速率上限]	Maximum syslog data per second threshold exceeded [已超過每秒 syslog 資料數量上限的閾值]



## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
655	6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	Firewall Logging [防火牆記錄]	CRITICAL [嚴重]	---	Maximum Syslog Data Rate Exceeded [超過 Syslog 資料速率上限]	Maximum syslog data per second threshold exceeded: %s [已超過每秒 syslog 資料數量上限的閾值：%s]
656	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	Firewall Logging [防火牆記錄]	WARNING [警告]	---	POP-Before-SMTP Authentication Failed [POP-Before-SMTP 驗證失敗]	SMTP POP-Before-SMTP authentication failed [SMTP POP-Before-SMTP 驗證失敗]
657	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Network [網路]	INFO [資訊]	---	Syslog Server Unreachable [無法聯絡 Syslog 伺服器]	Syslog Server cannot be reached [無法聯絡 Syslog 伺服器]
658	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	VPN IKE	WARNING [警告]	---	Responder: IKE ID mismatch [回應程式：IKE ID 不符]	IKE Responder: Proposed IKE ID mismatch [IKE 回應程式：建議的 IKE ID 不符]
659	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	VPN Client [VPN 用戶端]	ERROR [錯誤]	---	Responder: Duplicate Entry in Relay Table [轉送表格的重複項目]	IKE Responder: IP Address already exists in the DHCP relay table. Client traffic not allowed. [IKE 回應程式：IP 位址已存在 DHCP 轉送表格中。用戶端流量不被允許。]
660	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	VPN Client [VPN 用戶端]	ERROR [錯誤]	---	Responder: Static IP Not Allowed [不允許固定 IP]	IKE Responder: %s Policy does not allow static IP for Virtual Adapter. [IKE 回應程式：%s 原則對於虛擬介面卡不允許靜態 IP。]
661	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	ERROR [錯誤]	---	Invalid Payload [無效承載]	Received notify.INVALID_PAYLOAD [已收到通知：INVALID_PAYLOAD]
662	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ERROR [錯誤]	6434	Non SonicPoint Traffic Drop [非 SonicPoint 流量捨棄]	Drop WLAN traffic from non-SonicPoint devices [捨棄非 SonicPoint 裝置的 WLAN 流量]
665	6.2.5 6.2.7 6.2.7.7 6.2.9	---	PPP Dial-Up [PPP 撥號]	INFO [資訊]	---	Dialing Not Allowed [不允許撥號]	PPP Dial-Up: Dialing not allowed by schedule. %s [PPP 撥號：按排程不允許撥號。%s]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
666	6.2.5 6.2.7 6.2.7.7 6.2.9	---	PPP Dial-Up [PPP 撥號]	INFO [資訊]	---	Scheduled Disconnect [已排程中斷連接]	PPP Dial-Up: Connection disconnected as scheduled. [PPP 撥號：連線已如排程中斷連接。]
667	6.2.5 6.2.7 6.2.7.7 6.2.9	SonicPoint	SonicPoint	INFO [資訊]	---	SonicPoint Status [SonicPoint 狀態]	SonicPoint Status [SonicPoint 狀態]
668	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	High Availability [高可用性]	INFO [資訊]	---	HA Peer Firewall Reboot [HA 對等防火牆重新啟動]	HA Peer Firewall Rebooted [HA 對等防火牆已重新啟動]
669	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	High Availability [高可用性]	ERROR [錯誤]	663	Error Rebooting HA Peer Firewall [重新啟動 HA 對等防火牆時發生錯誤]	Error Rebooting HA Peer Firewall [重新啟動 HA 對等防火牆時發生錯誤]
670	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	High Availability [高可用性]	ERROR [錯誤]	664	HA License Error [HA 授權錯誤]	License of HA pair doesn't match: %s [HA 配對的授權不符：%s]
671	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	High Availability [高可用性]	ERROR [錯誤]	665	Reboot Signal From Secondary [來自次要的重新啟動訊號]	Primary received reboot signal from Secondary [要已接收次要的重新啟動訊號]
672	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	High Availability [高可用性]	ERROR [錯誤]	666	Reboot Signal From Primary [來自主要的重新啟動訊號]	Secondary received reboot signal from Primary [次要已接收主要的重新啟動訊號]
674	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	High Availability [高可用性]	INFO [資訊]	---	Probe Success [探查成功]	Success to reach Interface %s probe [成功達成介面 %s 探查]
675	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	High Availability [高可用性]	ERROR [錯誤]	6234	Probe Failed [探查失敗]	Failure to reach Interface %s probe [無法達成介面 %s 探查]
676	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Multicast [多點傳送]	INFO [資訊]	---	IGMPv2 Client Joined Multicast Group [IGMPv2 用戶端已加入多點傳送群組]	IGMP V2 client joined multicast Group : %s [IGMP V2 用戶端已加入多點傳送群組：%s]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
677	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Multicast [多點傳送]	INFO [資訊]	---	IGMPv3 Client Joined Multicast Group [IGMPv3 用戶 端已加入多點 傳送群組]	IGMP V3 client joined multicast Group : %s [IGMP V3 用戶端已加入多 點傳送群組 : %s]
682	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Multicast [多點傳送]	INFO [資訊]	---	IGMP Leave Group Message [IGMP 留下群 組訊息]	IGMP Leave group message Received on interface %s [IGMP 在介面 %s 上留下所 接收的群組訊息]
683	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Multicast [多點傳送]	NOTICE [注意]	---	Wrong IGMP Checksum [錯誤的 IGMP 總和檢查碼]	IGMP packet dropped, wrong checksum received on interface %s [IGMP 封包已捨棄，在介 面 %s 上接收的總和檢查碼 錯誤]
690	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Multicast [多點傳送]	NOTICE [注意]	---	UDP Packet Drop [UDP 封包捨 棄]	Multicast UDP packet dropped, no state entry [多點傳送 UDP 封包已捨 棄，沒有狀態項目]
694	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Multicast [多點傳送]	WARNING [警告]	---	RTP Stateful Failed [RTP 狀態失敗]	Multicast UDP packet dropped, RTP stateful failed [多點傳送 UDP 封包已捨 棄，RTP 可設定狀態失敗]
701	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Multicast [多點傳送]	DEBUG [偵錯]	---	IGMP Router Detected [已偵測 IGMP 路由器]	IGMP querier Router detected on interface %s [在介面 %s 上偵測到的 IGMP 較安靜路由器]
706	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Network Monitor [網路監視器]	ALERT [警示]	14005	Host Down [主機停止]	Network Monitor: Host %s is offline [網路監視器：主機 %s 離 線]
707	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Network Monitor [網路監視器]	ALERT [警示]	14006	Host Up [主機啟動]	Network Monitor: Host %s is online [網路監視器：主機 %s 上 線]
708	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network [網路]	DEBUG [偵錯]	---	TCP Invalid SEQ Number [TCP 無效的 SEQ 號碼]	TCP packet received with invalid SEQ number; TCP packet dropped [接收的 TCP 封包含有無效 的 SEQ 號碼；TCP 封包已 捨棄]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
709	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network [網路]	DEBUG [偵錯]	---	TCP Invalid ACK Number [TCP 無效的 ACK 號碼]	TCP packet received with invalid ACK number; TCP packet dropped [接收的 TCP 封包含有無效的 ACK 號碼；TCP 封包已捨棄]
712	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network [網路]	DEBUG [偵錯]	---	TCP Connection Reject [TCP 連線拒絕]	TCP connection reject received; TCP connection dropped [已接收的 TCP 連線拒絕；TCP 連線已捨棄]
713	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network [網路]	DEBUG [偵錯]	---	TCP Connection Abort [TCP 連線中止]	TCP connection abort received; TCP connection dropped [已接收的 TCP 連線中止；TCP 連線已捨棄]
714	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network Access [網路存取]	NOTICE [注意]	---	EIGRP Packet Drop [EIGRP 封包捨棄]	EIGRP packet dropped [EIGRP 封包已捨棄]
719	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	VPN	ERROR [錯誤]	---	Bad SA Count [錯誤 SA 計數]	VPN policy count received exceeds the limit; %s [所收到的 VPN 原則計數超過限制；%s]
720	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPPoE	INFO [資訊]	---	Send LCP Echo Request [傳送 LCP 回應要求]	Sending LCP Echo Request [傳送 LCP 回應要求]
721	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPPoE	INFO [資訊]	---	Receive LCP Echo Request [接收 LCP 回應要求]	Received LCP Echo Request [已接收的 LCP 回應要求]
722	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPPoE	INFO [資訊]	---	Send LCP Echo Reply [傳送 LCP 回應轉送]	Sending LCP Echo Reply [傳送 LCP 回應轉送]
723	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPPoE	INFO [資訊]	---	Receive LCP Echo Reply [接收 LCP 回應轉送]	Received LCP Echo Reply [已接收的 LCP 回應轉送]
724	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Network Access [網路存取]	INFO [資訊]	---	Guest Services Deny Network [訪客服務拒絕網路]	Guest Services drop traffic to deny network [訪客服務捨棄流量以拒絕網路]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
725	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Network Access [網路存取]	INFO [資訊]	---	Guest Services Allow Network [訪客服務允許網路]	Guest Services pass traffic to access allow network [訪客服務傳遞流量以允許網路]
726	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Network Access [網路存取]	INFO [資訊]	---	WLAN Max User Reached [已達到 WLAN 使用者上限]	WLAN max concurrent users reached already [已達到 WLAN 並行使用者上限]
727	6.2.5 6.2.7 6.2.7.7 6.2.9	SonicPoint	SonicPoint	INFO [資訊]	---	SonicPoint Provision [SonicPoint 佈建]	SonicPoint Provision [SonicPoint 佈建]
728	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Authenticated Access [驗證存取]	INFO [資訊]	---	WLAN Disable By Schedule [已按排程停用 WLAN]	WLAN disabled by schedule [已按排程停用 WLAN]
729	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Authenticated Access [驗證存取]	INFO [資訊]	---	WLAN Enabled By Schedule [已按排程啟用 WLAN]	WLAN enabled by schedule [已按排程啟用 WLAN]
732	6.2.5 6.2.7 6.2.7.7 6.2.9	TCP   UDP   ICMP	Wireless [無線]	WARNING [警告]	---	WLAN SSL VPN Enforcement Check Drop [WLAN SSL VPN 強制執行檢查捨棄]	Packet dropped by WLAN SSL VPN enforcement check [WLAN SSL VPN 強制執行檢查已捨棄封包]
733	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Wireless [無線]	INFO [資訊]	---	SSL VPN Enforcement [SSL VPN 強制措施]	SSL VPN enforcement [SSL VPN 強制執行]
734	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Firewall Event [防火牆事件]	INFO [資訊]	---	Source Connection Status [來源連線狀態]	Source IP address connection status: %s [來源 IP 位址連線狀態 : %s]
735	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Firewall Event [防火牆事件]	INFO [資訊]	---	Destination Connection Status [目的地連線狀態]	Destination IP address connection status: %s [目的地 IP 位址連線狀態 : %s]
737	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	Firewall Logging [防火牆記錄]	WARNING [警告]	---	SMTP Authentication Failed [SMTP 驗證失敗]	SMTP authentication problem: %s [SMTP 驗證問題 : %s]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
738	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPPoE	INFO [資訊]	---	Session Duration [工作階段持續時間]	PPPoE Client: Previous session was connected for %s [PPPoE 用戶端：已為 %s 連接之前的工作階段]
744	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	RADIUS	WARNING [警告]	---	RADIUS Communication Problem [RADIUS 通訊問題]	User login denied - RADIUS communication problem [使用者登入被拒 - RADIUS 通訊問題]
745	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	RADIUS	INFO [資訊]	---	LDAP Authentication Failure [LDAP 驗證失敗]	User login denied - LDAP authentication failure [使用者登入被拒 - LDAP 驗證失敗]
746	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	RADIUS	WARNING [警告]	---	LDAP Server Timeout [LDAP 伺服器逾時]	User login denied - LDAP server Timeout [使用者登入被拒 - LDAP 伺服器逾時]
747	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	RADIUS	WARNING [警告]	---	LDAP Server Error [LDAP 伺服器錯誤]	User login denied - LDAP server down or misconfigured [使用者登入被拒 - LDAP 伺服器停機或設定錯誤]
748	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	RADIUS	WARNING [警告]	---	LDAP Communication Problem [LDAP 通訊問題]	User login denied - LDAP communication problem [使用者登入被拒 - LDAP 通訊問題]
749	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	RADIUS	WARNING [警告]	---	LDAP Server Invalid Credential [LDAP 伺服器無效憑證]	User login denied - invalid credentials on LDAP server [使用者登入被拒 - LDAP 伺服器上的憑證無效]
750	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	RADIUS	WARNING [警告]	---	LDAP Server Insufficient Access [LDAP 伺服器存取權不足]	User login denied - insufficient access on LDAP server [使用者登入被拒 - LDAP 伺服器上的存取權不夠]
751	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	RADIUS	WARNING [警告]	---	LDAP Schema Mismatch [LDAP 架構不符]	User login denied - LDAP schema mismatch [使用者登入被拒 - LDAP 架構不符]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
752	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	RADIUS	WARNING [警告]	---	LDAP Server Certificate With Wrong Name [LDAP 伺服器憑證名稱錯誤]	Allowed LDAP server certificate with wrong host name [已允許含錯誤主機名稱的 LDAP 伺服器憑證]
753	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	RADIUS	WARNING [警告]	---	LDAP Server Name Resolution Failed [LDAP 伺服器名稱解析失敗]	User login denied - LDAP server name resolution failed [使用者登入被拒 - LDAP 伺服器名稱解析失敗]
754	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	RADIUS	WARNING [警告]	---	RADIUS Server Name Resolution Failed [RADIUS 伺服器名稱解析失敗]	User login denied - RADIUS server name resolution failed [使用者登入被拒 - RADIUS 伺服器名稱解析失敗]
755	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	RADIUS	WARNING [警告]	---	LDAP Server Certificate Invalid [LDAP 伺服器憑證無效]	User login denied - LDAP server certificate not valid [使用者登入被拒 - LDAP 伺服器憑證無效]
756	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	RADIUS	WARNING [警告]	---	LDAP TLS or Local Error [LDAP TLS 或本機錯誤]	User login denied - TLS or local certificate problem [使用者登入被拒 - TLS 或本機憑證問題]
757	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	RADIUS	WARNING [警告]	---	LDAP Directory Mismatch [LDAP 目錄不符]	User login denied - LDAP directory mismatch [使用者登入被拒 - LDAP 目錄不符]
758	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	RADIUS	WARNING [警告]	---	LDAP Server Not Allowing CHAP [LDAP 伺服器不允許 CHAP]	LDAP server does not allow CHAP [LDAP 伺服器不允許 CHAP]
759	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	User Already Logged-In [使用者已經登入]	User login denied - user already logged in [使用者登入被拒 - 使用者已經登入]
760	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Network Access [網路存取]	NOTICE [注意]	---	TCP Handshake Violation Detected [偵測到 TCP 交握違反]	TCP handshake violation detected; TCP connection dropped [偵測到的 TCP 交握違反；TCP 連線已捨棄]



## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
766	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Security Services [安全服務]	WARNING [警告]	8628	Synchronize License Failed [同步授權失敗]	Failed to synchronize license information with Licensing Server. %s [無法與授權伺服器同步授權資訊。%s]
773	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	DDNS	ERROR [錯誤]	---	DDNS Abuse [DDNS 濫用]	DDNS Failure: Provider %s [DDNS 失敗：提供者 %s]
774	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	DDNS	ERROR [錯誤]	---	DDNS Invalid [DDNS 無效]	DDNS Failure: Provider %s [DDNS 失敗：提供者 %s]
776	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DDNS	INFO [資訊]	---	DDNS Update Success [DDNS 更新成功]	DDNS Update success for domain %s [對於網域 %s 的 DDNS 更新成功]
777	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	DDNS	WARNING [警告]	---	DDNS Warning [DDNS 警告]	DDNS Warning Provider %s [DDNS 警告：提供者 %s]
778	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DDNS	INFO [資訊]	---	DDNS Taken Offline [DDNS 已離線]	DDNS association %s taken Offline locally [DDNS 關聯 %s 在本機已離線]
779	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DDNS	INFO [資訊]	---	DDNS Added [新增的 DDNS]	DDNS association %s added [DDNS 關聯 %s 已新增]
780	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DDNS	INFO [資訊]	---	DDNS Association Enable [DDNS 關聯啟用]	DDNS association %s enabled [DDNS 關聯 %s 已啟用]
781	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DDNS	INFO [資訊]	---	DDNS Association Disable [DDNS 關聯停用]	DDNS association %s disabled [DDNS 關聯 %s 已停用]
782	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DDNS	INFO [資訊]	---	DDNS Association On-line [DDNS 關聯上線]	DDNS Association %s put on line [DDNS 關聯 %s 已上線]



## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
783	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DDNS	INFO [資訊]	---	Deleted All DDNS Association [刪除所有 DDNS 關聯]	All DDNS associations have been deleted [已刪除所有 DDNS 關聯]
784	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DDNS	INFO [資訊]	---	Deactivate DDNS Association [停用 DDNS 關聯]	DDNS association %s deactivated [DDNS 關聯 %s 已停用]
785	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DDNS	INFO [資訊]	---	Delete DDNS Association [刪除 DDNS 關聯]	DDNS association %s deleted [DDNS 關聯 %s 已刪除]
786	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DDNS	INFO [資訊]	---	ISDN Update [ISDN 更新]	DDNS association %s updated [DDNS 關聯 %s 已更新]
789	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	6435	IDP Detection Alert [IDP 偵測警示]	IDP Detection Alert: %s [IDP 偵測警示：%s]
790	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	6436	IDP Prevention Alert [IDP 預防警示]	IDP Prevention Alert: %s [IDP 預防警示：%s]
791	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DPI-SSL	INFO [資訊]	---	DPI-SSL	DPI-SSL: %s
793	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Application Firewall [應用程式防火牆]	ALERT [警示]	13201	Application Firewall Alert [應用程式防火牆警示]	Application Firewall Alert: %s [應用程式防火牆警示：%s]
794	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	6437	Anti-Spyware Prevention Alert [防間諜軟體預防警示]	Anti-Spyware Prevention Alert: %s [防間諜軟體預防警示：%s]
795	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	6438	Anti-Spyware Detection Alert [防間諜軟體偵測警示]	Anti-Spyware Detection Alert: %s [防間諜軟體偵測警示：%s]
796	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Security Services [安全服務]	WARNING [警告]	8631	Anti-Spyware Service Expired [防間諜軟體服務已過期]	Anti-Spyware Service Expired [防間諜軟體服務已過期]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
797	6.2.5 6.2.7 6.2.7.7 6.2.9	---	RBL	NOTICE [注意]	---	Outbound Connection Drop [連出連線捨棄]	Outbound connection to RBL-listed SMTP server dropped [連至 RBL 列出的 SMTP 伺服器的連出連線已捨棄]
798	6.2.5 6.2.7 6.2.7.7 6.2.9	---	RBL	NOTICE [注意]	---	Inbound Connection Drop [連入連線捨棄]	Inbound connection from RBL-listed SMTP server dropped [從 RBL 列出的 SMTP 伺服器的連入連線已捨棄]
799	6.2.5 6.2.7 6.2.7.7 6.2.9	---	RBL	NOTICE [注意]	---	SMTP Server on RBL Blacklist [在 RBL 封鎖清單上的 SMTP 伺服器]	SMTP server found on RBL blacklist [在 RBL 封鎖清單上找到 SMTP 伺服器]
800	6.2.5 6.2.7 6.2.7.7 6.2.9	---	RBL	ERROR [錯誤]	---	No Valid DNS Server on RBL [RBL 無有效的 DNS 伺服器]	No valid DNS server specified for RBL lookups [未指定有效的 DNS 伺服器供 RBL 查詢用]
805	6.2.5 6.2.7 6.2.7.7 6.2.9	---	GMS	INFO [資訊]	---	Interface Statistics Report [介面統計資料報告]	Interface statistics report [介面統計資料報告]
806	6.2.5 6.2.7 6.2.7.7 6.2.9	---	GMS	INFO [資訊]	---	SonicPoint Statistics Report [SonicPoint 統計資料報告]	SonicPoint statistics report [SonicPoint 統計資料報告]
809	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Security Services [安全服務]	ALERT [警示]	8632	AV Gateway Alert [AV 閘道警示]	Gateway Anti-Virus Alert: %s [閘道防毒警示：%s]
810	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Security Services [安全服務]	WARNING [警告]	8633	AV Gateway Service Expire [AV 閘道防毒服務到期]	Gateway Anti-Virus Service expired [閘道防毒服務已過期]
811	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPP Dial-Up [PPP 撥號]	INFO [資訊]	---	Invalid DNS Server [無效的 DNS 伺服器]	PPP Dial-Up: Invalid DNS IP address returned from Dial-Up ISP; overriding using dial-up profile settings [PPP 撥號：已從撥號 ISP 傳回無效的 DNS IP 位址；使用撥號設定檔設定覆寫]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
815	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Network [網路]	WARNING [警告]	---	Too Many Gratuitous ARPs Detected [偵測到太多不必要的 ARP]	Too many gratuitous ARPs detected [偵測到太多不必要的 ARP]
817	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	Remote Dialup Received [接收的遠端撥號]	Incoming call received for Remotely Triggered Dial-out session [對於遠端觸發的撥出工作階段所接收的傳入呼叫]
818	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	Remote Dialup Authentication Request [遠端撥號驗證請求]	Remotely Triggered Dial-out session started.Requesting authentication [遠端觸發的撥出工作階段已啟動。請求驗證]
819	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	Remote Dialup Authentication Password Error [遠端撥號的驗證密碼錯誤]	Incorrect authentication received for Remotely Triggered Dial-out [對於遠端觸發的撥出所接收的驗證不正確]
820	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	Remote Dialup Authentication Password Valid [遠端撥號驗證有效]	Successful authentication received for Remotely Triggered Dial-out [對於遠端觸發的撥出所接收的成功驗證]
821	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	Remote Dialup Authentication Password Timeout [遠端撥號驗證密碼逾時]	Authentication Timeout during Remotely Triggered Dial-out session [遠端觸發的撥出工作階段期間的驗證逾時]
822	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	Remote Dialup Abort For Data [資料的遠端撥號中止]	Remotely Triggered Dial-out session ended.Valid WAN bound data found.Normal dial-up sequence will commence [遠端觸發的撥出工作階段已結束。找到有效的 WAN 繫結資料。將會開始一般撥號順序]
823	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	High Availability [高可用性]	ERROR [錯誤]	---	Secondary Will Shutdown [次要將關機]	Secondary will be shut down in %s minutes [次要將在 %s 分鐘內關機]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
824	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	High Availability [高可用性]	ERROR [錯誤]	---	License Expire to Shutdown Secondary [授權過期因此關機次要]	Secondary shut down because license is expired [次要因為授權過期而關機]
825	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	High Availability [高可用性]	INFO [資訊]	---	Secondary Active [次要使用中]	Secondary active [次要使用中]
826	6.2.5 6.2.7 6.2.7.7 6.2.9	---	High Availability [高可用性]	ERROR [錯誤]	---	HA Error [HA 錯誤]	%s
828	6.2.5 6.2.7 6.2.7.7 6.2.9	---	High Availability [高可用性]	INFO [資訊]	---	HA Info [HA 資訊]	%s
829	6.2.5 6.2.7 6.2.7.7 6.2.9	---	High Availability [高可用性]	ALERT [警示]	---	HA Alert [HA 警示]	%s
830	6.2.5 6.2.7 6.2.7.7 6.2.9	---	High Availability [高可用性]	NOTICE [注意]	---	HA Notice [HA 注意]	%s
832	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DHCP Server [DHCP 伺服器]	INFO [資訊]	---	DHCP Scopes Altered [DHCP 範圍更改]	DHCP Scopes altered automatically due to change in network settings for interface %s [DHCP 範圍因為介面 %s 的網路設定變更而自動更改]
833	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	DHCP Server [DHCP 伺服器]	WARNING [警告]	---	DHCP Lease File Corrupt [DHCP 租用檔毀損]	DHCP lease file in the storage is corrupted; read failed [儲存中的 DHCP 租用檔毀損；讀取失敗]
834	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	DHCP Server [DHCP 伺服器]	WARNING [警告]	---	Failed to Write DHCP Leases to Storage [無法將 DHCP 租用寫入儲存空間]	Failed to write DHCP leases to storage [無法將 DHCP 租用寫入儲存空間]
835	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	DHCP Server [DHCP 伺服器]	INFO [資訊]	---	DHCP Leases Written to Storage [DHCP 租用已寫入儲存空間]	DHCP leases written to storage [DHCP 租用已寫入儲存空間]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
840	6.2.5 6.2.7 6.2.7.7 6.2.9	---	ARS	INFO [資訊]	---	ARS Info [ARS 資訊]	%s
841	6.2.5 6.2.7 6.2.7.7 6.2.9	---	ARS	NOTICE [注意]	---	ARS Warning [ARS 警告]	%s
842	6.2.5 6.2.7 6.2.7.7 6.2.9	---	ARS	DEBUG [偵錯]	---	ARS Debug [ARS 偵錯]	%s
847	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Network [網路]	WARNING [警告]	---	IP Address Conflict [IP 位址衝突]	IP address conflict detected from Ethernet address %s [從乙太網路位址 %s 偵測到 IP 位址衝突]
848	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN PKI	INFO [資訊]	---	OCSPP Send Request [OCSPP 傳送要求]	OCSPP sending request. [OCSPP 傳送要求。]
849	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN PKI	ERROR [錯誤]	---	OCSPP Failed to Send Request [OCSPP 無法傳送要求訊]	OCSPP send request message failed. [OCSPP 傳送要求訊息失敗。]
850	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN PKI	INFO [資訊]	---	OCSPP Received Response [OCSPP 已接收回應]	OCSPP received response. [OCSPP 已接收回應。]
852	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN PKI	INFO [資訊]	---	OCSPP Resolved Domain Name [OCSPP 已解析網域名稱]	OCSPP Resolved Domain Name. [OCSPP 已解析網域名稱。]
853	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN PKI	ERROR [錯誤]	---	OCSPP Failed to Resolve Domain Name [OCSPP 無法解析網域名稱]	OCSPP Failed to Resolve Domain Name. [OCSPP 無法解析網域名稱。]
854	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN PKI	ERROR [錯誤]	---	OCSPP Internal Error [OCSPP 內部錯誤]	OCSPP Internal error handling received response. [OCSPP 內部錯誤處理已接收回應。]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
856	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	WARNING [警告]	---	SYN Flood Watch Mode [SYN 洪水觀察 模式]	SYN Flood Mode changed by user to: Watch and report possible SYN floods [使用者將 SYN 洪水模式變更為：觀察和報告可能的 SYN 洪水]
857	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	WARNING [警告]	---	SYN Flood Trigger Mode [SYN 洪水觸發 模式]	SYN Flood Mode changed by user to: Watch and proxy WAN connections when under attack [使用者將 SYN 洪水模式變更為：遭受攻擊時注意和代理 WAN 連線]
858	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	WARNING [警告]	---	SYN Flood Proxy Mode [SYN 洪水 Proxy 模式]	SYN Flood Mode changed by user to: Always proxy WAN connections [使用者將 SYN 洪水模式變更為：永遠進行 Proxy WAN 連線]
859	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	---	SYN Flood Proxy Trigger Mode [SYN 洪水 Proxy 觸發模 式]	Possible SYN flood detected on WAN IF %s - switching to connection-proxy mode [在 WAN IF %s 上偵測到可能的 SYN 洪水 - 切換為連線-Proxy 模式]
860	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	---	SYN Flood Detected [偵測到 SYN 洪水]	Possible SYN Flood on IF %s [在 IF %s 上的可能 SYN 洪水]
861	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	---	SYN Flood Proxy Mode Cancel [SYN 洪水 Proxy 模式取 消]	SYN flood ceased or flooding machines blacklisted - connection proxy disabled [SYN 洪水已停止或已封鎖洪水機器 - 連線 Proxy 已停用]
862	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	WARNING [警告]	---	SYN Flood Blacklist On [SYN 洪水封鎖 啟用]	SYN Flood blacklisting enabled by user [使用者已啟用 SYN 洪水封鎖]
863	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	WARNING [警告]	---	SYN Flood Blacklist Off [SYN 洪水封鎖 清單停用]	SYN Flood blacklisting disabled by user [使用者已停用 SYN 洪水封鎖]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
864	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	---	SYN-Flooding Machine Blacklisted [已封鎖 SYN 洪水機器]	SYN-Flooding machine %s blacklisted [已封鎖 SYN 洪水機器 %s]
865	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	---	Machine removed from SYN Flood Blacklist [機器已從 SYN 洪水封鎖清單 中移除]	Machine %s removed from SYN flood blacklist [機器 %s 已從 SYN 洪水封 鎖清單中移除]
866	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	WARNING [警告]	---	Possible SYN Flood Continues [可能的 SYN 洪水繼續]	Possible SYN Flood on IF %s continues [在 IF %s 上的可能 SYN 洪 水會繼續]
867	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	---	Possible SYN Flood Ceased [可能的 SYN 洪水已停止]	Possible SYN Flood on IF %s has ceased [在 IF %s 上的可能 SYN 洪 水已停止]
868	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	WARNING [警告]	---	SYN Flood Blacklist Continues [SYN 洪水封鎖 清單會繼續]	SYN Flood Blacklist on IF %s continues [在 IF %s 上的 SYN 洪水封 鎖清單會繼續]
869	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	DEBUG [偵錯]	---	TCP SYN Receive [TCP SYN 接收]	TCP SYN received [TCP SYN 已接收]
872	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Security Services [安全服務]	NOTICE [注意]	---	Security Service Message [安全服務訊 息]	%s
874	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN PKI	ALERT [警示]	---	CRL Expire [CRL 到期]	CRL has expired [CRL 已過期]
875	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN PKI	ALERT [警示]	---	Failed to Find Certificate [找不到憑證]	Failed to find certificate [找不到憑證]
876	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN PKI	ALERT [警示]	---	CRL Missing [CRL 遺失]	CRL missing - Issuer requires CRL checking. [CRL 遺失 - 簽發者要求 CRL 檢查。]



## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
877	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN PKI	ALERT [警示]	---	CRL Validation Error [CRL 驗證錯誤]	CRL validation failure for Root Certificate [根憑證的 CRL 驗證失敗]
878	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN PKI	ALERT [警示]	---	Can't Validate Issuer Path [無法驗證簽發者路徑]	Cannot Validate Issuer Path [無法驗證簽發者路徑]
879	6.2.5 6.2.7 6.2.7.7 6.2.9	---	RF Management [RF 管理]	WARNING [警告]	---	WLAN Radio Frequency Threat Detected [偵測到 WLAN 無線電頻率威脅]	WLAN radio frequency threat detected [偵測到 WLAN 無線電頻率威脅]
880	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Dynamic Address Objects [動態位址物件]	INFO [資訊]	---	Failed to Resolve Dynamic Address Object [無法解析動態位址物件]	Unable to resolve dynamic address object [無法解析動態位址物件]
881	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Firewall Logging [防火牆記錄]	NOTICE [注意]	---	System Clock Manually Updated [已手動更新系統時鐘]	System clock manually updated [已手動更新系統時鐘]
882	6.2.5 6.2.7 6.2.7.7 6.2.9	TCP	Network Access [網路存取]	DEBUG [偵錯]	---	HTTP Drop [HTTP 捨棄]	HTTP method detected; examining stream for host header [已偵測到 HTTP 方法；檢查主機標頭的串流]
883	6.2.5 6.2.7 6.2.7.7 6.2.9	TCP UDP	Network Access [網路存取]	NOTICE [注意]	---	IP Checksum Error [IP 總和檢查碼錯誤]	IP Header checksum error; packet dropped [IP 標頭總和檢查碼錯誤；封包已捨棄]
884	6.2.5 6.2.7 6.2.7.7 6.2.9	TCP	Network Access [網路存取]	NOTICE [注意]	---	TCP Checksum Error [TCP 總和檢查碼錯誤]	TCP checksum error; packet dropped [TCP 總和檢查碼錯誤；封包已捨棄]
885	6.2.5 6.2.7 6.2.7.7 6.2.9	UDP	Network Access [網路存取]	NOTICE [注意]	---	UDP Checksum Error [UDP 總和檢查碼錯誤]	UDP checksum error; packet dropped [UDP 總和檢查碼錯誤；封包已捨棄]



## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
886	6.2.5 6.2.7 6.2.7.7 6.2.9	UDP	Network Access [網路存取]	NOTICE [注意]	---	ICMP Checksum Error [ICMP 總和檢查碼錯誤]	ICMP checksum error; packet dropped [ICMP 總和檢查碼錯誤；封包已捨棄]
887	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network [網路]	DEBUG [偵錯]	---	Invalid TCP Header Length [無效的 TCP 標頭長度]	TCP packet received with invalid header length; TCP packet dropped [接收的 TCP 封包含有無效的標頭長度；TCP 封包已捨棄]
888	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network [網路]	DEBUG [偵錯]	---	TCP Connection Does Not Exist [TCP 連線不存在]	TCP packet received on non-existent/closed connection; TCP packet dropped [在不存在/已關閉的連線上接收了 TCP 封包；TCP 封包已捨棄]
889	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network [網路]	DEBUG [偵錯]	---	TCP Without Mandatory SYN Flag [TCP 沒有強制的 SYN 旗標]	TCP packet received without mandatory SYN flag; TCP packet dropped [接收的 TCP 封包沒有強制的 SYN 旗標；TCP 封包已捨棄]
890	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network [網路]	DEBUG [偵錯]	---	TCP Without Mandatory ACK Flag [TCP 沒有強制的 ACK 旗標]	TCP packet received without mandatory ACK flag; TCP packet dropped [接收的 TCP 封包沒有強制的 ACK 旗標；TCP 封包已捨棄]
891	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network [網路]	DEBUG [偵錯]	---	TCP Packet on Closing Connection [關閉連線時的 TCP 封包]	TCP packet received on a closing connection; TCP packet dropped [在關閉中的連線上接收了 TCP 封包；TCP 封包已捨棄]
892	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network [網路]	INFO [資訊]	---	SYN Flag on Existing Connection [現有連線的 SYN 旗標]	TCP packet received with SYN flag on an existing connection; TCP packet dropped [在現有的連線上接收的 TCP 封包含有 SYN 旗標；TCP 封包已捨棄]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
893	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network [網路]	DEBUG [偵錯]	---	Invalid TCP SACK Option Length [無效的 TCP SACK 選項長度]	TCP packet received with invalid SACK option length; TCP packet dropped [接收的 TCP 封包含有無效的 SACK 選項長度；TCP 封包已捨棄]
894	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network [網路]	DEBUG [偵錯]	---	Invalid TCP MSS Option Length [無效的 TCP MSS 選項長度]	TCP packet received with invalid MSS option length; TCP packet dropped [接收的 TCP 封包含有無效的 MSS 選項長度；TCP 封包已捨棄]
895	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network [網路]	DEBUG [偵錯]	---	Invalid TCP Option Length [無效的 TCP 選項長度]	TCP packet received with invalid option length; TCP packet dropped [接收的 TCP 封包含有無效的選項長度；TCP 封包已捨棄]
896	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network [網路]	DEBUG [偵錯]	---	Invalid TCP Source Port [無效的 TCP 來源連接埠]	TCP packet received with invalid source port; TCP packet dropped [接收的 TCP 封包含有無效的來源連接埠；TCP 封包已捨棄]
897	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Network [網路]	INFO [資訊]	---	Invalid TCP SYN Flood Cookie [無效的 TCP SYN 洪水 Cookie]	TCP packet received with invalid SYN Flood cookie; TCP packet dropped [接收的 TCP 封包含有無效的 SYN 洪水 Cookie；TCP 封包已捨棄]
898	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	---	RST-Flooding Machine Blacklisted [已封鎖 RST 洪水機器]	RST-Flooding machine %s blacklisted [已封鎖 RST 洪水機器 %s]
899	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	WARNING [警告]	---	RST Flood Blacklist Continues [RST 洪水封鎖清單會繼續]	RST Flood Blacklist on IF %s continues [在 IF %s 上的 RST 洪水封鎖清單會繼續]
900	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	---	Machine Removed From RST Flood Blacklist [機器已從 RST 洪水封鎖清單中移除]	Machine %s removed from RST flood blacklist [機器 %s 已從 RST 洪水封鎖清單中移除]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
901	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	---	FIN-Flooding Machine Blacklisted [已封鎖 FIN 洪水機器]	FIN-Flooding machine %s blacklisted [已封鎖 FIN 洪水機器 %s]
902	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	WARNING [警告]	---	FIN Flood Blacklist Continues [FIN 洪水封鎖清單會繼續]	FIN Flood Blacklist on IF %s continues [在 IF %s 上的 FIN 洪水封鎖清單會繼續]
903	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	---	Machine Removed From FIN Flood Blacklist [機器已從 FIN 洪水封鎖清單中移除]	Machine %s removed from FIN flood blacklist [機器 %s 已從 FIN 洪水封鎖清單中移除]
904	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	---	Possible RST Flood [可能的 RST 洪水]	Possible RST Flood on IF %s [在 IF %s 上的可能 RST 洪水]
905	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	---	Possible FIN Flood [可能的 FIN 洪水]	Possible FIN Flood on IF %s [在 IF %s 上的可能 FIN 洪水]
906	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	---	Possible RST Flood Ceased [可能的 RST 洪水已停止]	Possible RST Flood on IF %s has ceased [在 IF %s 上的可能 RST 洪水已停止]
907	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	---	Possible FIN Flood Ceased [可能的 FIN 洪水已停止]	Possible RST Flood on IF %s has ceased [在 IF %s 上可能的 FIN 洪水已停止]
908	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	WARNING [警告]	---	Possible RST Flood Continues [可能的 RST 洪水會繼續]	Possible RST Flood on IF %s continues ]在 IF %s 上的可能 RST 洪水會繼續]
909	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	WARNING [警告]	---	Possible FIN Flood Continues [可能的 FIN 洪水會繼續]	Possible FIN Flood on IF %s continues [在 IF %s 上可能的 FIN 洪水會繼續]
910	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network [網路]	WARNING [警告]	---	IP TTL Expire [IP TTL 到期]	Packet Dropped - IP TTL expired [封包已捨棄 - IP TTL 已過期]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
911	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Dynamic Address Objects [動態位址物件]	INFO [資訊]	---	Added Host Entry [新增的主機項目]	Added host entry to dynamic address object [已新增主機項目至動態位址物件]
912	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Dynamic Address Objects [動態位址物件]	INFO [資訊]	---	Removed Host Entry [移除的主機項目]	Removed host entry from dynamic address object [已從動態位址物件移除主機項目]
913	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Responder: Authentication Method Mismatch [回應程式：驗證方法不符]	IKE Responder: Phase 1 Authentication Method does not match [IKE 回應程式：階段 1 驗證方法不符]
914	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Responder: Encryption Algorithm Mismatch [回應程式：加密演算法不符]	IKE Responder: Phase 1 encryption algorithm does not match [IKE 回應程式：階段 1 加密演算法不符]
915	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Responder: Key Length Mismatch [回應程式：金鑰長度不符]	IKE Responder: Phase 1 encryption algorithm does not match [IKE 回應程式：階段 1 加密演算法金鑰長度不符]
916	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Responder: Hash Algorithm Mismatch [回應程式：雜湊演算法不符]	IKE Responder: Phase 1 hash algorithm does not match [IKE 回應程式：階段 1 雜湊演算法不符]
917	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Responder: Policy Has no User Name [回應程式：原則沒有使用者名稱]	IKE Responder: Phase 1 XAUTH required but Policy has no user name [IKE 回應程式：階段 1 需要 XAUTH 但是原則沒有使用者名稱]
918	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Responder: Policy Has no Password [回應程式：原則沒有使用者密碼]	IKE Responder: Phase 1 XAUTH required but Policy has no user password [IKE 回應程式：階段 1 需要 XAUTH 但是原則沒有使用者密碼]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
919	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Responder: DH Group Mismatch [回應程式：DH 群組不符]	IKE Responder: Phase 1 DH Group does not match [IKE 回應程式：階段 1 DH 群組不符]
920	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Responder: AH Authentication Algorithm Mismatch [回應程式：AH 驗證演算法不符]	IKE Responder: AH authentication algorithm does not match [IKE 回應程式：AH 驗證演算法不符]
921	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Responder: ESP Encryption Algorithm Mismatch [回應程式：ESP 加密演算法不符]	IKE Responder: ESP encryption algorithm does not match [IKE 回應程式：ESP 加密演算法不符]
922	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Responder: ESP Authentication Algorithm Mismatch [回應程式：ESP 驗證演算法不符]	IKE Responder: ESP authentication algorithm does not match [IKE 回應程式：ESP 驗證演算法不符]
923	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Responder: AH Authentication Key Length Mismatch [回應程式：AH 驗證金鑰長度不符]	IKE Responder: AH authentication key length does not match [IKE 回應程式：AH 驗證金鑰長度不符]
924	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Responder: ESP Encryption Key Length Mismatch [回應程式：ESP 加密金鑰長度不符]	IKE Responder: ESP encryption key length does not match [IKE 回應程式：ESP 加密金鑰長度不符]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
925	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Responder: ESP Authentication Key Length Mismatch [回應程式：ESP 驗證金鑰長度不符]	IKE Responder: ESP authentication key length does not match [IKE 回應程式：ESP 驗證金鑰長度不符]
926	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Responder: AH Authentication Key Rounds Mismatch [回應程式：AH 驗證金鑰四捨五入不符]	IKE Responder: AH authentication key rounds does not match [IKE 回應程式：AH 驗證金鑰四捨五入不符]
927	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Responder: ESP Encryption Key Rounds Mismatch [回應程式：ESP 驗證金鑰四捨五入不符]	IKE Responder: ESP encryption key rounds does not match [IKE 回應程式：ESP 驗證金鑰四捨五入不符]
928	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Responder: ESP Authentication Key Rounds Mismatch [回應程式：ESP 驗證金鑰四捨五入不符]	IKE Responder: ESP authentication key rounds does not match [IKE 回應程式：ESP 驗證金鑰四捨五入不符]
930	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Initiator: Peer Timeout - Retransmitting [啟動器：對等逾時 - 重新傳輸]	IKE Initiator: Remote party Timeout - Retransmitting IKE Request. [遠端方逾時 - 重新傳輸 IKE 請求。]
931	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Responder: Peer Timeout - Retransmitting [回應程式：對等逾時 - 重新傳輸]	IKE Responder: Remote party Timeout - Retransmitting IKE Request. [IKE 回應程式：遠端方逾時 - 重新傳輸 IKE 請求。]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
932	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Responder: IPsec Protocol Mismatch [回應程式： IPsec 通訊協 定不符]	IKE Responder: IPsec protocol mismatch [IKE 回應程式：IPsec 通訊 協定不符]
933	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Initiator: Proposed IKE ID Mismatch [啟動器：建 議的 IKE ID 不 符]	IKE Initiator: Proposed IKE ID mismatch [IKE 啟動器：建議的 IKE ID 不符]
934	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Responder: Local Network Mismatch Peer's Destination Network [回應程式： 區域網路不符 合對等的目的 地網路]	IKE Responder: Peer's local network does not match VPN Policy's [Destination] [IKE 回應程式：對等區域 網路不符合 VPN 原則的 [目的地]]
935	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Responder: Destination Network Mismatch Peer's Local Network [回應程式： 目的地網路不 符合對等的區 域網路]	IKE Responder: Peer's destination network does not match VPN Policy's [Local Network] [IKE 回應程式：對等目的 地網路不符合 VPN 原則的 [區域網路]]
936	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Responder: Route Table Overrides VPN Policy [回應程式： 路由表覆寫 VPN 原則]	IKE Responder: Route table overrides VPN Policy [IKE 回應程式：路由表覆 寫 VPN 原則]
937	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Initiator: IKE Proposal Mismatch [啟動器：IKE 建議不符 (階 段 1)]	IKE Initiator: IKE proposal does not match (Phase 1) [IKE 啟動器：IKE 建議不符 (階段 1)]



## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
938	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Initiator: Send IKE_SA_INIT Request [啟動器：傳 送 IKE_SA_INIT 要求]	IKEv2 Initiator: Send IKE_SA_INIT Request [IKEv2 啟動器：傳送 IKE_SA_INIT 要求]
939	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Responder: Received IKE_SA_INIT Request [回應程式： 已接收 IKE_SA_INIT 要 求]	IKEv2 Responder: Received IKE_SA_INIT Request [IKEv2 回應程式：已接收 IKE_SA_INIT 要求]
940	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Initiator: Send IKE_AUTH Request [啟動器：傳 送 IKE_AUTH 要求]	IKEv2 Initiator: Send IKE_AUTH Request [IKEv2 啟動器：傳送 IKE_AUTH 要求]
941	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Responder: Received IKE_AUTH Request [回應程式： 已接收 IKE_AUTH 要 求]	IKEv2 Responder: Received IKE_AUTH Request [IKEv2 回應程式：已接收 IKE_AUTH 要求]
942	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Authentication Successful [驗證成功]	IKEv2 Authentication successful [IKEv2 驗證成功]
943	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Accept IKE SA Proposal [接受 IKE SA 建 議]	IKEv2 Accept IKE SA Proposal [IKEv2 接受 IKE SA 建議]
944	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Accept IPsec SA Proposal [接受 IPsec SA 建議]	IKEv2 Accept IPsec SA Proposal [IKEv2 接受 IPsec SA 建議]
945	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Initiator: Send CREATE_CHILD _SA Request [啟動器：傳送 CREATE_CHILD _SA 要求]	IKEv2 Initiator: Send CREATE_CHILD_SA Request [IKEv2 啟動器：傳送 CREATE_CHILD_SA 要求]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
946	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Responder: Received CREATE_CHILD_SA Request [回應程式：已接收 CREATE_CHILD_SA 要求]	IKEv2 Responder: Received CREATE_CHILD_SA Request [IKEv2 回應程式：已接收 CREATE_CHILD_SA 要求]
947	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Send Delete IKE SA Request [傳送刪除 IKE SA 要求]	IKEv2 Send delete IKE SA Request [IKEv2 傳送刪除 IKE SA 要求]
948	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Received Delete IKE SA Request [已接收刪除 IKE SA 要求]	IKEv2 Received delete IKE SA Request [IKEv2 已接收刪除 IKE SA 要求]
949	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Send Delete IPsec SA Request [傳送刪除 IPsec SA 要求]	IKEv2 Send delete IPsec SA Request [IKEv2 傳送刪除 IPsec SA 要求]
950	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Received Delete IPsec SA Request [已接收刪除 IPsec SA 要求]	IKEv2 Received delete IPsec SA Request [IKEv2 已接收刪除 IPsec SA 要求]
951	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Responder: Destination Network Mismatch Peer's Local Network [回應程式：目的地網路不符合對等的區域網路]	IKEv2 Responder: Peer's destination network does not match VPN Policy's [Local Network] [IKE 回應程式：對等目的地網路不符合 VPN 原則的 [區域網路]]
952	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Responder: Peer Local Network Mismatch Peer's Destination Network [回應程式：對等區域網路不符合對等的目的地網路]	IKEv2 Responder: Peer's local network does not match VPN Policy's [Destination Network] [IKEv2 回應程式：對等區域網路不符合 VPN 原則的 [目的地網路]]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
953	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Payload Processing Error [承載處理錯誤]	IKEv2 Payload processing error [IKEv2 承載處理錯誤]
954	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Initiator: Extra Payloads Present [啟動器：出現額外承載]	IKEv2 Initiator: Negotiations failed.Extra payloads present. [IKEv2 啟動器：交涉失敗。出現額外承載。]
955	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Initiator: Missing Required Payloads [啟動器：遺失必要的承載]	IKEv2 Initiator: Negotiations failed.Missing required payloads. [IKEv2 啟動器：交涉失敗。遺失必要的承載。]
956	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Initiator: Invalid Input State [啟動器：無效的輸入狀態]	IKEv2 Initiator: Negotiations failed.Invalid input state. [IKEv2 啟動器：交涉失敗。無效的輸入狀態。]
957	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Initiator: Invalid Output State [啟動器：無效的輸出狀態]	IKEv2 Initiator: Negotiations failed.Invalid output state. [IKEv2 啟動器：交涉失敗。無效的輸出狀態。]
958	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Payload Validation Failed [承載驗證失敗]	IKEv2 Payload validation failed. [IKEv2 承載驗證失敗。]
959	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Unable to Find IKE SA [找不到 IKE SA]	IKEv2 Unable to find IKE SA [IKEv2 找不到 IKE SA]
960	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Decrypt Packet Failed [解密封包失敗]	IKEv2 Decrypt packet failed [IKEv2 解密封包失敗]
961	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Out of Memory [記憶體不足]	IKEv2 Out of memory [IKEv2 記憶體不足]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
962	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	ERROR [錯誤]	---	Responder: Policy for Remote IKE ID Not Found [回應程式： 找不到遠端 IKE ID 的原則]	IKEv2 Responder: Policy for remote IKE ID not found [IKEv2 回應程式：找不到 遠端 IKE ID 的原則]
963	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Process Message Queue Failed [處理訊息佇 列失敗]	IKEv2 Process Message queue failed [IKEv2 處理訊息佇列失敗]
964	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Invalid State [無效的狀態]	IKEv2 Invalid state [IKEv2 無效的狀態]
965	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	VPN IKE	ERROR [錯誤]	---	IKE Responder: No VPN Access Networks Assigned [回應程式： 檢查設定]	IKE Responder: Client Policy has no VPN Access Networks assigned.Check Configuration. [IKE 回應程式：用戶端原 則沒有指派 VPN 存取網 路。檢查設定。]
966	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Invalid SPI Size [無效的 SPI 大 小]	IKEv2 Invalid SPI size [IKEv2 無效的 SPI 大小]
967	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	VPN Policy Not Found [VPN 原則找不 到]	IKEv2 VPN Policy not found [IKEv2 VPN 原則找不到]
968	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	IKE Proposal Mismatch [IKE 建議不符]	IKEv2 IPsec proposal does not match [IKEv2 IPsec 建議不符]
969	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	IPsec Attribute Not Found [找不到 IPsec 屬性]	IKEv2 IPsec attribute not found [找不到 IKEv2 IPsec 屬性]
970	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	IKE Attribute Not Found [找不到 IKE 屬 性]	IKEv2 IKE attribute not found [找不到 IKEv2 IKE 屬性]
971	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Peer Not Responding [對等沒有回 應]	IKEv2 Peer is not responding.Negotiation aborted. [IKEv2 對等沒有回應。交 涉已中止。]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
972	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Initiator: Retransmit IKEv2 Request Due to Remote Party Timeout [啟動器：因 為遠端方逾時 重新傳輸 IKEv2 請求]	IKEv2 Initiator: Remote party Timeout - Retransmitting IKE Request. [IKEv2 啟動器：遠端方逾 時 - 重新傳輸 IKEv2 請求。]
973	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Initiator: Received IKE_SA_INT Response [ 啟動器： 已接收 IKE_SA_INT 回 應]	IKEv2 Initiator: Received IKE_SA_INT response [IKEv2 啟動器：已接收 IKE_SA_INT 回應]
974	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Initiator: Received IKE_AUTH Response [啟動器： 已接收 IKE_AUTH 回 應]	IKEv2 Initiator: Received IKE_AUTH response [IKEv2 啟動器：已接收 IKE_AUTH 回應]
975	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Initiator: Received CREATE_CHILD _SA Response [啟動器： 已接收 CREATE_CHILD _SA 回應]	IKEv2 Initiator: Received CREATE_CHILD_SA response [IKEv2 啟動器：已接收 CREATE_CHILD_SA 回應]
976	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Responder: Send IKE_SA_INIT Response [回應程式： 傳送 IKE_SA_INIT 要求]	IKEv2 Responder: Send IKE_SA_INIT response [IKEv2 回應程式：傳送 IKE_SA_INIT 要求]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
977	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Responder: Send IKE_AUTH response [回應程式： 傳送 IKE_AUTH 要求]	IKEv2 Responder: Send IKE_AUTH response [回應程式：傳送 IKE_AUTH 要求]
978	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Negotiation Completed [交涉完成]	IKEv2 negotiation complete [IKEv2 交涉完成]
979	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	ERROR [錯誤]	---	Failed to Transmit Packet [無法傳輸封 包]	IKEv2 Function sendto() failed to transmit packet. [IKEv2 函數 sendto() 無法傳 輸封包。]
980	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Initiator: Proposed IKE ID Mismatch [啟動器：建 議的 IKE ID 不 符]	IKEv2 Initiator: Proposed IKE ID mismatch [IKEv2 啟動器：建議的 IKE ID 不符]
981	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	IKE Proposal Mismatch [IKE 建議不符]	IKEv2 IKE proposal does not match [IKEv2 IKE 建議不符]
982	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Received Notify Status Payload [已接收通知 狀態承載]	IKEv2 Received notify status payload [IKEv2 已接收通知狀態承 載]
983	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	Received Notify Error Payload [已接收通知 錯誤承載]	IKEv2 Received notify error payload [IKEv2 已接收通知錯誤承 載]
984	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	No NAT Device Detected [未偵測到 NAT 裝置]	IKEv2 No NAT device detected between negotiating peers [IKEv2 在交涉對等間未偵 測到 NAT 裝置]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
985	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	NAT Device Detected Between Negotiating Peers [在交涉對等間偵測到 NAT 裝置]	IKEv2 NAT device detected between negotiating peers [IKEv2 在交涉對等間偵測到 NAT 裝置]
986	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	Not Allowed by Policy Rule [原則規則不允許]	User login denied - not allowed by Policy rule [使用者登入被拒 - 原則規則不允許]
987	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	Not Found Locally [在本機找不到]	User login denied - not found locally [使用者登入被拒 - 在本機找不到]
988	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	WARNING [警告]	---	Timeout [逾時]	User login denied - SSO agent Timeout [使用者登入被拒 - SSO 代理逾時]
989	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	WARNING [警告]	---	Configuration Error [設定錯誤]	User login denied - SSO agent configuration error [使用者登入被拒 - SSO 代理設定錯誤]
990	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	WARNING [警告]	---	Communication Problem [通訊問題]	User login denied - SSO agent communication problem [使用者登入被拒 - SSO 代理通訊問題]
991	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	WARNING [警告]	---	Name Resolution Failed [名稱解析失敗]	User login denied - SSO agent name resolution failed [使用者登入被拒 - SSO 代理名稱解析失敗]
992	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	CIA	WARNING [警告]	---	User Name Too Long [使用者名稱太長]	SSO agent returned user name too long [SSO 代理傳回的使用者名稱太長]
993	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	CIA	WARNING [警告]	---	Domain Name Too Long [網域名稱太長]	SSO agent returned domain name too long [SSO 代理傳回的網域名稱太長]



## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
994	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	Configuration Mode Administration Session Started [已啟動設定模式管理工作階段]	Configuration mode administration session started [已啟動設定模式管理工作階段]
995	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	Configuration Mode Administration Session Ended [已結束設定模式管理工作階段]	Configuration mode administration session ended [已結束設定模式管理工作階段]
996	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	Read-only Mode GUI Administration Session Started [已啟動唯讀模式 GUI 管理工作階段]	Read-only mode GUI administration session started [已啟動唯讀模式 GUI 管理工作階段]
997	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	Non-Config Mode GUI Administration Session Started [已啟動非設定模式 GUI 管理工作階段]	Non-config mode GUI administration session started [已啟動非設定模式 GUI 管理工作階段]
998	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	GUI Administration Session End [GUI 管理工作階段結束]	GUI administration session ended [GUI 管理工作階段已結束]
999	6.2.5 6.2.7 6.2.7.7 6.2.9	Blocked Sites [封鎖的網站]	Network Access [網路存取]	INFO [資訊]	---	Website Found in Blacklist [封鎖清單中找到的網站]	SSL Control: Website found in blacklist [SSL 控制：封鎖清單中找到的網站]
1000	6.2.5 6.2.7 6.2.7.7 6.2.9	Blocked Sites [封鎖的網站]	Network Access [網路存取]	INFO [資訊]	---	Website Found in Whitelist [白名單中找到的網站]	SSL Control: Website found in whitelist [SSL 控制：白名單中找到的網站]
1001	6.2.5	Blocked Sites [封鎖的網站]	Network Access [網路存取]	INFO [資訊]	---	HTTPS via SSL [HTTPS 透過 SSL]	SSL Control: HTTPS via SSL [SSL 控制：HTTPS 透過 SSL]
1001	6.2.7 6.2.7.7 6.2.9	Blocked Sites [封鎖的網站]	Network Access [網路存取]	INFO [資訊]	---	Weak SSL Version [弱 SSL 版本]	SSL Control: Weak SSL Version being used [SSL 控制：使用弱 SSL 版本]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1002	6.2.5 6.2.7 6.2.7.7 6.2.9	Blocked Sites [封鎖的網站]	Network Access [網路存取]	INFO [資訊]	---	Certificate With Invalid Date [日期無效的憑證]	SSL Control: Certificate with invalid date [SSL 控制：日期無效的憑證]
1003	6.2.5 6.2.7 6.2.7.7 6.2.9	Blocked Sites [封鎖的網站]	Network Access [網路存取]	INFO [資訊]	---	Self-Signed Certificate [自我簽署的憑證]	SSL Control: Self-signed certificate [SSL 控制：自我簽署的憑證]
1004	6.2.5 6.2.7 6.2.7.7 6.2.9	Blocked Sites [封鎖的網站]	Network Access [網路存取]	INFO [資訊]	---	Weak Cipher Being Used [使用弱式加密]	SSL Control: Weak cipher being used [SSL 控制：使用弱式加密]
1005	6.2.5 6.2.7 6.2.7.7 6.2.9	Blocked Sites [封鎖的網站]	Network Access [網路存取]	INFO [資訊]	---	Untrusted CA [不信任的 CA]	SSL Control: Untrusted CA [SSL 控制：不信任的 CA]
1006	6.2.5 6.2.7 6.2.7.7 6.2.9	Blocked Sites [封鎖的網站]	Network Access [網路存取]	INFO [資訊]	---	Certificate Chain Incomplete [憑證鏈結不完整]	SSL Control: Certificate chain not complete [SSL 控制：憑證鏈結不完整]
1007	6.2.5	Blocked Sites [封鎖的網站]	Network Access [網路存取]	INFO [資訊]	---	Failed to Decode Server Hello [無法解碼 Server Hello]	SSL Control: Failed to decode Server Hello [SSL 控制：無法解碼 Server Hello]
1008	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	Logout Detected by SSO [SSO 偵測到登出]	User logged out - logout detected by SSO [使用者已登出 - SSO 偵測到登出]
1009	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	RADIUS	ERROR [錯誤]	---	Bind to LDAP Server Failed [繫結至 LDAP 伺服器失敗]	Bind to LDAP server failed [繫結至 LDAP 伺服器失敗]
1010	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	RADIUS	ALERT [警示]	---	LDAP Without TLS [使用無 TLS 的 LDAP]	Using LDAP without TLS - highly insecure [使用無 TLS 的 LDAP - 高度不安全]
1011	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	RADIUS	WARNING [警告]	---	Non-Administrative Attempt to Change Password [非管理嘗試變更密碼]	LDAP using non-administrative account - VPN client user will not be able to change passwords [LDAP 使用非管理帳戶 - VPN 用戶端使用者將無法變更密碼]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1012	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Responder: Send CREATE_CHILD _SA Response [回應程式： 傳送 CREATE_CHILD _SA 要求]	IKEv2 Responder: Send CREATE_CHILD_SA response [IKEv2 回應程式：傳送 CREATE_CHILD_SA 要求]
1013	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Send Delete IKE SA Response [傳送刪除 IKE SA 回應]	IKEv2 Send delete IKE SA response [IKEv2 傳送刪除 IKE SA 回應]
1014	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Send Delete IPsec SA Response [傳送刪除 IPsec SA 回應]	IKEv2 Send delete IPsec SA response [IKEv2 傳送刪除 IPsec SA 回 應]
1015	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Received Delete IKE SA Response [已接收刪除 IKE SA 回應]	IKEv2 Received delete IKE SA response [IKEv2 已接收刪除 IKE SA 回 應]
1016	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Received Delete IPsec SA Response [已接收刪除 IPsec SA 回應]	IKEv2 Received delete IPsec SA response [IKEv2 已接收刪除 IPsec SA 回應]
1017	6.2.5 6.2.7 6.2.7.7 6.2.9	System Environment [系統環境]	Firewall Hardware [防火牆硬體]	INFO [資訊]	---	3G/4G Device Detected [已偵測到 3G/4G 裝置]	3G/4G %s device detected [已偵測到 3G/4G %s 裝置]
1018	6.2.5 6.2.7 6.2.7.7 6.2.9	---	PPP	INFO [資訊]	---	PPP Message [PPP 訊息]	PPP message: %s [PPP 訊息： %s]
1019	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	PPP Dial-Up [PPP 撥號]	INFO [資訊]	---	Chat Start [交談開始]	Chat started [交談已開始]
1020	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	PPP Dial-Up [PPP 撥號]	INFO [資訊]	---	Chat Completed [交談已完成]	Chat completed [交談已完成]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1021	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	PPP Dial-Up [PPP 撥號]	INFO [資訊]	---	Chat Wrote Message [交談書寫訊息]	Chat wrote '%s' [交談書寫 '%s']
1022	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	PPP Dial-Up [PPP 撥號]	INFO [資訊]	---	Chat Message [交談訊息]	Chat %s [交談 %s]
1023	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	PPP Dial-Up [PPP 撥號]	INFO [資訊]	---	Chat Failed [交談失敗]	Chat failed: %s [交談失敗 %s]
1024	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	PPP Dial-Up [PPP 撥號]	ERROR [錯誤]	---	Unable to Send Message to Dial-Up Task [無法傳送訊息至撥號工作]	Unable to send message to dial-up task [無法傳送訊息至撥號工作]
1026	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	PPP Dial-Up [PPP 撥號]	ALERT [警示]	---	Data Usage Watermark Reached [已達到資料使用水印]	3G/4G Dial-up: %s. [3G/4G 撥號 : %s]
1027	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	PPP Dial-Up [PPP 撥號]	ALERT [警示]	7643	Data Usage Limit Reached [已達到資料使用量限制]	3G/4G Dial-up: data usage limit reached for the '%s' billing cycle.Disconnecting the session. [3G/4G 撥號 : 對於 '%s' 計費週期, 已達到資料使用量限制。中斷工作階段的連接。]
1028	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	PPP Dial-Up [PPP 撥號]	ALERT [警示]	---	Auto-Dial Failed [自動撥號失敗]	%s auto-dial failed: Current Connection Model is configured as Ethernet Only [%s 自動撥號失敗 : 目前的連線模式設定為僅乙太網路]
1029	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network [網路]	DEBUG [偵錯]	---	Non-Permitted Option TCP Packet [TCP 封包含有不允許的選項]	TCP packet received with non-permitted option; TCP packet dropped [接收的 TCP 封包含有不允許的選項 ; TCP 封包已捨棄]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1030	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network [網路]	DEBUG [偵錯]	---	Invalid TCP Window Scale Option Length [無效的 TCP 視窗比例選項長度]	TCP packet received with invalid Window Scale option length; TCP packet dropped [接收的 TCP 封包含有無效的視窗比例選項長度；TCP 封包已捨棄]
1031	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network [網路]	DEBUG [偵錯]	---	Invalid TCP Window Scale Option Value [無效的 TCP 視窗比例選項值]	TCP packet received with invalid Window Scale option value; TCP packet dropped [接收的 TCP 封包含有無效的視窗比例選項值；TCP 封包已捨棄]
1033	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	WARNING [警告]	---	Group Membership Retrieval Failed [群組成員資格擷取失敗]	Problem occurred during user group membership retrieval [擷取使用者群組成員資格期間發生問題]
1035	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	Password Expire [密碼到期]	User login denied - password expired [使用者登入被拒 - 密碼已過期]
1036	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	ERROR [錯誤]	---	Responder: IKE Phase 1 Exchange Mismatch [回應程式：IKE 階段 1 交換不符]	IKE Responder: IKE Phase 1 exchange does not match [IKE 回應程式：IKE 階段 1 交換不符]
1037	6.2.5 6.2.7 6.2.7.7 6.2.9	---	PPP Dial-Up [PPP 撥號]	INFO [資訊]	---	Starting PPP [啟動 PPP]	PPP Dial-Up: Starting PPP [PPP 撥號：啟動 PPP]
1038	6.2.5 6.2.7 6.2.7.7 6.2.9	---	PPP Dial-Up [PPP 撥號]	INFO [資訊]	---	Traffic Generated [產生的流量]	Dial-up: Traffic generated by '%s' [撥號：'%s' 產生的流量]
1039	6.2.5 6.2.7 6.2.7.7 6.2.9	---	PPP Dial-Up [PPP 撥號]	INFO [資訊]	---	Session Initiated by Data Packet [資料封包起始的工作階段]	Dial-up: Session initiated by data packet [撥號：資料封包起始的工作階段]
1040	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DHCP Server [DHCP 伺服器]	ALERT [警示]	---	DHCP Server IP Conflict Detected [偵測到 DHCP 伺服器 IP 衝突]	DHCP Server: IP conflict detected [DHCP 伺服器：偵測到 IP 衝突]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1041	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DHCP Server [DHCP 伺服器]	ALERT [警示]	---	DHCP Server Received DHCP Decline [DHCP 伺服器 已接收 DHCP 拒絕]	DHCP Server: Received DHCP decline from client [DHCP 伺服器：已接收從 用戶端的 DHCP 拒絕]
1043	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Firewall Hardware [防火牆硬體]	ERROR [錯誤]	5425	Power Supply Without Redundancy [無備援的電 源供應器]	Power supply without redundancy [無備援的電源供應器]
1044	6.2.5 6.2.7 6.2.7.7 6.2.9	---	High Availability [高可用性]	INFO [資訊]	---	Discover HA Firewall [探索 HA 防火 牆]	Discovered HA %s Firewall [已探索 HA %s 防火牆]
1045	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Firewall Event [防火牆事件]	INFO [資訊]	---	Diagnostic Auto-Restart Scheduled [診斷自動重 新啟動已排程]	Diagnostic Auto-restart scheduled for %s minutes from now [已排程從現在起 %s 分鐘 診斷自動重新啟動]
1046	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Firewall Event [防火牆事件]	INFO [資訊]	---	Diagnostic Auto-Restart Canceled [診斷自動重 新啟動已取消]	Diagnostic Auto-restart canceled [診斷自動重新啟動已取消]
1047	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Firewall Event [防火牆事件]	INFO [資訊]	---	Diagnostic Auto-Restart [診斷自動重 新啟動]	As per Diagnostic Auto-restart configuration Request, restarting system [按照自動重新啟動設定要 求，重新啟動系統]
1048	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Authenticated Access [驗證存取]	INFO [資訊]	---	Password doesn't meet constraints [密碼不符合 限制]	User login denied - password doesn't meet constraints [使用者登入被拒 - 密碼不 符合限制]
1050	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN	INFO [資訊]	---	VPN Policy Added [VPN 原則已新 增]	VPN policy %s is added [VPN 原則 %s 已新增]
1051	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN	INFO [資訊]	---	VPN Policy Deleted [VPN 原則已刪 除]	VPN policy %s is deleted [VPN 原則 %s 已刪除]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1052	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN	INFO [資訊]	---	VPN Policy Modified [VPN 原則已修改]	VPN policy %s is modified [VPN 原則 %s 已修改]
1053	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Firewall Hardware [防火牆硬體]	ALERT [警示]	5418	PC Card Removed [PC 卡已移除]	PC Card removed. [PC 卡已移除。]
1054	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Firewall Hardware [防火牆硬體]	ALERT [警示]	5419	PC Card Inserted [PC 卡已插入]	PC Card inserted. [PC 卡已插入。]
1055	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Firewall Hardware [防火牆硬體]	ALERT [警示]	---	3G/4G: No SIM Detected [3G/4G：未偵測到 SIM]	3G/4G: No SIM detected [3G/4G：未偵測到 SIM]
1057	6.2.5 6.2.7 6.2.7.7 6.2.9	---	High Availability [高可用性]	INFO [資訊]	---	Peer Firewall Reboots [對等防火牆重新啟動]	Peer firewall rebooting (%s) [對等防火牆重新啟動 (%s)]
1058	6.2.5 6.2.7 6.2.7.7 6.2.9	---	High Availability [高可用性]	INFO [資訊]	---	Primary Firewall Reboot from Active to Standby [主要防火牆重新啟動從使用中轉換為待機]	Primary firewall rebooting itself as it transitioned from Active to Standby while Preempt [主要防火牆從使用中轉換為先佔時待機後，會自行重新啟動]
1059	6.2.5 6.2.7 6.2.7.7 6.2.9	---	High Availability [高可用性]	INFO [資訊]	---	Secondary Firewall Reboot from Active to Standby [次要防火牆重新啟動從使用中轉換為待機]	Secondary firewall rebooting itself as it transitioned from Active to Standby while Preempt [次要防火牆重新啟動本身為從使用中轉換為先佔時待機]
1060	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Crypto Test [Crypto 測試]	ERROR [錯誤]	---	DRNG KAT test failed [DRNG KAT 測試失敗]	Crypto SHA1 based DRNG KAT test failed [Crypto SHA1 式的 DRNG KAT 測試失敗]
1065	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Firewall Event [防火牆事件]	INFO [資訊]	---	Remote Backup Succeeded [遠端備份成功]	Successfully sent %s file to remote backup server [已成功傳送 %s 檔案到遠端備份伺服器]



## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1066	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Firewall Event [防火牆事件]	INFO [資訊]	---	Remote Backup Failed [遠端備份失敗]	Failed to send file to remote backup server, Error: %s [無法傳送檔案到遠端備份伺服器，錯誤：%s]
1068	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DHCP Server [DHCP 伺服器]	WARNING [警告]	---	Multiple DHCP Servers Detected [偵測到多個 DHCP 伺服器]	Multiple DHCP Servers are detected on network [在網路上偵測到多個 DHCP 伺服器]
1070	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Firewall Event [防火牆事件]	INFO [資訊]	---	Invalid DNS Server [無效的 DNS 伺服器]	Invalid DNS Server will not be accepted by the dynamic client [動態用戶端將不接受無效的 DNS 伺服器]
1071	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Firewall Event [防火牆事件]	CRITICAL [嚴重]	---	DHCP Server Sanity Check Pass [DHCP 伺服器例行性檢查通過]	DHCP Server sanity check passed %s [DHCP 伺服器例行性檢查已通過 %s]
1072	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Firewall Event [防火牆事件]	CRITICAL [嚴重]	---	DHCP Server Sanity Check Failed [DHCP 伺服器例行性檢查未通過]	DHCP Server sanity check failed %s [DHCP 伺服器例行性檢查未通過 %s]
1073	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	CIA	WARNING [警告]	---	Agent Error [代理錯誤]	SSO agent returned error [SSO 代理回傳錯誤]
1074	6.2.5 6.2.7 6.2.7.7 6.2.9	---	L2TP Client [L2TP 用戶端]	INFO [資訊]	---	Tunnel Negotiation [通道交]	L2TP Tunnel Negotiation %s [L2TP 通道交涉 %s]
1075	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	CIA	ALERT [警示]	---	Agent Down [代理停止]	SSO agent is down [SSO 代理停止]
1076	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	CIA	ALERT [警示]	---	Agent Up [代理啟動]	SSO agent is up [SSO 代理啟動]
1077	6.2.5 6.2.7 6.2.7.7 6.2.9	---	SonicPoint-N	INFO [資訊]	---	SonicPoint-N/A C Status [SonicPoint-N/ AC 狀態]	%s Status [%s 狀態]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1078	6.2.5 6.2.7 6.2.7.7 6.2.9	---	SonicPoint-N	INFO [資訊]	---	SonicPoint-N/A C Provision [SonicPoint-N/ AC 佈建]	%s Provision [%s 佈建]
1079	6.2.5 6.2.7 6.2.7.7 6.2.9	---	SSL VPN	INFO [資訊]	---	SSL VPN	%s
1080	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Authenticated Access [驗證存取]	INFO [資訊]	---	Successful SSL VPN User Login [成功的 SSL VPN 使用者登 入]	SSL VPN zone remote user login allowed [SSL VPN 區域遠端使用者 登入已允許]
1081	6.2.5 6.2.7 6.2.7.7 6.2.9	Blocked Sites [封鎖的網站]	Network Access [網路存取]	INFO [資訊]	---	Certificate Blocked Weak Digest [憑證已封鎖 的弱式摘要]	SSL Control: Certificate with Weak Digest Signature Algorithm [使用弱式摘要簽章演算法 的憑證]
1082	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Anti-Spam [反垃圾郵件]	WARNING [警告]	13801	Entity Operational [實體操作]	%s is operational. [%s 為可操作。]
1083	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Anti-Spam [反垃圾郵件]	WARNING [警告]	13802	Entity Unreachable [實體無法連 線]	%s is unavailable. [%s 無法使用。]
1084	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Anti-Spam [反垃圾郵件]	INFO [資訊]	13803	Service Enable [服務啟用]	Anti-Spam service is enabled by administrator. [管理員已啟用反垃圾郵件 服務。]
1085	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Anti-Spam [反垃圾郵件]	INFO [資訊]	13804	Service Disable [服務停用]	Anti-Spam service is disabled by administrator. [管理員已停用反垃圾郵件 服務。]
1086	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Anti-Spam [反垃圾郵件]	WARNING [警告]	13805	Service Subscription Expire [服務訂閱到 期]	Your Anti-Spam Service subscription has expired. [您的反垃圾郵件服務訂閱 已過期。]
1087	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Anti-Spam [反垃圾郵件]	WARNING [警告]	13806	SMTP Connection Expire [SMTP 連線到 期]	SMTP connection limit is reached.Connection is dropped. [已達 SMTP 連線限制。連 線已捨棄。]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1088	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Anti-Spam [反垃圾郵件]	WARNING [警告]	13807	Startup Failure [啟動失敗]	Anti-Spam Startup Failure - %s [反垃圾郵件啟動失敗 - %s]
1089	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Anti-Spam [反垃圾郵件]	WARNING [警告]	13808	Teardown Failure [卸除失敗]	Anti-Spam Teardown Failure - %s [反垃圾郵件卸除失敗 - %s]
1090	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DHCP Server [DHCP 伺服器]	NOTICE [注意]	---	DHCP Message From Untrusted Relay Agent [來自不信任轉送代理的 DHCP 訊息]	DHCP Server: Received DHCP message from untrusted relay agent [DHCP 伺服器：已從不信任的轉送表代理接收 DHCP 訊息]
1091	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Anti-Spam [反垃圾郵件]	NOTICE [注意]	13809	Outbound Connection Drop [連出連線捨棄]	Outbound connection to GRID-listed SMTP server dropped [連至 GRID 列出的 SMTP 伺服器的連出連線已捨棄]
1092	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Anti-Spam [反垃圾郵件]	NOTICE [注意]	13810	Inbound Connection Drop [連入連線捨棄]	Inbound connection from GRID-listed SMTP server dropped [從 GRID 列出的 SMTP 伺服器的連入連線已捨棄]
1093	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Anti-Spam [反垃圾郵件]	NOTICE [注意]	13811	SMTP Server Found on Reject List [在拒絕清單上找到 SMTP 伺服器]	SMTP server found on Reject List [在拒絕清單上找到 SMTP 伺服器]
1094	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Anti-Spam [反垃圾郵件]	ERROR [錯誤]	13812	No Valid DNS Server [無有效的 DNS 伺服器]	No valid DNS server specified for GRID lookups [未指定有效的 DNS 伺服器供 GRID 查詢用]
1095	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Anti-Spam [反垃圾郵件]	INFO [資訊]	13813	Unprocessed E-mail From MTA [來自 MTA 的未處理電子郵件]	Unprocessed E-mail received from MTA on Inbound SMTP port [已從連入 SMTP 連接埠上的 MTA 接收未處理的電子郵件]
1097	6.2.5 6.2.7 6.2.7.7 6.2.9	---	VPN PKI	NOTICE [注意]	---	SCEP Client [SCEP 用戶端]	SCEP Client: %s [SCEP 用戶端：%s]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1098	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Intrusion Detection [入侵偵測]	ALERT [警示]	6465	DNS Rebind Attack Detected [偵測到 DNS 重新繫結攻擊]	Possible DNS rebind attack detected [偵測到可能的 DNS 重新繫結攻擊]
1099	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Intrusion Detection [入侵偵測]	ALERT [警示]	6466	DNS Rebind Attack Blocked [已封鎖 DNS 重新繫結攻擊]	DNS rebind attack blocked [已封鎖 DNS 重新繫結攻擊]
1100	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Network Monitor [網路監視器]	ALERT [警示]	14001	Policy Status is Up [原則狀態為啟動]	Network Monitor: Policy %s status is UP [網路監視器：原則 %s 狀態為啟動]
1101	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Network Monitor [網路監視器]	ALERT [警示]	14002	Policy Status is Down [原則狀態為停止]	Network Monitor: Policy %s status is DOWN [網路監視器：原則 %s 狀態為停止]
1102	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Network Monitor [網路監視器]	ALERT [警示]	14003	Policy Status is Unknown [原則狀態為未知]	Network Monitor: Policy %s status is UNKNOWN [網路監視器：原則 %s 狀態為未知]
1103	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Network Monitor [網路監視器]	ALERT [警示]	14004	Host Status is Unknown [主機狀態為未知]	Network Monitor: Host %s status is UNKNOWN [網路監視器：主機 %s 狀態為未知]
1104	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Network Monitor [網路監視器]	INFO [資訊]	---	Policy Added [原則已新增]	Network Monitor Policy %s Added [已新增網路監視器原則 %s]
1105	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Network Monitor [網路監視器]	INFO [資訊]	---	Policy Deleted [原則已刪除]	Network Monitor Policy %s Deleted [已刪除網路監視器原則 %s]
1106	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Network Monitor [網路監視器]	INFO [資訊]	---	Policy Modified [原則已修改]	Network Monitor Policy %s Modified [已修改網路監視器原則 %s]
1107	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	Firewall Event [防火牆事件]	ALERT [警示]	---	System Alert [系統警告]	%s
1108	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Anti-Spam [反垃圾郵件]	INFO [資訊]	---	E-mail Message Blocked [電子郵件訊息已封鎖]	Message blocked by Real-Time E-mail Scanner [訊息已被即時電子郵件掃描器封鎖]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1109	6.2.5 6.2.7 6.2.7.7 6.2.9	---	VPN PKI	INFO [資訊]	---	CSR Generation [CSR 產生]	CSR Generation: %s [CSR 產生 : %s]
1110	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DHCP Server [DHCP 伺服器]	INFO [資訊]	---	Assigned IP address [指派的 IP 位址]	Assigned IP address %s [指派的 IP 位址 %s]
1111	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DHCP Server [DHCP 伺服器]	INFO [資訊]	---	Released IP Address [釋放的 IP 位址]	Released IP address %s [釋放的 IP 位址 %s]
1112	6.2.5 6.2.7 6.2.7.7 6.2.9	---	FTP	DEBUG [偵錯]	---	FTP Server Accepted Connection [FTP 伺服器已接受連線]	FTP server accepted the connection [FTP 伺服器已接受連線]
1113	6.2.5 6.2.7 6.2.7.7 6.2.9	---	FTP	DEBUG [偵錯]	---	FTP Client Username Sent [FTP 用戶端使用者名稱已傳送]	FTP client user name was sent [FTP 用戶端使用者名稱已傳送]
1114	6.2.5 6.2.7 6.2.7.7 6.2.9	---	FTP	DEBUG [偵錯]	---	FTP Client User Login [FTP 用戶端使用者登入]	FTP client user logged in successfully [FTP 用戶端使用者成功登入]
1115	6.2.5 6.2.7 6.2.7.7 6.2.9	---	FTP	DEBUG [偵錯]	---	FTP Client User Login Failed [FTP 用戶端使用者登入失敗]	FTP client user logged in failed [FTP 用戶端使用者登入失敗]
1116	6.2.5 6.2.7 6.2.7.7 6.2.9	---	FTP	DEBUG [偵錯]	---	FTP Client User Logout [FTP 用戶端使用者登出]	FTP client user logged out [FTP 用戶端使用者登出]
1117	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	WARNING [警告]	---	SSO Probe Failed [SSO 探查失敗]	User login denied - SSO probe failed [使用者登入被拒 - SSO 探查失敗]
1118	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	SMTP Server Not Configured [SMTP 伺服器未設定]	User login denied - Mail Address(From/to) or SMTP Server is not configured [使用者登入被拒 - 郵件地址 (寄件者/收件者) 或 SMTP 伺服器未設定]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1119	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	RADIUS User Cannot Use One Time Password [RADIUS 使用者無法使用一次密碼]	RADIUS user cannot use One Time Password - no mail address set for equivalent local user [RADIUS 使用者無法使用一次密碼 - 未為等位的本機使用者設定郵件地址]
1120	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	WARNING [警告]	---	TSA Timeout [TSA 逾時]	User login denied - Terminal Services agent Timeout [使用者登入被拒 - 終端機服務代理逾時]
1121	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	WARNING [警告]	---	TSA Name Resolution Failed [TSA 名稱解析失敗]	User login denied - Terminal Services agent name resolution failed [使用者登入被拒 - 終端機服務代理名稱解析失敗]
1122	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	WARNING [警告]	---	No Name Received from TSA [未從 TSA 收到任何名稱]	User login denied - No name received from Terminal Services agent [使用者登入被拒 - 未從終端機服務代理收到任何名稱]
1123	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	WARNING [警告]	---	TSA Communication Problem [TSA 通訊問題]	User login denied - Terminal Services agent communication problem [使用者登入被拒 - 終端機服務代理通訊問題]
1124	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	TSA User logout [TSA 使用者登出]	User logged out - logout reported by Terminal Services agent [使用者已登出 - 終端機服務代理回報登出]
1125	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	High Availability [高可用性]	INFO [資訊]	---	Dial Up Device Unsupported in HA [HA 中不支援撥號裝置]	High Availability has been enabled, Dial-Up device(s) are not supported in High Availability processing. [高可用性已啟用，在高可用性處理中不支援撥號裝置。]
1126	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	High Availability [高可用性]	ERROR [錯誤]	---	Bad Monitoring IP [監視 IP 不正確]	The High Availability monitoring IP configuration of Interface %s is incorrect. [介面 %s 的高可用性監視 IP 設定不正確。]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1127	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	IPsec Tunnel Mode Mismatch [IPsec 通道模式不符合]	IKE Responder: ESP mode mismatch Local - Tunnel Remote - Transport [IKE 回應程式：ESP 模式不符合 本機 - 通道遠端 - 傳輸]
1128	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	IPsec Transport Mode Mismatch [IPsec 傳輸模式不符合]	IKE Responder: ESP mode mismatch Local - Transport Remote - Tunnel [IKE 回應程式：ESP 模式不符合 本機 - 傳輸遠端 - 通道]
1131	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Anti-Spam [反垃圾郵件]	DEBUG [偵錯]	---	Anti-Spam Probe Response Success [反垃圾郵件 探查回應成功]	Probe Response Success - %s [探查回應成功 - %s]
1132	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Anti-Spam [反垃圾郵件]	DEBUG [偵錯]	---	Anti-Spam Probe Response Failure [反垃圾郵件 探查回應失敗]	Probe Response Failure - %s [探查回應失敗 - %s]
1133	6.2.5 6.2.7 6.2.7.7 6.2.9	---	PPPoE	INFO [資訊]	---	PPPoE Overview [PPPoE 概述]	%s
1134	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	PPTP	INFO [資訊]	---	PPTP Overview [PPTP 概述]	%s
1135	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	L2TP Client [L2TP 用戶端]	INFO [資訊]	---	L2TP Overview [L2TP 概述]	%s
1138	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Anti-Spam [反垃圾郵件]	DEBUG [偵錯]	---	Anti-Spam Unauth GRID Response [反垃圾郵件 未驗證的 GRID 回應]	Received unauthenticated GRID response [已接收未驗證的 GRID 回應]



## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1139	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Anti-Spam [反垃圾郵件]	DEBUG [偵錯]	---	Anti-Spam Invalid Key in GRID Response [GRID 回應的 反垃圾郵件無 效金鑰]	Invalid key or serial number used for GRID response [用於 GRID 回應的金鑰或 序號無效]
1140	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Anti-Spam [反垃圾郵件]	DEBUG [偵錯]	---	Anti-Spam Invalid Key Version in GRID Response [GRID 回應的 反垃圾郵件無 效金鑰版本]	Invalid key version used for GRID response [用於 GRID 回應的金鑰版 本無效]
1141	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Anti-Spam [反垃圾郵件]	DEBUG [偵錯]	---	Anti-Spam Host Not GRID List [反垃圾郵件 主機不在 GRID 清單中]	Host IP address not in GRID List [主機 IP 位址不在 GRID 清 單中]
1142	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Anti-Spam [反垃圾郵件]	DEBUG [偵錯]	---	Anti-Spam No Response From DNS Server [反垃圾郵件 未從 DNS 伺服 器收到回應]	No response received from DNS server [未從 DNS 伺服器收到回應 ]
1143	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Anti-Spam [反垃圾郵件]	DEBUG [偵錯]	---	Anti-Spam Not Blacklisted [反垃圾郵件 未列入封鎖清 單]	Not blacklisted as per configuration [未按照設定列入封鎖清單]
1144	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Anti-Spam [反垃圾郵件]	DEBUG [偵錯]	---	Anti-Spam Default Not Blacklisted [反垃圾郵件 預設未列入封 鎖清單]	Default to not blacklisted [預設為不列入封鎖清單]
1145	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Anti-Spam [反垃圾郵件]	DEBUG [偵錯]	---	Anti-Spam Insert Entry Failed [反垃圾郵件 插入項目失敗]	Failed to insert entry into GRID result IP cached table [無法將項目插入 GRID 結 果 IP 快取表格]
1146	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Anti-Spam [反垃圾郵件]	DEBUG [偵錯]	---	Anti-Spam Resolved Cloud Address [反垃圾郵件 已解析雲端位 址]	Resolved ES Cloud - %s [已解析 ES 雲端 - %s]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1147	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Anti-Spam [反垃圾郵件]	DEBUG [偵錯]	---	Anti-Spam Cloud Address Updated [反垃圾郵件 雲端位址已更新]	Updated ES Cloud Address - %s [已更新 ES 雲端位址 - %s]
1148	6.2.5 6.2.7 6.2.7.7 6.2.9	Advanced Switching [進階交換]	Advanced Switching [進階交換]	INFO [資訊]	---	Advanced Switching [進階交換]	%s
1149	6.2.5 6.2.7 6.2.7.7 6.2.9	---	High Availability [高可用性]	WARNING [警告]	---	VRRP Expiration Message [VRRP 到期訊 息]	Your Active/Active Clustering subscription has expired. [您的主動/主動叢集訂閱 已過期。]
1150	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	CIA	ALERT [警示]	---	Terminal Services Agent is Down [終端機服務 代理停止]	Terminal Services agent is down [終端機服務代理停止]
1151	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	CIA	ALERT [警示]	---	Terminal Services Agent is Up [終端機服務 代理啟動]	Terminal Services agent is up [終端機服務代理啟動]
1152	6.2.5 6.2.7 6.2.7.7 6.2.9	---	High Availability [高可用性]	ERROR [錯誤]	---	VRRP Cluster No license [VRRP 叢集無 授權]	Active/Active Clustering license is not activated on the following cluster units: %s [主動/主動叢集授權未在 下列叢集裝置上啟用: %s]
1153	6.2.5 6.2.7 6.2.7.7 6.2.9	Connection Traffic [連線流量]	SSL VPN	INFO [資訊]	---	SSL VPN Traffic [SSL VPN 流量]	SSL VPN Traffic [SSL VPN 流量]
1154	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Application Control Detection [應用程式控 制偵測]	ALERT [警示]	15001	Application Control Detection Alert [應用程式控 制偵測警示]	Application Control Detection Alert: %s [應用程式控制偵測警示: %s]
1155	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Application Control Detection [應用程式控 制偵測]	ALERT [警示]	15002	Application Control Prevention Alert [應用程式控 制預防警示]	Application Control Prevention Alert: %s [應用程式控制預防警示: %s]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1156	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Firewall Event [防火牆事件]	ERROR [錯誤]	---	Syslog/GMS Name Resolution Failure [Syslog/GMS 名稱解析失敗]	Name Resolution for Syslog or GMS failed. [Syslog 或 GMS 的名稱解析失敗。]
1157	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	User Account Expired [使用者帳戶過期]	User account '%s' expired and disabled [使用者帳戶 '%s' 過期並停用]
1158	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	User Account Pruned [使用者帳戶剪除]	User account '%s' expired and pruned [使用者帳戶 '%s' 過期並剪除]
1159	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Security Services [安全服務]	WARNING [警告]	---	Visualization Control Expire Message [虛擬化控制到期訊息]	Received Alert: Your Visualization Control subscription has expired. [已接收警示：您的虛擬化控制訂閱已過期。]
1160	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Firewall Event [防火牆事件]	DEBUG [偵錯]	---	Failed to Ping Remote Backup Server [無法聯絡遠端備份伺服器]	Attempt to contact Remote backup server for upload approval failed [嘗試聯絡遠端備份伺服器以上傳核准失敗]
1161	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Firewall Event [防火牆事件]	DEBUG [偵錯]	---	Failed to Upload Remote Backup Server [無法上傳遠端備份伺服器]	Backup remote server did not approve upload Request [遠端備份伺服器未核准上傳請求]
1162	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	High Availability [高可用性]	ALERT [警示]	---	HA Module Mismatched [HA 模組不符]	Modules attached to HA units do not match: %s [附加到 HA 裝置的模組不符：%s]
1163	6.2.5 6.2.7 6.2.7.7 6.2.9	---	E1/T1 Status [E1/T1 狀態]	INFO [資訊]	---	E1-T1 No Signal [E1-T1 無訊號]	E1_T1 Layer 1 status: No signal [E1_T1 第 1 層狀態：無訊號]
1164	6.2.5 6.2.7 6.2.7.7 6.2.9	---	E1/T1 Status [E1/T1 狀態]	INFO [資訊]	---	E1-T1 No Frame [E1-T1 無框架]	E1_T1 Layer 1 status: No frame synchronization [E1_T1 第 1 層狀態：無框架同步]
1165	6.2.5 6.2.7 6.2.7.7 6.2.9	---	E1/T1 Status [E1/T1 狀態]	INFO [資訊]	---	E1-T1 No Multiframe [E1-T1 無多框架]	E1_T1 Layer 1 status: No multiframe synchronization [E1_T1 第 1 層狀態：無多框架同步]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1166	6.2.5 6.2.7 6.2.7.7 6.2.9	---	E1/T1 Status [E1/T1 狀態]	INFO [資訊]	---	E1-T1 Remote Alarm [E1_T1 遠端警告]	E1_T1 Layer 1 status: Remote alarm detected [E1_T1 第 1 層狀態：已偵測到遠端警告]
1167	6.2.5 6.2.7 6.2.7.7 6.2.9	---	E1/T1 Status [E1/T1 狀態]	INFO [資訊]	---	E1-T1 Slip [E1_T1 名單]	E1_T1 Layer 1 status: Controlled slip [E1_T1 第 1 層狀態：控制的名單]
1168	6.2.5 6.2.7 6.2.7.7 6.2.9	---	E1/T1 Status [E1/T1 狀態]	INFO [資訊]	---	E1-T1 OK [E1-T1 確定]	E1_T1 Layer 1 status: OK [E1_T1 第 1 層狀態：確定]
1169	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Bandwidth Optimization [頻寬最佳化]	INFO [資訊]	---	WXA Appliance Found [找到 WXA 設備]	WAN Acceleration device %s found [找到 WAN 加速裝置 %s]
1170	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Bandwidth Optimization [頻寬最佳化]	ALERT [警示]	---	WXA Appliance Operational [WXA 設備可操作]	WAN Acceleration device %s is operational [WAN 加速裝置 %s 為可操作]
1171	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Bandwidth Optimization [頻寬最佳化]	ALERT [警示]	---	WXA Appliance Not Operational [WXA 設備不可操作]	WAN Acceleration device %s is no longer operational [WAN 加速裝置 %s 不再可操作]
1172	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Bandwidth Optimization [頻寬最佳化]	ALERT [警示]	---	WXA Appliance Used [已使用 WXA 設備]	WAN Acceleration device %s is being used [WAN 加速裝置 %s 使用中]
1173	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Bandwidth Optimization [頻寬最佳化]	ALERT [警示]	---	WXA Appliance Not Used [不使用 WXA 設備]	WAN Acceleration device %s is no longer being used [WAN 加速裝置 %s 不在使用中]
1174	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Bandwidth Optimization [頻寬最佳化]	WARNING [警告]	---	WXA Appliance Not Responding [WXA 設備無回應]	Remote WAN Acceleration device stopped responding to probes [遠端 WAN 加速裝置已停止回應探查]
1175	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Bandwidth Optimization [頻寬最佳化]	WARNING [警告]	---	WXA Appliance Responding [WXA 設備回應]	Remote WAN Acceleration device started responding to probes [遠端 WAN 加速裝置已開始回應探查]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1176	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Bandwidth Optimization [頻寬最佳化]	WARNING [警告]	---	WAN Acceleration Software License Expired [WAN 加速軟體授權已過期]	Your WAN Acceleration Service subscription has expired. [您的 WAN 加速服務訂閱已過期。]
1177	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network Access [網路存取]	ALERT [警示]	---	Malformed DNS Packet [格式錯誤的 DNS 封包]	Malformed DNS packet detected [已偵測到格式錯誤的 DNS 封包]
1178	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	CIA	ALERT [警示]	---	High SSO Packet Count [高 SSO 封包計數]	A high percentage of the system packet buffers are held waiting for SSO [高百分比的系統封包緩衝區正在等候 SSO]
1179	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	CIA	ALERT [警示]	---	High SSO User Connection [高 SSO 使用者連線]	A user has a very high number of connections waiting for SSO [使用者有非常高數量的連線正在等候 SSO]
1183	6.2.5 6.2.7 6.2.7.7 6.2.9	---	VPN IKE	DEBUG [偵錯]	---	Deleting IPsec SA [刪除 IPsec SA]	Deleting IPsec SA.(Phase 2) [刪除 IPsec SA。(階段 2)]
1184	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DHCP Server [DHCP 伺服器]	WARNING [警告]	---	Invalid Scope Deleted [無效的範圍已刪除]	Delete invalid scope because port IP in the range of this DHCP scope. [刪除無效的範圍，因為連接埠 IP 在此 DHCP 範圍內。]
1185	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DSL	ALERT [警示]	---	DSL Device Up [DSL 裝置啟動]	DSL: %s Device Up [DSL : %s 裝置啟動]
1186	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DSL	ALERT [警示]	---	DSL Device Down [DSL 裝置停止]	DSL: %s Device Down [DSL : %s 裝置停止]
1187	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DSL	ALERT [警示]	---	DSL WAN Up [DSL WAN 連接]	DSL: %s WAN is connected [DSL : %s WAN 已連接]
1188	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DSL	ALERT [警示]	---	DSL WAN down [DSL WAN 停止]	DSL: %s WAN is initializing [DSL : %s WAN 正在初始化]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1189	6.2.5 6.2.7 6.2.7.7 6.2.9	---	VPN IKE	WARNING [警告]	---	Network Mismatched [網路不符]	IKE Responder: Peer's proposed network does not match VPN Policy's Network [IKE 回應程式：對等的建議網路不符合 VPN 原則的網路]
1190	6.2.5 6.2.7 6.2.7.7 6.2.9	---	RADIUS	INFO [資訊]	---	LDAP Mirror Added [LDAP 鏡像已新增]	Added new LDAP mirror user group: %s [已新增 LDAP 鏡像使用者群組：%s]
1191	6.2.5 6.2.7 6.2.7.7 6.2.9	---	RADIUS	INFO [資訊]	---	LDAP Mirror Deleted [LDAP 鏡像已刪除]	Deleted LDAP mirror user group: %s [已刪除 LDAP 鏡像使用者群組：%s]
1192	6.2.5 6.2.7 6.2.7.7 6.2.9	---	RADIUS	INFO [資訊]	---	LDAP Mirror Added Member [LDAP 鏡像已新增新成員]	Added a new member to an LDAP mirror user group [已新增新成員至 LDAP 鏡像使用者群組]
1193	6.2.5 6.2.7 6.2.7.7 6.2.9	---	RADIUS	INFO [資訊]	---	LDAP Mirror Deleted Member [LDAP 鏡像已移除成員]	Removed a member from an LDAP mirror user group [已從 LDAP 鏡像使用者群組移除成員]
1194	6.2.5 6.2.7 6.2.7.7 6.2.9	---	High Availability [高可用性]	ERROR [錯誤]	---	HA Monitor Probe Interface Mismatched [HA 監視探查介面不符]	Monitoring probe out interface mismatch %s [監視探查介面不符 %s]
1195	6.2.5 6.2.7 6.2.7.7 6.2.9	Security Services [安全服務]	Security Services [安全服務]	WARNING [警告]	---	Botnet Filter Subscription Expired [殭屍網路篩選訂閱已過期]	Received Alert: Your Firewall Botnet Filter subscription has expired. [已接收警示：您的防火牆殭屍網路篩選訂閱已過期。]
1196	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Firewall Event [防火牆事件]	ALERT [警示]	---	Firewall Limit Reached [已達防火牆上限]	Product maximum entries reached - %s [已達到產品項目上限 - %s]
1197	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Network Access [網路存取]	NOTICE [注意]	---	Connection NAT Mapping [連線 NAT 對應]	NAT Mapping [NAT 對應]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1198	6.2.5 6.2.7 6.2.7.7 6.2.9	---	GeoIP	ALERT [警示]	---	Geo IP Initiator Blocked [Geo IP 啟動器已封鎖]	Initiator from country blocked: %s [來自已封鎖國家的啟動器：%s]
1199	6.2.5 6.2.7 6.2.7.7 6.2.9	---	GeoIP	ALERT [警示]	---	Geo IP Responder Blocked [Geo IP 回應程式已封鎖]	Responder from country blocked: %s [來自已封鎖國家的回應程式：%s]
1200	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Botnet [殭屍網路]	ALERT [警示]	---	Botnet Initiator Blocked [殭屍網路啟動器已封鎖]	Suspected Botnet initiator blocked: %s [已封鎖可疑的殭屍網路啟動器：%s]
1201	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Botnet [殭屍網路]	ALERT [警示]	---	Botnet Responder Blocked [殭屍網路回應程式已封鎖]	Suspected Botnet responder blocked: %s [已封鎖可疑的殭屍網路回應程式：%s]
1202	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	User Log Audit Trail [使用者記錄稽核線索]	%s
1203	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	WARNING [警告]	---	User Log Audit Trail Warning [使用者記錄稽核線索警告]	%s
1204	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	ERROR [錯誤]	---	User Log Audit Trail Error [使用者記錄稽核線索錯誤]	%s
1205	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	High Availability [高可用性]	ALERT [警示]	---	HA Peer MultiInterface Link Up [HA 對等多介面連結啟動]	On HA peer firewall, Interface %s Link Is Up [在 HA 對等防火牆上，介面 %s 連結啟動]
1206	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	High Availability [高可用性]	ALERT [警示]	---	HA Peer MultiInterface Link Down [HA 對等多介面連結停止]	On HA peer firewall, Interface %s Link Is Down [在 HA 對等防火牆上，介面 %s 連結停止]



## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1207	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	High Availability [高可用性]	INFO [資訊]	---	HA Peer Link Status Bad for Failover [容錯移轉的 HA 對等連結狀態錯誤]	Peer firewall has reduced link status.In event of failover, it will operate with limited capability. [對等防火牆已降低連結狀態。如果進行容錯移轉，會以受限的功能操作。]
1208	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	High Availability [高可用性]	INFO [資訊]	---	HA Peer Link Status Good for Failover [容錯移轉的 HA 對等連結狀態正確]	Peer firewall has equivalent link status.In event of failover, it will operate with equal capability. [對等防火牆有相當的連結狀態。如果進行容錯移轉，會以同等的功能操作。]
1209	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	MAC IP Spoof [MAC IP 詐騙]	ALERT [警示]	---	MAC-IP Anti-Spoof Check Enforced For Hosts [已為主機強制執行 MAC-IP 反詐騙檢查]	MAC-IP Anti-spoof check enforced for hosts [已為主機強制執行 MAC-IP 反詐騙檢查]
1210	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	MAC IP Spoof [MAC IP 詐騙]	ALERT [警示]	---	MAC-IP Anti-Spoof Cache Not Found For Router [找不到路由器的 MAC-IP 反詐騙快取]	MAC-IP Anti-spoof cache not found for this router [找不到此路由器的 MAC-IP 反詐騙快取]
1211	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	MAC IP Spoof [MAC IP 詐騙]	ALERT [警示]	---	MAC-IP Anti-Spoof Cache Not Router [MAC-IP 反詐騙快取非路由器]	MAC-IP Anti-spoof cache found, but it is not a router [找到 MAC-IP 反詐騙快取，但它不是路由器]
1212	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	MAC IP Spoof [MAC IP 詐騙]	ALERT [警示]	---	MAC-IP Anti-Spoof Cache Blacklisted Device [MAC-IP 反詐騙快取列入封鎖清單的裝置]	MAC-IP Anti-spoof cache found, but it is blacklisted device [找到 MAC-IP 反詐騙，但它是列入封鎖清單的裝置]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1213	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	---	UDP Flood Detected [偵測到 UDP 洪水]	Possible UDP flood attack detected [偵測到可能的 UDP 洪水攻 擊]
1214	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	---	ICMP Flood Detected [偵測到 ICMP 洪水]	Possible ICMP flood attack detected [偵測到可能的 ICMP 洪水 攻擊]
1215	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	DHCP Relay [DHCP 轉接]	INFO [資訊]	---	Remote: DHCP Inform [DHCP 資訊]	DHCP INFORM received from remote device [DHCP INFORM 已從遠端裝 置接收]
1216	6.2.5 6.2.7 6.2.7.7 6.2.9	---	---	DEBUG [偵錯]	---	IP Pool of VPN Policy is Full [VPN 原則的 IP 集區已滿]	IP Pool of the VPN Policy is Full [VPN 原則的 IP 集區已滿]
1217	6.2.5 6.2.7 6.2.7.7 6.2.9	---	---	DEBUG [偵錯]	---	IP Pool of VPN Policy Not Configured [VPN 原則的 IP 集區未設定]	IP Pool of the VPN Policy is Not Configured [VPN 原則的 IP 集區未設定]
1218	6.2.5 6.2.7 6.2.7.7 6.2.9	---	---	INFO [資訊]	---	Mobile IKE Update Peer Gateway IP [行動 IKE 更新 對等閘道 IP]	MOBIKE: Update Peer Gateway IP [MOBIKE：更新對等閘道 IP]
1219	6.2.5 6.2.7 6.2.7.7 6.2.9	---	---	INFO [資訊]	---	IP Address Allocated For Client [為用戶端配 置的 IP 位址]	IP Address is allocated for Client [為用戶端配置 IP 位址]
1220	6.2.5 6.2.7 6.2.7.7 6.2.9	---	---	WARNING [警告]	---	Invalid SNMPv3 Packet [無效的 SNMPv3 封包]	Invalid SNMP packet [無效的 SNMP 封包]
1221	6.2.5 6.2.7 6.2.7.7 6.2.9	---	---	WARNING [警告]	---	Invalid SNMPv3 Engine ID [無效的 SNMPv3 engineID]	Invalid SNMPv3 engineID [無效的 SNMPv3 engineID]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1222	6.2.5 6.2.7 6.2.7.7 6.2.9	---	---	WARNING [警告]	---	Invalid SNMPv3 User [無效的 SNMPv3 使用者]	Invalid SNMPv3 User [無效的 SNMPv3 使用者]
1223	6.2.5 6.2.7 6.2.7.7 6.2.9	---	---	WARNING [警告]	---	Invalid SNMPv3 Time Window [無效的 SNMPv3 時間 範圍]	Invalid SNMPv3 Time Window [無效的 SNMPv3 時間範圍]
1225	6.2.5 6.2.7 6.2.7.7 6.2.9	---	---	INFO [資訊]	---	SNMP Packet Drop [SNMP 封包捨棄]	SNMP Packet Dropped [SNMP 封包已捨棄]
1226	6.2.5 6.2.7 6.2.7.7 6.2.9	---	---	INFO [資訊]	---	HTTPS Handshake [HTTPS 交握]	HTTPS Handshake: %s [HTTPS 交握 : %s]
1227	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	---	INFO [資訊]	---	Guest Traffic Quota Exceeded [超過訪客流量配額]	Guest traffic quota exceeded [超過訪客流量配額]
1229	6.2.5 6.2.7 6.2.7.7 6.2.9	TCP   UDP   ICMP	---	WARNING [警告]	---	Wireless Advance IDP [無線進階 IDP]	Packet dropped by wireless Advanced IDP [無線進階 IDP 已捨棄封包]
1230	6.2.5	Firewall Logging [防火牆記錄]	---	NOTICE [注意]	---	NTP Update Failure [NTP 更新失敗]	Failed on updating time from NTP server [無法從 NTP 伺服器更新時間]
1230	6.2.7 6.2.7.7 6.2.9	---	Firewall Logging [防火牆記錄]	NOTICE [注意]	---	NTP Update Failure [NTP 更新失敗]	Failed on updating time from NTP server [無法從 NTP 伺服器更新時間]
1231	6.2.5	Firewall Logging [防火牆記錄]	---	NOTICE [注意]	---	NTP Update Successful [NTP 更新成功]	Time update from NTP server was successful [成功從 NTP 伺服器更新時間]
1231	6.2.7 6.2.7.7 6.2.9	---	Firewall Logging [防火牆記錄]	NOTICE [注意]	---	NTP Update Successful [NTP 更新成功]	Time update from NTP server was successful [成功從 NTP 伺服器更新時間]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1232	6.2.5	Firewall Logging [防火牆記錄]	---	NOTICE [注意]	---	NTP Request Sent [已傳送 NTP 請求]	NTP Request sent [已傳送 NTP 請求]
1232	6.2.7 6.2.7.7 6.2.9	---	Firewall Logging [防火牆記錄]	NOTICE [注意]	---	NTP Request Sent [已傳送 NTP 請求]	NTP Request sent [已傳送 NTP 請求]
1233	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	---	NOTICE [注意]	---	Link-Local/Multicast IPv6 Packet [連結-本機或多點傳送 IPv6 封包]	Unhandled link-local or multicast IPv6 packet dropped [未處理的連結-本機或多點傳送 IPv6 封包已捨棄]
1235	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Network [網路]	INFO [資訊]	---	Packet Allowed [已允許封包]	Packet allowed: %s [已允許封包： %s]
1236	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Security Services [安全服務]	DEBUG [偵錯]	---	RBL Received Blacklist Directive [RBL 接收的封鎖清單指令]	Received Blacklisted Directive from - %s [已從 - %s 接收封鎖清單指令]
1237	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Security Services [安全服務]	DEBUG [偵錯]	---	RBL Not Blacklisted by Domain [RBL 未按網域列入封鎖清單]	Not Blacklisted by domain - %s [未按網域 - %s 列入封鎖清單]
1238	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Security Services [安全服務]	DEBUG [偵錯]	---	RBL No Response to Domain [RBL 未回應至網域]	No DNS response to domain - %s [無 DNS 回應網域 - %s]
1239	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Security Services [安全服務]	DEBUG [偵錯]	---	RBL DNS Response With Error Reply Code [出現錯誤回覆代碼的 RBL DNS 回應]	RBL DNS server responded with error code - %s [RBL DNS 伺服器已回應，錯誤代碼為 - %s]
1240	6.2.5 6.2.7 6.2.7.7 6.2.9	---	---	INFO [資訊]	---	Endpoint Anomaly Detected [偵測到端點異常]	%s

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1241	6.2.5 6.2.7 6.2.7.7 6.2.9	---	---	WARNING [警告]	---	Endpoint Anomaly Lockout Started [端點異常鎖定已開始]	%s
1242	6.2.5 6.2.7 6.2.7.7 6.2.9	---	---	WARNING [警告]	---	Endpoint Anomaly Lockout Ended [端點異常鎖定已結束]	%s
1243	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	Sending OTP Failed [傳送 OTP 失敗]	User login Failed - An error has occurred while sending your one-time password [使用者登入失敗 - 在傳送您的一次性密碼時發生錯誤]
1244	6.2.5 6.2.7 6.2.7.7 6.2.9	---	RADIUS	WARNING [警告]	---	LDAP Mirror User Group Add Failure [LDAP 鏡像使用者群組新增失敗]	Failed to add an LDAP mirror user group [無法新增 LDAP 鏡像使用者群組]
1245	6.2.5 6.2.7 6.2.7.7 6.2.9	---	RADIUS	WARNING [警告]	---	LDAP Mirror User Group Member Add Failure [LDAP 鏡像使用者群組成員新增失敗]	Failed to add a member to an LDAP mirror user group [無法新增成員至 LDAP 鏡像使用者群組]
1246	6.2.5 6.2.7 6.2.7.7 6.2.9	---	RADIUS	WARNING [警告]	---	LDAP User Group Nesting Not Being Mirrored [未鏡像 LDAP 使用者群組巢狀項目]	An LDAP user group nesting is not being mirrored [未鏡像 LDAP 使用者群組巢狀項目]
1252	6.2.5 6.2.7 6.2.7.7 6.2.9	---	VPN IKE	INFO [資訊]	---	IPv6 IPsec Tunnel Mode Mismatch [IPv6 IPsec 通道模式不符]	IPv6 VPN only support IKEv2 mode [IPv6 VPN 僅支援 IKEv2 模式]
1253	6.2.5 6.2.7 6.2.7.7 6.2.9	---	VPN IKE	NOTICE [注意]	---	IPv6 Tunnel Dropped [IPv6 通道已捨棄]	IPv6 Tunnel packet dropped [IPv6 通道封包已捨棄]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1254	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Network [網路]	NOTICE [注意]	---	LAN ICMPv6 Deny [LAN ICMPv6 拒絕]	ICMPv6 packet from LAN dropped [從 LAN 的 ICMPv6 封包已捨棄]
1255	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Network [網路]	INFO [資訊]	---	LAN ICMPv6 Allow [LAN ICMPv6 允許]	ICMPv6 packet from LAN allowed [從 LAN 的 ICMPv6 封包已允許]
1256	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Network [網路]	INFO [資訊]	---	ICMPv6 Allow [ICMPv6 允許]	ICMPv6 packet allowed [已允許 ICMPv6 封包]
1257	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Network [網路]	NOTICE [注意]	---	ICMPv6 Packets Dropped [ICMPv6 封包已捨棄]	ICMPv6 packet dropped due to policy [因為原則已捨棄 ICMPv6 封包。]
1258	6.2.5 6.2.7 6.2.7.7 6.2.9	---	---	DEBUG [偵錯]	---	TCP/IP Stack [TCP/IP 堆疊]	%s
1259	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DHCP Server [DHCP 伺服器]	WARNING [警告]	---	DHCPv6 Lease File Corrupt [DHCPv6 租用檔毀損]	DHCPv6 lease file in the storage is corrupted; read failed [儲存中的 ICMPv6 租用檔毀損；讀取失敗]
1260	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DHCP Server [DHCP 伺服器]	WARNING [警告]	---	Failed To Write DHCPv6 Leases to Storage [無法將 ICMPv6 租用寫入儲存空間]	Failed to write DHCPv6 leases to storage [無法將 ICMPv6 租用寫入儲存空間]
1261	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DHCP Server [DHCP 伺服器]	INFO [資訊]	---	DHCPv6 Leases Written to Storage [DHCPv6 租用已寫入儲存空間]	DHCPv6 leases written to storage [DHCPv6 租用已寫入儲存空間]
1262	6.2.5	---	Network Access [網路存取]	DEBUG [偵錯]	---	YouTube for School Enforcement [已實施學校適用的 YouTube]	YouTube for school enforced [已實施學校適用的 YouTube]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1263	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	App Server Event [應用程式伺服器事件]	INFO [資訊]	---	AppFlow Server [AppFlow 伺服器]	AppFlow Server Event [AppFlow 伺服器事件]
1264	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Bandwidth Optimization [頻寬最佳化]	WARNING [警告]	---	WXA Configuration [WXA 設定]	WLAN HTTP traffic not being sent to WXA WebCache; zone conflict [WLAN HTTP 流量未傳送至 WXA WebCache；區域衝突]
1265	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Firewall Event [防火牆事件]	WARNING [警告]	---	SonicPoint Association Post Request Failed [SonicPoint 關聯發佈請求失敗]	SonicPoint association request to License Manager failed: %s [向授權管理員請求 SonicPoint 關聯失敗：%s]
1266	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Firewall Event [防火牆事件]	INFO [資訊]	---	SonicPoint Association Post Request Success [SonicPoint 關聯發佈請求成功]	SonicPoint association posted successfully to License Manager [成功向授權管理員發佈 SonicPoint 關聯]
1267	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	DEBUG [偵錯]	---	Phase2 Dead Peer Detection [階段 2 失效對等偵測]	%s
1268	6.2.5 6.2.7 6.2.7.7 6.2.9	Firewall Settings [防火牆設定]	Firewall Event [防火牆事件]	NOTICE [注意]	---	Firmware Update Failed [防火牆更新失敗]	Firmware Update Failed [防火牆更新失敗]
1269	6.2.5 6.2.7 6.2.7.7 6.2.9	Firewall Settings [防火牆設定]	Firewall Event [防火牆事件]	NOTICE [注意]	---	Firmware Update Success [防火牆更新成功]	Firmware Update Success [防火牆更新成功]
1270	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	---	INFO [資訊]	---	DH Test Success [DH 測試成功]	Crypto DH test success [Crypto DH 測試成功]
1271	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	---	INFO [資訊]	---	HMAC-MD5 Test Success [HMAC-MD5 測試成功]	Crypto Hmac-MD5 test success [Crypto Hmac-MD5 測試成功]



## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1272	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	---	INFO [資訊]	---	Hardware DES Test Success [硬體 DES 測試成功]	Crypto hardware DES test success [Crypto 硬體 DES 測試成功]
1274	6.2.5 6.2.7 6.2.7.7 6.2.9	---	---	INFO [資訊]	---	DRNG KAT Test Success [DRNG KAT 測試成功]	Crypto SHA1 based DRNG KAT test success [Crypto SHA1 式的 DRNG KAT 測試成功]
1275	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	---	INFO [資訊]	---	HMAC-SHA1 Test Success [HMAC-SHA1 測試成功]	Crypto Hmac-Sha1 test success [Crypto Hmac-Sha1 測試成功]
1276	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	---	INFO [資訊]	---	Hardware 3DES Test Success [硬體 3DES 測試成功]	Crypto hardware 3DES test success [Crypto 硬體 3DES 測試成功]
1277	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	---	INFO [資訊]	---	DES Test Success [DES 測試成功]	Crypto DES test success [Crypto DES 測試成功]
1278	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	---	ERROR [錯誤]	---	AES Test Failed [AES 測試失敗]	Crypto AES test failed [Crypto AES 測試失敗]
1279	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	---	INFO [資訊]	---	AES Test Success [AES 測試成功]	Crypto AES test success [Crypto AES 測試成功]
1280	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	---	INFO [資訊]	---	DRBG Test Success [DRBG 測試成功]	Crypto DRBG test success [Crypto DRBG 測試成功]
1281	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	---	ERROR [錯誤]	---	DRBG Test Failed [DRBG 測試失敗]	Crypto DRBG test failed [Crypto DRBG 測試失敗]
1282	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	---	INFO [資訊]	---	HMAC-SHA256 Test Success [HMAC-SHA256 測試成功]	Crypto Hmac-Sha256 test success [Crypto Hmac-Sha256 測試成功]
1283	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	---	ERROR [錯誤]	---	HMAC-SHA256 Test Failed [HMAC-SHA256 測試失敗]	Crypto Hmac-Sha256 test failed [Crypto Hmac-Sha256 測試失敗]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1284	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	---	INFO [資訊]	---	RSA Test Success [RSA 測試成功]	Crypto RSA test success [Crypto RSA 測試成功]
1285	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	---	INFO [資訊]	---	SHA1 Test Success [SHA1 測試成功]	Crypto Sha1 test success [Crypto Sha1 測試成功]
1286	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	---	INFO [資訊]	---	SHA256 Test Success [SHA256 測試成功]	Crypto Sha256 test success [Crypto Sha256 測試成功]
1287	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	---	ERROR [錯誤]	---	SHA256 Test Failed [SHA256 測試失敗]	Crypto Sha256 test failed [Crypto Sha256 測試失敗]
1288	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	---	INFO [資訊]	---	Hardware AES Test Success [硬體 AES 測試成功]	Crypto hardware AES test success [Crypto 硬體 AES 測試成功]
1289	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	---	INFO [資訊]	---	Hardware DES-SHA Test Success [硬體 DES-SHA 測試成功]	Crypto hardware DES with SHA test success [Crypto 硬體 DES 和 SHA 測試成功]
1290	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	---	INFO [資訊]	---	Hardware 3DES-SHA Test Success [硬體 3DES-SHA 測試成功]	Crypto hardware 3DES with SHA test success [Crypto 硬體 3DES 和 SHA 測試成功]
1299	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	---	ALERT [警示]	---	Self Test Passed [自我測試通過]	Ndpp SelfTest write/read encrypt/decrypt successsfully [Ndpp SelfTest 成功寫入/讀取加密/解密]
1300	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	---	ALERT [警示]	---	Self Test Failed [自我測試失敗]	Ndpp SelfTest write/read encrypt/decrypt failure [Ndpp SelfTest 寫入/讀取加密/解密失敗]
1301	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network Access [網路存取]	ALERT [警示]	---	IPv6 Packet Dropped With Reserved IP [捨棄保留 IP 的 IPv6 封包]	Source or Destination IPv6 address is reserved by RFC 4291.Packet is dropped [來源或目的地 IPv6 位址由 RFC 4291 保留。封包已捨棄]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1302	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network Access [網路存取]	ALERT [警示]	---	IPv6 Packet Dropped With Unspecified Destination IP [捨棄未指定目的地 IP 的 IPv6 封包]	Destination IPv6 address is unspecified. Packet is dropped [目的地 IPv6 位址未指定。封包已捨棄]
1303	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network Access [網路存取]	ALERT [警示]	---	IPv6 Packet Dropped With Unspecified Source IP [捨棄未指定來源 IP 的 IPv6 封包]	Source IPv6 address is unspecified but this packet is not Neighbor Solicitation message for DAD. Packet is dropped [來源 IPv6 位址未指定，但是此封包不是 DAD 的芳鄰請求訊息。封包已捨棄]
1304	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network Access [網路存取]	ALERT [警示]	---	Packet Dropped Due to NDPP Rules [因為 NDPP 規則而捨棄的封包]	Packet is dropped due to NDPP rules. [封包因為 NDPP 規則已捨棄。]
1305	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	IKE Responder: No VPN Policy found for IKE ID [IKE 回應程式：找不到 IKE ID 的 VPN 原則]	IKE Responder: VPN Policy for IKE ID not found [IKE 回應程式：找不到 IKE ID 的 VPN 原則]
1306	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	IKE Responder: No VPN Policy found for Gateway [找不到閘道的 VPN 原則]	IKE Responder: VPN Policy for gateway address not found [IKE 回應程式：找不到閘道位址的 VPN 原則]
1307	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	IKE Initiator: No VPN Policy found for IKE ID [IKE 回應程式：找不到 IKE ID 的 VPN 原則]	IKE Initiator: VPN Policy for IKE ID not found [IKE 啟動器：找不到 IKE ID 的 VPN 原則]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1308	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	WARNING [警告]	---	IKE Initiator: No VPN Policy found for Gateway [IKE 回應程 式：找不到閘 道的 VPN 原則]	IKE Initiator: VPN Policy for gateway address not found [IKE 啟動器：找不到閘道位址的 VPN 原則]
1309	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Firewall Event [防火牆事件]	WARNING [警告]	---	HA Association Posted Failed [HA 關聯發佈 失敗]	HA association request to License Manager failed: %s [向授權管理員請求 HA 關聯失敗：%s]
1310	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Firewall Event [防火牆事件]	INFO [資訊]	---	HA Association Posted Success [HA 關聯發佈 成功]	HA association posted successfully to License Manager [成功向授權管理員發佈 HA 關聯]
1311	6.2.5	---	DHCP Server [DHCP 伺服器]	ALERT [警示]	---	DHCP Resources of this Pool Ran Out [此集區的 DHCP 資源用 盡]	DHCP Server: Resources of this pool ran out.Client Info: %s [DHCP 伺服器：此集區的資源用盡。用戶端資訊：%s]
1311	6.2.7 6.2.7.7 6.2.9	---	DHCP Server [DHCP 伺服器]	NOTICE [注意]	---	DHCP Resources of this Pool Ran Out [此集區的 DHCP 資源用 盡]	DHCP Server: Resources of this pool ran out.Client Info: %s [DHCP 伺服器：此集區的資源用盡。用戶端資訊：%s]
1312	6.2.5 6.2.7 6.2.7.7 6.2.9	---	VPN IKE	INFO [資訊]	---	IP Version of Traffic Selector Mismatch [流量選擇器 的 IP 版本不符]	IKEv2: Peer's IP Version of Traffic Selector does not match with ours [IKEv2：對等的 IP 版本流量選擇器與我們的不符]
1313	6.2.5 6.2.7 6.2.7.7 6.2.9	---	---	INFO [資訊]	---	NAT Policy Add [NAT 原則已新 增]	NAT policy added [NAT 原則已新增]
1314	6.2.5 6.2.7 6.2.7.7 6.2.9	---	---	INFO [資訊]	---	NAT Policy Modify [NAT 原則修改]	NAT policy modified [NAT 原則已修改]
1315	6.2.5 6.2.7 6.2.7.7 6.2.9	---	---	INFO [資訊]	---	NAT Policy Delete [NAT 原則刪除]	NAT policy deleted [NAT 原則已刪除]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1316	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Network [網路]	ALERT [警示]	---	ARP Attack Detected [偵測到 ARP 攻擊]	Possible ARP attack from MAC address %s [從 MAC 位址 %s 的可能 ARP 攻擊]
1324	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Received Dead Peer Detection Request [已接收失效對等偵測請求]	IKEv2 Received Dead Peer Detection Request [IKEv2 已接收失效對等偵測請求]
1325	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Received Dead Peer Detection Response [已接收失效對等偵測回應]	IKEv2 Received Dead Peer Detection Response [IKEv2 已接收失效對等偵測回應]
1326	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Send Dead Peer Detection Request [傳送失效對等偵測請求]	IKEv2 Send Dead Peer Detection Request [IKEv2 傳送失效對等偵測請求]
1327	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Send Dead Peer Detection Response [傳送失效對等偵測回應]	IKEv2 Send Dead Peer Detection Response [IKEv2 傳送失效對等偵測回應]
1328	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Send Invalid SPI Request [傳送無效 SPI 請求]	IKEv2 Send Invalid SPI Request [IKEv2 傳送無效 SPI 請求]
1329	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Received Invalid SPI Request [已接收無效 SPI 請求]	IKEv2 Received Invalid SPI Request [IKEv2 已接收無效 SPI 請求]
1330	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Send Invalid SPI Response [傳送無效 SPI 回應]	IKEv2 Send Invalid SPI Response [IKEv2 傳送無效 SPI 回應]
1331	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN IKE	INFO [資訊]	---	Received Invalid SPI Response [已接收無效 SPI 回應]	IKEv2 Received Invalid SPI Response [IKEv2 已接收無效 SPI 回應]
1332	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Firewall Event [防火牆事件]	ALERT [警示]	---	NDPP Mode Change [NDPP 模式變更]	NDPP mode is changed to %s [NDPP 模式變更為 %s]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1333	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	Create a User [建立使用者]	%s
1334	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	Edit a User [編輯使用者]	%s
1335	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	Delete a User [刪除使用者]	%s
1336	6.2.5 6.2.7 6.2.7.7 6.2.9	Firewall Settings [防火牆設定]	Firewall Event [防火牆事件]	INFO [資訊]	---	Change Certification [變更認證]	Certification %s [認證 %s]
1337	6.2.5 6.2.7 6.2.7.7 6.2.9	Firewall Settings [防火牆設定]	Firewall Event [防火牆事件]	INFO [資訊]	---	User Password Changed by Administrators [管理員已變更使用者密碼]	%s
1338	6.2.5 6.2.7 6.2.7.7 6.2.9	Firewall Settings [防火牆設定]	Firewall Event [防火牆事件]	INFO [資訊]	---	User Change Password [使用者變更密碼]	User %s password is changed [使用者 %s 密碼變更]
1339	6.2.5 6.2.7 6.2.7.7 6.2.9	Firewall Settings [防火牆設定]	Firewall Event [防火牆事件]	INFO [資訊]	---	Change Password Rule [變更密碼規則]	Password rule %s is changed [密碼規則 %s 變更]
1340	6.2.5 6.2.7 6.2.7.7 6.2.9	Firewall Settings [防火牆設定]	Firewall Event [防火牆事件]	INFO [資訊]	---	Change User Inactive timeout [變更使用者非使用中逾時]	User Inactive timeout is changed to %s [使用者非使用中逾時變更為 %s]
1341	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	Edit Customize Login Pages [編輯自訂登入頁面]	%s
1342	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Authenticated Access [驗證存取]	INFO [資訊]	---	Edit user lockout params [編輯使用者鎖定參數]	Update administrator/user lockout params - %s [更新管理員/使用者鎖定參數 - %s]
1343	6.2.5 6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	VPN	INFO [資訊]	---	VPN Policy Enabled/Disabled [VPN 原則啟用/停用]	VPN Policy %s [VPN 原則 %s]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1344	6.2.5 6.2.7 6.2.7.7 6.2.9	System Error [系統錯誤]	Firewall Event [防火牆事件]	INFO [資訊]	---	Interface Configure [介面設定]	%s
1345	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Crypto Test [Crypto 測試]	INFO [資訊]	---	SHA384 Test Success [SHA384 測試成功]	Crypto Sha384 test success [Crypto Sha384 測試成功]
1346	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Crypto Test [Crypto 測試]	ERROR [錯誤]	---	SHA384 Test Failed [SHA384 測試失敗]	Crypto Sha384 test failed [Crypto Sha384 測試失敗]
1347	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Crypto Test [Crypto 測試]	INFO [資訊]	---	SHA512 Test Success [SHA512 測試成功]	Crypto Sha512 test success [Crypto Sha512 測試成功]
1348	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Crypto Test [Crypto 測試]	ERROR [錯誤]	---	SHA512 Test Failed [SHA512 測試失敗]	Crypto Sha512 test failed [Crypto Sha512 測試失敗]
1349	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Crypto Test [Crypto 測試]	INFO [資訊]	---	Ikev1 Test Success [Ikev1 測試成功]	Crypto Ikev1 test success [Crypto Ikev1 測試成功]
1350	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Crypto Test [Crypto 測試]	ERROR [錯誤]	---	Ikev1 Test Failed [Ikev1 測試失敗]	Crypto Ikev1 test failed [Crypto Ikev1 測試失敗]
1351	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Crypto Test [Crypto 測試]	INFO [資訊]	---	Ikev2 Test Success [Ikev2 測試成功]	Crypto Ikev2 test success [Crypto Ikev2 測試成功]
1352	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Crypto Test [Crypto 測試]	ERROR [錯誤]	---	Ikev2 Test Failed [Ikev2 測試失敗]	Crypto Ikev2 test failed [Crypto Ikev2 測試失敗]
1353	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Crypto Test [Crypto 測試]	INFO [資訊]	---	SSH Test Success [SSH 測試成功]	Crypto SSH test success [Crypto SSH 測試成功]
1354	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Crypto Test [Crypto 測試]	ERROR [錯誤]	---	SSH Test Failed [SSH 測試失敗]	Crypto SSH test failed [Crypto SSH 測試失敗]



## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1355	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Crypto Test [Crypto 測試]	INFO [資訊]	---	SNMP Test Success [SNMP 測試成功]	Crypto SNMP test success [Crypto SNMP 測試成功]
1356	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Crypto Test [Crypto 測試]	ERROR [錯誤]	---	SNMP Test Failed [SNMP 測試失敗]	Crypto SNMP test failed [Crypto SNMP 測試失敗]
1357	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Crypto Test [Crypto 測試]	INFO [資訊]	---	TLS 1.0/1.1 Test Success [TLS 1.0/1.1 測試成功]	Crypto TLS 1.0/1.1 test success [Crypto TLS 1.0/1.1 測試成功]
1358	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Crypto Test [Crypto 測試]	ERROR [錯誤]	---	TLS 1.0/1.1 Test Failed [TLS 1.0/1.1 測試失敗]	Crypto TLS 1.0/1.1 test failed [Crypto TLS 1.0/1.1 測試失敗]
1359	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Crypto Test [Crypto 測試]	INFO [資訊]	---	HMAC-SHA384 Test Success [HMAC-SHA384 測試成功]	Crypto Hmac-Sha384 test success [Crypto Hmac-Sha384 測試成功]
1360	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Crypto Test [Crypto 測試]	ERROR [錯誤]	---	HMAC-SHA384 Test Failed [HMAC-SHA384 測試失敗]	Crypto Hmac-Sha384 test failed [Crypto Hmac-Sha384 測試失敗]
1361	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Crypto Test [Crypto 測試]	INFO [資訊]	---	HMAC-SHA512 Test Success [HMAC-SHA512 測試成功]	Crypto Hmac-Sha512 test success [Crypto Hmac-Sha512 測試成功]
1362	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Crypto Test [Crypto 測試]	ERROR [錯誤]	---	HMAC-SHA512 Test Failed [HMAC-SHA512 測試失敗]	Crypto Hmac-Sha512 test failed [Crypto Hmac-Sha512 測試失敗]
1363	6.2.5 6.2.7 6.2.7.7 6.2.9	802.11b Management [802.11b 管理]	Wireless [無線]	ALERT [警示]	---	WLAN 802.11 Flood [WLAN 802.11 洪水]	Wireless Flood Attack [無線洪水攻擊]
1364	6.2.5 6.2.7 6.2.7.7 6.2.9	---	VPN PKI	ALERT [警示]	---	Cert Payload processing failed [認證承載處理失敗]	Cert Payload processing failed [認證承載處理失敗]
1365	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DPI-SSL	NOTICE [注意]	---	DPI-SSL Memory Check [DPI-SSL 記憶體檢查]	DPI-SSL: %s

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1366	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	---	TCP-Flooding Machine Blacklisted [已封鎖 TCP 洪水機器]	TCP-Flooding machine %s blacklisted [已封鎖 TCP 洪水機器 %s]
1367	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	WARNING [警告]	---	TCP Flood Blacklist Continues [TCP 洪水封鎖清單會繼續]	TCP Flood Blacklist on IF %s continues [在 IF %s 上的 TCP 洪水封鎖清單會繼續]
1368	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	---	Machine Removed From TCP Flood Blacklist [機器已從 TCP 洪水封鎖清單中移除]	Machine %s removed from TCP flood blacklist [機器 %s 已從 TCP 洪水封鎖清單中移除]
1369	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	---	Possible TCP Flood [可能的 TCP 洪水]	Possible TCP Flood on IF %s [在 IF %s 上的可能 TCP 洪水]
1370	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	---	Possible TCP Flood Ceased [可能的 TCP 洪水已停止]	Possible TCP Flood on IF %s has ceased [在 IF %s 上可能的 TCP 洪水已停止]
1371	6.2.5	Attack [攻擊]	Intrusion Detection [入侵偵測]	WARNING [警告]	---	Possible TCP Flood Continues [可能的 TCP 洪水會繼續]	Possible TCP Flood on IF %s continues [在 IF %s 上可能的 TCP 洪水會繼續]
1371	6.2.7 6.2.7.7 6.2.9	---	Intrusion Detection [入侵偵測]	WARNING [警告]	---	Possible TCP Flood Continues [可能的 TCP 洪水會繼續]	Possible TCP Flood on IF %s continues [在 IF %s 上可能的 TCP 洪水會繼續]
1372	6.2.5 6.2.7 6.2.7.7 6.2.9	---	RADIUS	WARNING [警告]	---	LDAP Mirroring Overflow [LDAP 鏡像溢位]	LDAP mirroring overflow: too many user groups [LDAP 鏡像溢位：太多使用者群組]
1373	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	---	IPv6 fragment size is less than minimum (<1280) [IPv6 片段大小低於下限 (<1280)]	IPv6 fragment dropped, invalid length (<1280 Bytes) [IPv6 片段已捨棄，長度無效 (<1280 位元組)]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1374	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	---	IP Reassembly : Incomplete IGMP fragment [IP 重組：不 完整的 IGMP 片段]	IGMP packet dropped, incomplete fragments [IGMP 封包已捨棄，不完 整的片段]
1375	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	---	UDP fragmented datagram is too big (>65535) [UDP 片段資 料包太大]	UDP fragment dropped, exceeds maximum IP datagram size (>65535) [UDP 片段已捨棄，超出最 大 IP 資料包大小 (>65535)]
1376	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	---	Nestea/Teardr op Attack [Nestea/Teardr op 攻擊]	Nestea/Teardrop attack dropped [Nestea/Teardrop 攻擊已捨 棄]
1377	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Anti-Spam [反垃圾郵件]	ALERT [警示]	---	SHLO verification failed [SHLO 驗證失 敗]	SHLO verification failed with this client IP - %s [對此用戶端 IP - %s 的 SHLO 驗證失敗]
1378	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Anti-Spam [反垃圾郵件]	ALERT [警示]	---	SHLO replay attack [SHLO 重送攻 擊]	Possible replay attack with this client IP - %s [可能對此用戶端 IP - %s 發 動重送攻擊]
1379	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Bandwidth Optimization [頻寬最佳化]	WARNING [警告]	---	WXA association request failed [WXA 關聯請 求失敗]	WXA association request to License Manager failed: %s [向授權管理員請求 WXA 關聯失敗：%s]
1380	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Bandwidth Optimization [頻寬最佳化]	INFO [資訊]	---	WXA association succeeded [WXA 關聯成 功]	WXA association posted successfully to License Manager [成功向授權管理員發佈 WXA 關聯]
1381	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Security Services [安全服務]	WARNING [警告]	15003	Application Control Expiration Message [應用程式控 制到期訊息]	Received App-Control Alert: Your Application Control subscription has expired. [已接收應用程式控制警 示：您的應用程式控制訂 閱已過期。]
1382	6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Firewall Logging [防火牆記錄]	INFO [資訊]	5609	Configuration Change Succeeded [設定變更成 功]	Configuration succeeded: %s [設定成功：%s]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1383	6.2.7 6.2.7.7 6.2.9	User Activity [使用者活動]	Firewall Logging [防火牆記錄]	INFO [資訊]	5610	Configuration Change Failed [設定變更失敗]	Configuration failed: %s [設定失敗 : %s]
1384	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network [網路]	DEBUG [偵錯]	---	Invalid TCP Timestamps Option Length [無效的 TCP 時間戳記選項長度]	TCP packet received with invalid Timestamps option length; TCP packet dropped [接收的 TCP 封包含有無效 的時間戳記選項長度 ; TCP 封包已捨棄]
1385	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network [網路]	DEBUG [偵錯]	---	TCP Sequence Number Wrapped [TCP 序號回繞]	TCP packet received with wrapped sequence number; TCP packet dropped [接收的 TCP 封包含有回繞 的序號 ; TCP 封包已捨棄]
1387	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	---	TCP Null Flag Attack [TCP Null 旗標 攻擊]	TCP Null Flag dropped [TCP Null 旗標已捨棄]
1388	6.2.5	Attack [攻擊]	VPN IPsec	ALERT [警示]	---	VPN Decryption Failed [VPN 解密失敗]	IPsec VPN Decryption Failed [IPsec VPN 解密失敗]
1388	6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	VPN IPsec	DEBUG [偵錯]	---	VPN Decryption Failed [VPN 解密失敗]	IPsec VPN Decryption Failed [IPsec VPN 解密失敗]
1389	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Security Services [安全服務]	INFO [資訊]	---	Client CF Access Without Agent [無代理用戶 端 CF 存取]	Access attempt from host without Client CF agent installed [嘗試從未安裝用戶端 CF 代理的主機存取]
1390	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Security Services [安全服務]	INFO [資訊]	---	Client CF Agent Out of Date [用戶端 CF 代 理已過時]	Client CF agent out-of-date on host [用戶端 CF 代理在主機上 已過時]
1391	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Security Services [安全服務]	ALERT [警示]	---	Raw Data [原始資料]	Packet Data [封包資料]
1392	6.2.7.7	Maintenance [維護]	Firewall Event [防火牆事件]	ALERT [警示]	5243	Blade up [刀鋒啟動]	Blade up: %s [刀鋒啟動 : %s]
1393	6.2.7.7	Maintenance [維護]	Firewall Event [防火牆事件]	ALERT [警示]	5244	Blade down [刀鋒停止]	Blade down: %s [刀鋒停止 : %s]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1394	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Bandwidth Optimization [頻寬最佳化]	ERROR [錯誤]	---	Startup Failure [啟動失敗]	WXA Startup Failure - %s [WXA 啟動失敗 - %s]
1395	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Bandwidth Optimization [頻寬最佳化]	WARNING [警告]	---	Get Failure [取得失敗]	WXA Get Failure - %s [WXA 取得失敗 - %s]
1396	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Bandwidth Optimization [頻寬最佳化]	NOTICE [注意]	---	Parse Failure [剖析失敗]	WXA Parse Failure - %s [WXA 剖析失敗 - %s]
1397	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Bandwidth Optimization [頻寬最佳化]	NOTICE [注意]	---	Register Failure [註冊失敗]	WXA Register Failure - %s [WXA 註冊失敗 - %s]
1398	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Bandwidth Optimization [頻寬最佳化]	NOTICE [注意]	---	Unregister Failure [取消註冊失敗]	WXA Unregister Failure - %s [WXA 取消註冊失敗 - %s]
1399	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Bandwidth Optimization [頻寬最佳化]	NOTICE [注意]	---	Probe Failure [探查失敗]	WXA Probe Failure - %s [WXA 探查失敗 - %s]
1400	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Bandwidth Optimization [頻寬最佳化]	ALERT [警示]	---	Create Failure [建立失敗]	WXA Create Failure - %s [WXA 建立失敗 - %s]
1401	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Bandwidth Optimization [頻寬最佳化]	WARNING [警告]	---	Set Failure [設定失敗]	WXA Set Failure - %s [WXA 設定失敗 - %s]
1402	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Bandwidth Optimization [頻寬最佳化]	ERROR [錯誤]	---	Delete Failure [刪除失敗]	WXA Delete Failure - %s [WXA 刪除失敗 - %s]
1403	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Bandwidth Optimization [頻寬最佳化]	INFO [資訊]	---	Enable Service [啟用服務]	WXA Enable - %s [WXA 啟用 - %s]
1404	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Bandwidth Optimization [頻寬最佳化]	INFO [資訊]	---	Disable Service [停用服務]	WXA Disable - %s [WXA 停用 - %s]
1405	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Bandwidth Optimization [頻寬最佳化]	WARNING [警告]	---	Request Failure [請求失敗]	WXA Request Failure - %s [WXA 請求失敗 - %s]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1406	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DHCP Client [DHCP 用戶端]	INFO [資訊]	---	General DHCPv6 Client Info [一般 DHCPv6 用戶端資訊]	General DHCPv6 Client Information [%s] [一般 DHCPv6 用戶端資訊 [%s]]
1407	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DHCP Client [DHCP 用戶端]	DEBUG [偵錯]	---	DHCPv6 Client Send Message [DHCPv6 用戶端傳送訊息]	DHCPv6 Client sent message [%s] [DHCPv6 用戶端已傳送訊息 [%s]]
1408	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DHCP Client [DHCP 用戶端]	DEBUG [偵錯]	---	DHCPv6 Client Get Message [DHCPv6 用戶端接收訊息]	DHCPv6 Client received message [%s] [DHCPv6 用戶端已接收訊息 [%s]]
1409	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DHCP Client [DHCP 用戶端]	DEBUG [偵錯]	---	DHCPv6 Client DAD [DHCPv6 用戶端 DAD]	DHCPv6 Client Duplicate Address Detection [%s] [DHCPv6 用戶端重複位址偵測 [%s]]
1410	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DHCP Client [DHCP 用戶端]	DEBUG [偵錯]	---	DHCPv6 Client Timeout [DHCPv6 用戶端逾時]	DHCPv6 Client waiting reply timeout [%s] [DHCPv6 用戶端等候回覆逾時 [%s]]
1411	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DHCP Client [DHCP 用戶端]	DEBUG [偵錯]	---	DHCPv6 Client Get RA Flags [DHCPv6 用戶端取得 RA 旗標]	Router Advertisement flags [%s] [路由器通告旗標 [%s]]
1412	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DHCP Client [DHCP 用戶端]	INFO [資訊]	---	DHCPv6 Client Get New Lease [DHCPv6 用戶端取得新的租用]	DHCPv6 Client got a new lease [%s] [DHCPv6 用戶端已取得新的租用 [%s]]
1413	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DHCP Client [DHCP 用戶端]	INFO [資訊]	---	DHCPv6 Client Release Lease [DHCPv6 用戶端釋放租用]	DHCPv6 Client released lease [%s] [DHCPv6 用戶端已釋放租用 [%s]]
1414	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DHCP Server [DHCP 伺服器]	INFO [資訊]	---	DHCPv6 Server Assign Lease [DHCPv6 伺服器指派租用]	DHCPv6 Server assigned lease %s [DHCPv6 伺服器指派的租用 %s]
1415	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DHCP Server [DHCP 伺服器]	INFO [資訊]	---	DHCPv6 Server Release Lease [DHCPv6 伺服器釋出租用]	DHCPv6 Server released lease %s [DHCPv6 伺服器釋出的租用 %s]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1416	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DHCP Server [DHCP 伺服器]	INFO [資訊]	---	DHCPv6 Server Receive Decline [DHCPv6 伺服器接收拒絕]	DHCPv6 Server received DHCPv6 Decline from client %s [DHCPv6 伺服器已接收來自用戶端 %s 的 DHCPv6 拒絕]
1417	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DHCP Server [DHCP 伺服器]	WARNING [警告]	---	DHCPv6 Server Resources of this Pool Ran Out [此集區的 DHCPv6 伺服器資源用盡]	DHCPv6 Server: Resources of this pool ran out.Client Info: %s [DHCPv6 伺服器：此集區的資源用盡。用戶端資訊：%s]
1418	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DHCP Server [DHCP 伺服器]	INFO [資訊]	---	Add DHCPv6 Server Scope [新增 DHCPv6 伺服器範圍]	DHCPv6 Server: Add a new scope (%s) [DHCPv6 伺服器：新增新的範圍 (%s)]
1419	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DHCP Server [DHCP 伺服器]	INFO [資訊]	---	Delete DHCPv6 Server Scope [刪除 DHCPv6 伺服器範圍]	DHCPv6 Server: Delete scope (%s) [DHCPv6 伺服器：刪除範圍 (%s)]
1420	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DHCP Server [DHCP 伺服器]	DEBUG [偵錯]	---	DHCPv6 Server Get Message [DHCPv6 伺服器接收訊息]	DHCPv6 Server received message (%s) [DHCPv6 伺服器已接收訊息 (%s)]
1421	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DHCP Server [DHCP 伺服器]	DEBUG [偵錯]	---	DHCPv6 Server Send Message [DHCPv6 伺服器傳送訊息]	DHCPv6 Server sent message (%s) [DHCPv6 伺服器已傳送訊息 (%s)]
1422	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Network [網路]	WARNING [警告]	---	IPv6 Address Conflict [IPv6 位址衝突]	IPv6 address conflict detected from Ethernet address %s [從乙太網路位址 %s 偵測到 IPv6 位址衝突]
1423	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Network [網路]	WARNING [警告]	---	Exceed Max NDP Size [超出 NDP 大小上限]	Dropped NDP message: %s [捨棄 NDP 訊息：%s]
1424	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DPI-SSL	ALERT [警示]	14601	DPI-SSL Connection Check [DPI-SSL 連接檢查]	DPI-SSL Connection: %s [DPI-SSL 連接：%s]



## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1426	6.2.5 6.2.7 6.2.7.7 6.2.9	---	SonicPoint-N	INFO [資訊]	---	SonicPoint AC/N2/N Unexpected Reboot [SonicPoint AC/N2/N 未預期重新開機]	%s unexpected reboot. [%s 未預期重新開機。] Please check whether input power is adequate and ethernet connection is secured. [請檢查輸入電力是否足夠，且乙太網路連線安全無虞。] (ACe/ACi/N2/NDR requires 802.3at PoE+) [(ACe/ACi/N2/NDR 需要 802.3at PoE+)]
1428	6.2.5 6.2.7 6.2.7.7 6.2.9	---	SSL VPN	INFO [資訊]	---	SSL VPN Debug [SSL VPN 除錯]	%s
1429	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network Access [網路存取]	ALERT [警示]	---	IPv6 Packet Dropped With Site Local IP [捨棄使用網站本機 IP 的 IPv6 封包]	Source or Destination IPv6 address is site-local unicast address. [來源或目的地 IPv6 位址是本機單點傳送位址]Packet is dropped [已捨棄封包]
1430	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network Access [網路存取]	INFO [資訊]	---	IPv6 Packet with Ext Header [使用延伸標頭的 IPv6 封包]	IPv6 Packet with extension header received [已接收使用延伸標頭的 IPv6 封包]
1431	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Network [網路]	INFO [資訊]	---	ICMPv6 Packets Received [已接收 ICMPv6 封包]	ICMPv6 packet received [已接收 ICMPv6 封包]
1432	6.2.5 6.2.7 6.2.7.7 6.2.9	Firewall Settings [防火牆設定]	Firewall Event [防火牆事件]	INFO [資訊]	---	Configuration Change [設定變更]	Configuration changed: %s [設定已變更： %s]
1433	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Network [網路]	NOTICE [注意]	---	NDP Packets Dropped [NDP 封包已捨棄]	%s
1434	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Firewall Event [防火牆事件]	NOTICE [注意]	---	Group-port Link Up [群組連接埠連結啟動]	Interface %s up [介面 %s 啟動]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1435	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Firewall Event [防火牆事件]	ERROR [錯誤]	---	Group-port Link Down [群組連接埠連結停止]	Interface %s down [介面 %s 停止]
1436	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network [網路]	INFO [資訊]	---	NAT Policy Dropped Packets [NAT 原則已捨棄封包]	Packet dropped by NAT Policy, reason: %s [NAT 原則已捨棄封包，原因：%s]
1437	6.2.5 6.2.7 6.2.7.7 6.2.9	---	---	WARNING [警告]	---	Delete Default AO Failed [刪除預設 AO 失敗]	%s
1438	6.2.5 6.2.7 6.2.7.7 6.2.9	---	VPN PKI	NOTICE [注意]	---	CA Cert Added [CA 憑證已新增]	CA Certificate %s Added. [CA 憑證 %s 已新增。]
1439	6.2.5 6.2.7 6.2.7.7 6.2.9	---	VPN PKI	NOTICE [注意]	---	Local Cert Added [本機憑證已新增]	Local Certificate %s Added. [本機憑證 %s 已新增。]
1440	6.2.5 6.2.7 6.2.7.7 6.2.9	---	VPN PKI	NOTICE [注意]	---	CA Cert Deleted [CA 憑證已刪除]	CA Certificate %s Deleted. [CA 憑證 %s 已刪除。]
1441	6.2.5 6.2.7 6.2.7.7 6.2.9	---	VPN PKI	NOTICE [注意]	---	Local Cert Deleted [本機憑證已刪除]	Local Certificate %s Deleted. [本機憑證 %s 已刪除。]
1442	6.2.5 6.2.7 6.2.7.7 6.2.9	System Environment [系統環境]	Firewall Hardware [防火牆硬體]	ALERT [警示]	---	USB Over Current [USB 超額電流]	USB Over Current [USB 超額電流]
1444	6.2.5 6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	High Availability [高可用性]	ERROR [錯誤]	---	HA Reboot [HA 重新開機]	Reboot occurred (Reason : %s) [發生重新啟動 (原因：%s)]
1445	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Bandwidth Optimization [頻寬最佳化]	WARNING [警告]	---	Connection Exceed [連接已超出]	WXA Warning - %s [WXA 警告 - %s]
1446	6.2.5 6.2.7 6.2.7.7 6.2.9	---	DHCP Server [DHCP 伺服器]	NOTICE [注意]	---	Mask 31-Bit Scope Deleted [遮罩 31 位元範圍已刪除]	Delete invalid scope with mask of 31 bits [%s] [刪除遮罩 31 位元 [%s] 的無效範圍]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1447	6.2.5 6.2.7 6.2.7.7 6.2.9	UDP	Network Access [網路存取]	NOTICE [注意]	---	UDPv6 Packets Dropped [UDPv6 封包已捨棄]	UDPv6 packet dropped [UDPv6 封包已捨棄]
1448	6.2.5 6.2.7 6.2.7.7 6.2.9	UDP	Network Access [網路存取]	NOTICE [注意]	---	UDPv6 Checksum Error [UDPv6 總和檢查碼錯誤]	UDPv6 checksum error; packet dropped [UDPv6 總和檢查碼錯誤；封包已捨棄]
1449	6.2.5 6.2.7 6.2.7.7 6.2.9	UDP	Network Access [網路存取]	NOTICE [注意]	---	ICMPv6 Checksum Error [ICMPv6 總和檢查碼錯誤]	ICMPv6 checksum error; packet dropped [ICMPv6 總和檢查碼錯誤；封包已捨棄]
1450	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	---	UDPv6 Flood Detected [偵測到 UDPv6 洪水]	Possible UDPv6 flood attack detected [偵測到可能的 UDPv6 洪水攻擊]
1451	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	---	ICMPv6 Flood Detected [偵測到 ICMPv6 洪水]	Possible ICMPv6 flood attack detected [偵測到可能的 ICMPv6 洪水攻擊]
1452	6.2.5 6.2.7 6.2.7.7 6.2.9	Attack [攻擊]	Intrusion Detection [入侵偵測]	ALERT [警示]	---	Half Open TCP Connection Threshold Exceeded [超出半開放 TCP 連線數閾值]	Too many half-open TCP connections [過多半開放 TCP 連線]
1453	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network [網路]	INFO [資訊]	---	Extended Switch Add [新增延伸交換器]	%s
1454	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network [網路]	INFO [資訊]	---	Extended Switch Remove [移除延伸交換器]	%s
1455	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network [網路]	INFO [資訊]	---	Extended Switch Port Speed Change [延伸交換器連接埠速度變更]	Extended Switch Port Status Change : %s [延伸交換器連接埠狀態變更 : %s]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1456	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network [網路]	INFO [資訊]	---	Extended Switch Port Duplex Mode Change [延伸交換器連接埠雙工模式變更]	Extended Switch Port Status Change : %s [延伸交換器連接埠狀態變更 : %s]
1457	6.2.5 6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	Network [網路]	INFO [資訊]	---	Extended Switch Port Link Status Change [延伸交換器連接埠連結狀態變更]	Extended Switch Port Status Change : %s [延伸交換器連接埠狀態變更 : %s]
1458	6.2.5 6.2.7 6.2.7.7 6.2.9	---	Network [網路]	NOTICE [注意]	---	NDP Packets Received [接收的 NDP 封包]	%s
1459	6.2.5	Maintenance [維護]	Security Services [安全服務]	INFO [資訊]	---	Capture ATP File Transfer Attempt [捕獲 ATP 檔案傳送嘗試]	Gateway Anti-Virus Status: %s [閘道防毒狀態 : %s]
1459	6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Security Services [安全服務]	INFO [資訊]	---	Capture ATP File Transfer Attempt [捕獲 ATP 檔案傳送嘗試]	Gateway Anti-Virus Status: %s [閘道防毒狀態 : %s]
1460	6.2.5	Maintenance [維護]	Security Services [安全服務]	INFO [資訊]	---	Capture ATP File Transfer Result [捕獲 ATP 檔案傳送結果]	Gateway Anti-Virus Status: %s [閘道防毒狀態 : %s]
1460	6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Security Services [安全服務]	INFO [資訊]	---	Capture ATP File Transfer Result [捕獲 ATP 檔案傳送結果]	Gateway Anti-Virus Status: %s [閘道防毒狀態 : %s]
1461	6.2.7 6.2.7.7 6.2.9	---	Security Services [安全服務]	NOTICE [注意]	703	CFS Alert [CFS 警示]	CFS Alert: %s [CFS 警示 : %s]
1462	6.2.7 6.2.7.7 6.2.9	---	Security Services [安全服務]	INFO [資訊]	---	AV Gateway Inform [AV 閘道資訊]	Gateway Anti-Virus Inform: %s [閘道防毒資訊 : %s]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1463	6.2.7 6.2.7.7 6.2.9	Connection Traffic [連線流量]	Network Traffic [網路流量]	INFO [資訊]	---	DPI-SSL Inspection Cleaned-up [DPI-SSL 檢查清除]	DPI-SSL Inspection Cleaned-up [DPI-SSL 檢查清除]
1472	6.2.7.7	Maintenance [維護]	Firewall Logging [防火牆記錄]	ALERT [警示]	---	Log entries reach 75% of max entries [記錄項目到達上限項目數的 75%]	Total current log entries is at 75% of maximum [總計現有記錄項目數為上限的 75%]
1474	6.2.7 6.2.7.7 6.2.9	---	GeoIP	ALERT [警示]	---	Custom Geo IP Initiator Blocked [自訂 Geo IP 啟動器已封鎖]	Initiator from country blocked: %s [來自已封鎖國家的啟動器：%s], Source: Custom List [來源：自訂清單]
1475	6.2.7 6.2.7.7 6.2.9	---	GeoIP	ALERT [警示]	---	Custom Geo IP Responder Blocked [自訂 Geo IP 回應程式已封鎖]	Responder from country blocked: %s [來自已封鎖國家的回應程式：%s], Source: Custom List [來源：自訂清單]
1476	6.2.7 6.2.7.7 6.2.9	---	Botnet [殭屍網路]	ALERT [警示]	---	Custom Botnet Initiator Blocked [自訂殭屍網路啟動器已封鎖]	Suspected Botnet initiator blocked: %s [已封鎖可疑的殭屍網路啟動器：%s], Source: Custom List [來源：自訂清單]
1477	6.2.7 6.2.7.7 6.2.9	---	Botnet [殭屍網路]	ALERT [警示]	---	Custom Botnet Responder Blocked [自訂殭屍網路回應程式已封鎖]	Suspected Botnet responder blocked: %s [已封鎖可疑的殭屍網路回應程式：%s], Source: Custom List [來源：自訂清單]
1478	6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	---	INFO [資訊]	---	Vendor Database Download Success [供應商資料庫下載成功]	Vendor database downloaded successfully [供應商資料庫已成功地下載]
1479	6.2.7 6.2.7.7 6.2.9	Debug [偵錯]	---	INFO [資訊]	---	Vendor Database Download Failed [供應商資料庫下載失敗]	Vendor database download failed [供應商資料庫下載失敗]

## 記錄事件訊息索引

事件 ID	韌體版本	舊型類別	SonicOS 類別	優先權層級	SNMP 陷阱類型	事件名稱	記錄事件訊息
1480	6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Network [網路]	INFO [資訊]	---	DNS Resolve Success [DNS 解析成功]	Success in DNS resolve [成功解析 DNS]
1481	6.2.7	Maintenance [維護]	Network [網路]	INFO [資訊]	---	DNS Proxy Packet Send [DNS 代理封包傳送]	Resend DNS proxy query [重新傳送 DNS 代理查詢]
1481	6.2.7.7 6.2.9	Maintenance [維護]	Network [網路]	INFO [資訊]	---	DNS Proxy Packet Send [DNS 代理封包傳送]	Send DNS proxy query [傳送 DNS 代理查詢]
1482	6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Network [網路]	INFO [資訊]	---	DNS Proxy Packet Received [已接收 DNS 代理封包]	Receive DNS proxy reply [接收 DNS 代理回應]
1483	6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Network [網路]	INFO [資訊]	---	DNS Proxy Request Acked by Cache [快取所確認的 DNS 代理請求]	DNS respond directly by firewall [防火牆直接回應 DNS]
1484	6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Network [網路]	INFO [資訊]	---	DNS Proxy Add Cache [DNS 代理新增快取]	Add DNS cache [新增 DNS 快取]
1485	6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Network [網路]	INFO [資訊]	---	DNS Proxy Delete Cache [DNS 代理刪除快取]	Remove DNS cache [移除 DNS 快取]
1486	6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Network [網路]	INFO [資訊]	---	DNS Proxy Request Packet Drop [DNS 代理請求封包捨棄]	Drop DNS query packet [DNS 查詢封包捨棄]
1487	6.2.7 6.2.7.7 6.2.9	Maintenance [維護]	Network [網路]	INFO [資訊]	---	DNS Proxy Response Packet Drop [DNS 代理回應封包捨棄]	Drop DNS response packet [捨棄 DNS 回應封包]
1490	6.2.9	User Activity [使用者活動]	Network Access [網路存取]	NOTICE [注意]	---	HTTP redirected [HTTP 已重新導向]	HTTP connection redirected [HTTP 連接已重新導向]
1491	6.2.9	User Activity [使用者活動]	Network Access [網路存取]	NOTICE [注意]	---	HTTPS redirected [HTTPS 已重新導向]	HTTPS connection redirected [HTTPS 連接已重新導向]

# Syslog 事件

本節說明有關從 Syslog 事件建立之詳細日誌的使用資訊。Syslog 設定是在 SonicOS 中的 **記錄 > Syslog** 頁面進行設定。

主題：

- 第 135 頁「[記錄 > Syslog](#)」
- 第 136 頁「[Syslog 標籤索引欄位說明](#)」
- 第 142 頁「[標準 Syslog 訊息的範例](#)」
- 第 142 頁「[ArcSight Syslog 訊息的範例](#)」
- 第 143 頁「[舊型類別](#)」
- 第 144 頁「[已延伸類別](#)」
- 第 147 頁「[優先權層級](#)」

## 記錄 > Syslog

除了事件日誌外，SonicWall 安全性設備也可以傳送詳細的日誌到外部 Syslog 伺服器。SonicWall Syslog 會擷取所有記錄活動，並包括每個連線來源和目的地 IP 位址、IP 服務和傳輸的位元數。SonicWall Analyzer 或 WebTrends Firewall Suite 等 Syslog 分析器可用於分類、分析和繪圖 Syslog 資料。

如需設定 **記錄 > Syslog** 頁面的詳細資訊，請參閱《SonicOS 6.2 管理指南》。

記錄 / **Syslog**

接受 取消

---

**Syslog 設定**

Syslog ID:

Syslog 設備:

Syslog 格式:

每秒事件數上限:

每秒位元組上限:

增強的 Syslog 欄位設定:  ArcSight CEF 欄位設定:

為 Syslog 伺服器啟用 NDPP 執行

---

**Syslog 伺服器** 每頁項目數 50 項目 0 至 0 ( / 0) 1

#	事件設定檔	伺服器名稱	伺服器連接埠	伺服器設備	伺服器格式	伺服器 ID	啟用	設定
無項目								

新增 全部啟用 全部停用 全部刪除



# Syslog 標籤索引欄位說明

本節按字母排列 Syslog 標籤並提供相關欄位說明。如需有關“pri” Syslog 標籤的詳細資訊，請參閱第 147 頁「優先權層級」。此處的值擷取自第 6 頁「記錄事件訊息索引」的「優先權層級」欄位。如需有關“c” Syslog 標籤的詳細資訊，請參閱第 143 頁「舊型類別」。

## Syslog 標籤

標籤	Arc-Sight 的標籤	欄位	說明
<ddd>		Syslog 訊息首碼	每個 Syslog 訊息的開頭都有 <ddd> 形式的字串，其中 ddd 是個十進位數，指出訊息的機能和優先權
af_polid		應用程式篩選器	顯示應用程式篩選原則 ID
af_policy		應用程式篩選器	顯示應用程式原則名稱
af_type		應用程式篩選器	顯示應用程式原則類型，例如： <ul style="list-style-type: none"><li>• SMTP 用戶端要求</li><li>• HTTP 用戶端要求</li><li>• HTTP 伺服器回應</li><li>• FTP 用戶端要求</li><li>• FTP 用戶端上傳檔案</li><li>• FTP 用戶端下載檔案</li><li>• POP3 用戶端要求</li><li>• POP3 伺服器回應</li><li>• FTP 資料傳送</li><li>• IPS 內容</li><li>• 應用程式控制內容</li><li>• 自訂原則類型</li><li>• CFS</li></ul>
af_service		應用程式篩選器	顯示應用程式原則服務名稱
af_action		應用程式篩選器	顯示應用程式原則動作，例如： <ul style="list-style-type: none"><li>• HTTP 封鎖頁面</li><li>• HTTP 重新導向</li><li>• 頻寬管理</li><li>• 停用電子郵件附加</li><li>• FTP 通知回覆</li><li>• 重設/丟棄</li><li>• 封鎖 SMTP 電子郵件</li><li>• 繞過 DPI</li><li>• CFS 封鎖頁面</li><li>• 封包監控</li></ul>
af_object		應用程式原則物件名稱	顯示自訂應用程式原則物件名稱

標籤	Arc-Sight 的標籤	欄位	說明
ai		透過 GMS 活動訊號的使用中介面	顯示使用中 WAN 介面。通常它是主要 WAN，但是在容錯移轉中，如果有一個以上的 WAN，它會顯示容錯移轉預設連出 WAN 介面的值。只有一個 WAN 介面時，則不論連結狀態一律為主要 WAN。
app	app	數字型應用程式 ID	表示套用 Syslog 的應用程式。只在啟用流量報告時顯示
appcat	appcat	應用程式控制	啟用應用程式控制時顯示應用程式類別
appid	appid	應用程式 ID	啟用應用程式控制時顯示應用程式 ID
appName		非簽章應用程式名稱	指出與應用程式 ID “app” 或 Syslog 的 “f” 相符的非簽章應用程式名稱；只在啟用流量報告時顯示
arg	arg	URL	用於轉譯 URL：arg 代表 URL 路徑名稱部分
bcastRx	bcastRx	介面統計資料報告	顯示已接收的廣播封包
bcastTx	bcastTx	介面統計資料報告	顯示已傳輸的廣播封包
bid	bid	數字型刀鋒 ID	表示事件出處的刀鋒，僅套用於具有刀鋒結構的產品
bytesRx	bytesRx	介面統計資料報告	顯示已接收的位元組
bytesTx	bytesTX	介面統計資料報告	顯示已傳輸的位元組
c	cat	信息類別 (僅舊型)	表示舊型類別編號 (附註：SonicOS 目前不傳送新的類別資訊)
category	category	封鎖代碼說明	僅啟用 CFS 時可用，表示封鎖內容的類型，例如「賭博」。這可搭配 “code” 封鎖代碼使用。
catid		規則類別	表示規則的類別 ID
cdur	cn3Label	連線持續時間	以毫秒 (ms) 顯示連線持續時間並僅套用到 m=537 “Connection Closed” Syslog
change	SWGMSchangeUrl	設定變更網頁	顯示已執行最後設定變更的防火牆網頁主檔名
code	reason	封鎖代碼	表示 CFS 封鎖代碼
icmpCode	cn2	ICMP 類型和代碼	表示 ICMP 代碼
conns		透過 GMS 活動訊號的防火牆狀態	表示使用中的連線數量
contentObject		應用程式篩選器	表示規則名稱
	cs4	介面統計資料	顯示介面統計資料
	deviceOutboundInterface	介面	表示封包離開裝置的介面
	deviceInboundInterface	介面	表示封包離開裝置的介面
	dpt	連接埠	顯示目的地連接埠
	dnpt	NAT 的連接埠	顯示 NAT 目的地連接埠

標籤	Arc-Sight 的標籤	欄位	說明
dst	dst	目的地	目的地 IP 位址或連接埠、網路、介面和已解析名稱
dstMac	dmac	目的地 MAC 位址	目的地 MAC 位址
dstV6	dst	目的地	目的地 IPv6 位址或連接埠、網路、介面和已解析名稱
dstname	request	URL	顯示所存取網站和主機的 URL
dstname	dstname	備註	表示額外的資訊，例如已被禁/刪除的電子郵件附件
dstZone	cs4Label (destination)	目的地區域名稱	顯示目的地區域
dur	cs6label	以秒為單位的數字型工作階段持續時間	以秒為單位顯示連線持續時間；與驗證使用者工作階段的活動時間有關 (例如登出訊息)
dyn		透過 GMS 活動訊號的防火牆狀態	顯示 HA 和撥號連線狀態 (轉譯為 "h.d"，其中 "h" 是 "n" (未啟用)、"b" (備份) 或 "p" (主要)，而 "d" 是 "1" (已啟用) 或 "0" (已停用))
f	flowType	數字型流量類型	表示停用流量報告時的流量類型
fileid		URL 或 MD5 (冗長的 URL 可能會被刪節)	檔案識別或名稱，可以採用 MD5 格式或 URL。例如，捕獲 ATP 使用此標籤來表示檔案經 GAV 或 CloudAV 檢查。
filexstatus		捕獲 ATP：檔案傳送狀態	檔案傳輸結果如捕獲 ATP 所報告。可能的值為： 100： 已確認 200： 太大 210： 待定 211： 正確 212： 錯誤 213： 已傳送請求 214： 未知 220： CLOUDAV 230： GAV 260： 伺服器命令 270： 過多封包遺失 280： 記憶體用完 300： 等待確認 310： 無法確認 400： 記憶體不足 410： 超出每小時檔案上限 420： 過多同時
fw		防火牆 WAN IP	表示 WAN IP 位址

標籤	Arc-Sight 的標籤	欄位	說明
fwaction		防火牆操作	防火牆根據內建或使用者設定的原則，且該原則可允許或捨棄的封包，針對網路流量 (封包) 執行明確的操作。對於與特定封包無關聯的事件，使用「Not Applicable」(不適用) 或「NA」值。可能的值為： <ul style="list-style-type: none"> <li>• <b>forward</b> (轉送) - 封包由於相符的原則或規則集而被轉送</li> <li>• <b>drop</b> (捨棄) - 封包由於相符的原則或規則集而被捨棄</li> <li>• <b>mgmt</b> (管理) - 封包為管理封包，將套用管理原則</li> <li>• <b>NA</b> - 與封包無關聯，不適用防火牆操作</li> </ul>
fwlan		透過 GS 活動訊號的防火牆狀態報告	表示 LAN 區 IP 位址
gcat	gcat	群組類別	顯示使用進階 Syslog 時的事件群組類別
goodRxBytes	goodRxBytes	SonicPoint 統計資料報告	表示所接收格式正確的位元組
goodTxBytes	goodTxBytes	SonicPoint 統計資料報告	表示所傳輸格式正確的位元組
i		透過 GMS 活動訊號的防火牆狀態	顯示 GMS 訊息間隔 (以秒為單位)
id=firewall		WebTrends 首碼	WebTrends (以及習慣上的 GMS) 適用的語法糖
if	if	介面統計資料報告	顯示回報統計資料的介面
ipscat	ipscat	IPS 訊息	顯示 IPS 類別
ipspri	ipspri	IPS 訊息	顯示 IPS 優先權
lic		透過 GMS 活動訊號的防火牆狀態	表示具有有限模式之防火牆的授權數目
m		訊息 ID	提供訊息 ID 號碼
mailFrom		電子郵件寄件者	電子郵件發送者
msg	msg	訊息	顯示由預先定義的訊息或包含字串 %s 或數字 %d 的引數的動態訊息之一或兩種訊息一起組成的訊息
n	cnt	訊息計數	表示事件發生的次數
natDst	cs2Label	NAT 目的地 IP	顯示 NAT 的目的地 IP 位址
natDstV6	cs2Label	NAT 目的地 IPv6	顯示 NAT 的目的地 IPv6 位址
natSrc	cs1Label	NAT 來源 IP	顯示 NAT 的來源 IP 位址
natSrcV6	cs1Label	NAT 來源 IPv6	顯示 NAT 的來源 IPv6 位址
note	cs6	其他資訊	相依於應用程式的其他資訊
npcs	cs5	URL	啟用網路封包擷取系統 (NPCS Solera) 時，應用程式才顯示 NPCS 物件的 URL

標籤	Arc-Sight 的標籤	欄位	說明
op	requestMethod	HTTP OP 代碼	顯示 SonicOS 內容過濾根據要求訊息的 HTTP 封包方法權杖所指派的值。支援的值為： <ul style="list-style-type: none"> <li>• 0 = NO OPERATION</li> <li>• 1 = HTTP GET</li> <li>• 2 = HTTP POST</li> <li>• 3 = HTTP HEAD</li> </ul> 其中 GET/POST/HEAD 是標準 HTTP 方法，而 NO OPERATION 是 SonicOS 用來表示未套用任何其他已定義的值。
packetdatId packetdatNum packetdatEnc		安全服務 Syslog 中使用的原始資料，預設為停用。	用於 m = 1391 (原始資料)，表示原始資料可用且已啟用傳輸。在啟用後，產生安全服務 Syslog 時，會將原始資料資訊提供至 SonicWall GMS：m = 14、16、608、609、761、789、790、793、794、795、809、1154、1155
pri		訊息優先權	顯示事件優先權層級 (0=緊急，7=偵錯)
proto	proto	通訊協定和服務	顯示通訊協定資訊 (轉譯為 "proto=[protocol]" 或只是 "[proto]/[service]")
pt		透過 GMS 活動訊號的防火牆狀態	顯示 HTTP/HTTPS 管理連接埠 (轉譯為 "hhh.sss")
radio	radio	SonicPoint 統計資料報告	顯示發生事件的 SonicPoint 無線訊號
rcptTo		收件者	表示電子郵件收件者
rcvd	in	已接收的位元組	表示連線中接收的位元組數
referer	referer	HTTP 推薦者 URI	系統偵測到 HTTP 內容時，此值將區分請求的網址的推薦者，以便存取網站
result	outcome	HTTP 結果代碼	顯示網站點擊的 HTTP 結果代碼 (200、403 等)
rpkt	cn1Label	接收到的封包	顯示接收到的封包數
rule	cs1	規則 ID	用於識別與事件關聯的原則或規則
sent	out	已傳送的位元組	表示連線中傳送的位元組數

標籤	Arc-Sight 的標籤	欄位	說明
sess	cs5Label	預先定義表示工作階段類型的字串	<p>使用由 UTM 追蹤的相關使用者工作階段套用到 Syslogs。取決於驗證機制並可能是以下其中之一：</p> <ul style="list-style-type: none"> <li>• <b>None</b> - 當使用者驗證仍為擱置中或剛剛開始的起始工作階段類型</li> <li>• <b>Web</b> - 被識別為 Web 瀏覽器工作階段</li> <li>• <b>Portal</b> - SSL-VPN 入口網站登入</li> <li>• <b>l2tpc</b> - L2TP 用戶端工作階段</li> <li>• <b>vpnc</b> - VPN 用戶端工作階段</li> <li>• <b>sslvpc</b> - SSL-VPN 用戶端工作階段</li> <li>• <b>Auto</b> - 自動登入工作階段，例如單一登入 (SSO)</li> <li>• <b>Other</b> - 不屬於任何已知類型</li> <li>• <b>CLI</b> - 表示 CLI 工作階段</li> </ul>
sid	sid	IPS 或防間諜軟體訊息	提供 IPS 或防間諜軟體簽章 ID
sn		防火牆序號	表示裝置序號
spkt	cn2Label	已傳送的封包	顯示已傳送的封包數
	spt	連接埠	顯示來源連接埠
spycat	spycat	防間諜軟體訊息	顯示防間諜軟體訊息類別
spypri	spypri	防間諜軟體訊息	顯示防間諜軟體優先權
	snpt	NAT 來源連接埠	顯示 NAT 來源連接埠
src	src	來源	表示來源 IP 位址或連接埠、網路、介面和已解析名稱
srcMac	smac	來源 MAC 位址	來源 MAC 位址
srcZone	cs3Label (source)	來源區域名稱	顯示來源區域
station	station	SonicPoint 統計資料報告	顯示發生事件的用戶端 (工作站)
time		時間	報告事件的時間
type	cn1	ICMP 類型和代碼	表示 ICMP 類型
ucastRx	ucastRx	介面統計資料報告	顯示已接收的單點傳播封包
ucastTx	ucastTx	介面統計資料報告	顯示已傳輸的單點傳播封包
unsynched		透過 GMS 活動訊號的防火牆狀態	報告自上次本機變更後的時間 (以秒為單位)
usestandbysa		透過 GMS 活動訊號的防火牆狀態	顯示待機 SA 是否為使用中 ("1" 或 "0")(為了 GMS 管理)
usr (or user)	susr	使用者	顯示使用者名稱 ("user" 是 WebTrends 所使用的標籤)
vpnpolicy	cs2 (source)	來源 VPN 原則名稱	顯示事件的來源 VPN 原則名稱
vpnpolicyDst	cs3 (destination)	目的地 VPN 原則名稱	顯示事件的目的地 VPN 原則名稱

## 標準 Syslog 訊息的範例

以下範例顯示 Syslog 封包的內容。此類型的訊息可在 Syslog 伺服器或任何封包分析器應用程式上檢視。請注意，這是預設的 Syslog 格式。

```
<134>id=firewall sn=18B1690729A8 time="2016-07-07 21:34:52 UTC"  
fw=10.205.123.15 pri=6 c=1 m=1460 msg="閘道防毒狀態：傳送至捕獲 ATP 的檔案，已確認  
接收：http://gsf-cf.softonic.com/99c/940/bf4a82884175db3ca674c4ad7cf6b41db1/  
fdminst.exe?SD_used=0&channel=WEB&fdh=no&id_file=34870&instance=softonic_en  
&type=PROGRAM&Expires=1467966751&Signatur"  
fileid="b6a156a67658e2d22f04de5bd204bf86" filetxstatus=100 n=17  
src=54.230.141.144:80:X1:server-54-230-141-144.sfo5.r.cloudfront.net  
dst=192.168.168.10:64178:X0 proto=tcp/64178
```

```
<134>id=firewall sn=18B1690729A8 mgmtip=192.168.168.168 time="2016-08-19  
00:21:40 UTC" fw=10.205.123.15 m=96 n=24789 i=60 lic=0 pt=8080.8443  
usestandbysa=0 dyn=n.e ai=1 fwlan=192.168.168.168 conns=18
```

```
<134>id=firewall sn=18B1690729A8 time="2016-06-16 17:21:40 UTC"  
fw=10.205.123.15 pri=6 c=1024 m=97 app=48 n=9 src=192.168.168.10:52589:X0  
dst=69.192.240.232:443:X1:a69-192-240-232.deploy.akamaitechnologies.com  
srcMac=98:90:96:de:f1:78 dstMac=ec:f4:bb:fb:f7:f6 proto=tcp/https op=1  
sent=798 rcvd=12352 result=403 dstname=www.suntrust.com arg=/favicon.ico  
code=20 Category="線上銀行"
```

```
<134>id=firewall sn=18B1690729A8 time="2016-08-19 17:15:19 UTC"  
fw=10.205.123.15 pri=6 c=1024 m=537 msg="連接已關閉" app=44 n=1183392  
src=10.205.122.22:514:X1 dst=10.205.123.15:514:X1 proto=udp/syslog sent=294  
spkt=1
```

```
<134>id=firewall sn=18B1690729A8 fw=10.205.123.15 time="2016-08-19  
18:05:44" pri=1 c=32 m=609 msg="IPS 預防警示：DNS 命名版本嘗試" sid=143  
ipscat=DNS ipspri=3 n=3 src=192.168.169.180:2907 dst=172.16.2.11:53
```

## ArcSight Syslog 訊息的範例

以下範例顯示 Syslog 封包的內容。此類型的訊息可在 Syslog 伺服器或任何封包分析器應用程式上檢視。

```
MAR 20 2013 19:07:43 0017C5991784 CEF:0|SonicWall|NSA  
2400|5.9.0.0-d_75o|97|Syslog Website Accessed|4|cat=1024 gcat=2 src=1.2.3.4  
spt=5432 deviceInboundInterface=X0 cs1Label=1.2.4.5 snpt=1 dst=4.3.2.1  
dpt=2345 deviceOutboundInterface=X1 cs2Label=5.4.3.2 dnpt=2 proto=tcp/2345  
out=9876 in=6789 requestMethod=1 outcome=403  
request=http://www.gui.log.eng.sonicwall.com reason=20 Category="Online  
Banking"
```



```
MAR 20 2013 19:07:49 0017C5991784 CEF:0|SonicWall|NSA
2400|5.9.0.0-d_75o|98|Syslog Connection Logged|4|cat=262144 gcat=2
src=192.168.168.1 spt=61693 deviceInboundInterface=X0 dst=192.168.168.168
dpt=443 deviceOutboundInterface=X0 susr="admin" proto=tcp/https out=52
cnt=1570
```

```
MAR 20 2013 19:07:52 0017C5991784 CEF:0|SonicWall|NSA
2400|5.9.0.0-d_75o|537|Syslog Close|4|cat=1024 gcat=2
smac=00:00:c5:b3:6b:e5 src=192.168.168.1 spt=61693
deviceInboundInterface=X0 cs3Label=Trusted dst=192.168.168.168 dpt=443
deviceOutboundInterface=X0 cs4Label=Trusted susr="admin" proto=tcp/https
out=1519 in=967 cn2Label=7 cn1Label=8 cn3Label=2333 cnt=3815
```

```
MAR 20 2013 19:07:43 0017C5991784 CEF:0|SonicWall|NSA
2400|5.9.0.0-d_75o|609|IDP Prevention Alert|9|cat=32 gcat=3 src=1.2.3.4
spt=5432 deviceInboundInterface=X0 cs1Label=1.2.4.5 snpt=1 dst=4.3.2.1
dpt=2345 deviceOutboundInterface=X1 cs2Label=5.4.3.2 dnpt=2 msg="IPS
Prevention Alert:P2P BitTorrent -- 對等同步，SID：1994，優先順序：Low" cnt=3
```

```
MAR 20 2013 19:07:43 0017C5991784 CEF:0|SonicWall|NSA
2400|5.9.0.0-d_75o|793|Application Firewall Alert|9|cat=16 gcat=10
src=1.2.3.4 spt=5432 deviceInboundInterface=X0 dst=4.3.2.1 dpt=2345
deviceOutboundInterface=X1 msg="Application Firewall Alert:Policy: foobar,
Action Type:Block SMTP E-Mail - Send Error Reply, Mail From: an unknown
string of unknown length" cnt=3
```

## 舊型類別

本節可用作了解不同類別及其說明的參考。下表說明在所有 SonicOS 版本中共用的舊型類別。

### 舊型類別值

ID (在 Syslog 中使用)	名稱	說明
0		事件不是舊型類別，無法向後相容。
1	系統維護	記錄一般系統活動，例如系統啟用。
2	系統錯誤	記錄 DNS 或電子郵件的問題。
4	封鎖的網站	記錄內容篩選器清單或自訂的篩選所封鎖的網站或新聞群組。
8	封鎖的 Java Etc	記錄 SonicWall 安全性設備封鎖的 Java、ActiveX 和 Cookies。
16	使用者活動	記錄嘗試中成功和不成功的日誌。
32	攻擊	記錄顯示拒絕服務攻擊的訊息，例如 SYN 洪水、死亡偵測和 IP 轉址攻擊。
64	捨棄的 TCP	記錄封鎖的傳入 TCP 連線。
128	捨棄的 UDP	記錄封鎖的傳入 UDP 封包。
256	捨棄的 ICMP	記錄封鎖的傳入 ICMP 封包。

## 舊型類別值

ID (在 Syslog 中使用)	名稱	說明
512	網路偵錯	記錄 NetBIOS 廣播、ARP 解析問題和 NAT 解析問題。也會顯示詳細的 VPN 連線訊息，以協助網路管理員解決使用中 VPN 通道的問題。網路偵錯資訊是供有經驗的網路管理員使用。
1024	僅 Syslog - 用於報告流量	僅用於 Syslog 報告已開啟、已關閉和已傳輸位元組的 HTTP 連線。
2048	捨棄的 LAN TCP	僅用於 Syslog 報告 TCP 封包已因為 LAN 管理原則被捨棄。
4096	捨棄的 LAN UDP	僅用於 Syslog 報告 UDP 封包已因為 LAN 管理原則被捨棄。
8192	捨棄的 LAN ICMP	僅用於 Syslog 報告 ICMP 封包已因為 LAN 管理原則被捨棄。
32768	數據機偵錯	記錄數據機偵錯活動。
65536	VPN 通道狀態	記錄 VPN 通道狀態資訊。
131072	802.11 管理	記錄 WLAN IEEE 802.11 連線。
262144	僅 Syslog - 用於報告流量	僅用於 Syslog 報告連線開啟時記錄網路流量。
524288	系統環境	記錄系統環境活動。
1048576	已延伸 - VOIP 活動	僅用於 Syslog 記錄 VoIP H.323-RAS、H.323/H.225 和 H.323/H.245 活動。
2097152	已延伸 - WLAN IDS 活動	僅用於 Syslog 記錄 WLAN IDS 活動。
4194304	已延伸 - SonicPoint 活動	僅用於 Syslog 記錄 SonicPoint 活動。

## 已延伸類別

下表顯示已延伸類別資訊，也稱為 *SonicOS 類別*，用於所有韌體版本和平台。

### 已延伸類別

類別	說明
802.11 管理	記錄 802.11 管理活動
進階路由	記錄進階路由活動
進階交換	記錄進階交換活動
反垃圾郵件服務	記錄反垃圾郵件服務
應用程式流量伺服器	記錄應用程式流量伺服器活動
應用程式規則	記錄應用程式規則活動
應用程式控制	記錄應用程式控制活動
攻擊	記錄顯示拒絕服務攻擊的訊息，例如 SYN 洪水、死亡偵測和 IP 轉址攻擊。
驗證存取	記錄驗證存取活動

## 已延伸類別

類別	說明
WAN 加速	記錄 WAN 加速活動
封鎖的 Java Etc	記錄封鎖的 Java、ActiveX 和 Cookies
封鎖的網站	記錄封鎖的網站
BOOTP	記錄啟動程序通訊協定 (BOOTP) 活動
殭屍網路封鎖	記錄殭屍網路封鎖活動
SSO 代理驗證	記錄 SSO 代理驗證活動
Crypto 測試	記錄 Crypto 測試活動
DDNS	記錄動態網域名稱系統 (DDNS) 活動
遭拒的 LAN IP	記錄 LAN IP 被拒活動
DHCP 用戶端	記錄 DHCP 用戶端活動
DHCP 轉接	記錄 DHCP 轉送活動
DHCP 伺服器	記錄 DHCP 伺服器活動
DPI-SSL	記錄安全通訊端層的深度封包檢測 (DPI-SSL) 活動
捨棄的 ICMP	記錄封鎖的傳入網際網路控制訊息通訊協定 (ICMP) 封包活動
捨棄的 TCP	記錄封鎖的傳入傳輸控制通訊協定 (TCP) 連線活動
捨棄的 UDP	記錄封鎖的傳入使用者資料包通訊協定 (UDP) 封包活動
DSL	記錄 DSL 活動
動態位址物件	記錄動態位址物件活動
E1-T1	記錄 E1-T1 活動
防火牆事件	記錄防火牆事件警示和活動
防火牆硬體	記錄防火牆硬體警示和活動
防火牆記錄	記錄其他防火牆相關活動
防火牆規則	記錄防火牆規則警示和活動
FTP	記錄檔案傳輸通訊協定 (FTP) 活動
地理位置	記錄地理位置服務活動
GMS	記錄 SonicWall 全域管理系統 (GMS) 活動
高可用性	記錄高可用性活動
入侵防護	記錄入侵預防活動
IPComp	記錄 IP 壓縮 (IPComp) 活動
IPNet	記錄 IPNet 活動
IPv6 通道	記錄 IPv6 活動
L2TP 用戶端	記錄第二層通道通訊協定 (L2TP) 用戶端活動
L2TP 伺服器	記錄第二層通道通訊協定 (L2TP) 伺服器活動
MAC-IP 反詐騙檢視	記錄 MAC-IP 詐騙活動
數據機	記錄數據機活動
數據機偵錯	記錄數據機偵錯活動
MSAD	記錄 Microsoft Active Directory (MSAD) 活動
多點傳送	記錄多點傳送活動

## 已延伸類別

類別	說明
網路	記錄網路活動
網路偵錯	記錄 NetBios 廣播、ARP 解析問題和 NAT 解析問題
網路存取	記錄成功和不成功的網路存取活動
網路監視器	記錄網路監視器活動
網路流量	記錄網路流量活動
PPP	記錄點對點 (PPP) 活動
PPP 撥號	記錄點對點 (PPP) 撥號活動
PPPoE	記錄乙太網路上的點對點通訊協定 (PPPoE) 活動
PPTP	記錄點對點通道通訊協定 (PPTP) 活動
遠端驗證	記錄遠端驗證活動
RBL	記錄即時 BlackLIST (RBL) 活動
RF 監視	記錄 RF 監視活動
安全服務	記錄安全性服務活動
SNMP	記錄簡易網路管理通訊協定 (SNMP) 活動
SonicPoint	記錄 SonicPoint 活動
SonicPointN	記錄 SonicPointN 活動
SSLVPN	記錄安全通訊端層虛擬私人網路 (SSLVPN) 活動
系統環境	記錄系統環境活動
系統錯誤	記錄系統錯誤活動
系統維護	記錄系統維護活動
使用者活動	記錄嘗試中成功和不成功的日誌
VOIP	記錄 Voice over IP (VOIP) 活動
VPN	記錄虛擬私人網路 (VPN) 活動
VPN 通道狀態	記錄 VPN 通道狀態活動
VPN 用戶端	記錄 VPN 用戶端活動
VPN IKE	記錄 VPN IKE 活動
VPN IPSec	記錄 VPN IP 安全性活動
WAN 可用性	記錄 WAN 可用性活動
無線	記錄無線活動
WLAN IDS	記錄無線 LAN 入侵偵測系統 (IDS) 活動

# 優先權層級

下表顯示 Syslog 標籤的優先權編號和名稱。此處的值擷取自第 6 頁「[記錄事件訊息索引](#)」中的「優先權層級」欄位，或第 136 頁「[Syslog 標籤索引欄位說明](#)」中的“pri”標籤。例如，“pri=0”的標籤表示緊急優先權。

## 優先權層級

優先權編號	優先權名稱
0	緊急
1	警示
2	嚴重
3	錯誤
4	警告
5	注意
6	資訊
7	偵錯

## SonicWall 支援

客戶購買附帶有效維護合約的 SonicWall 產品以及擁有試用版，即享有技術支援。

支援入口網站為您提供了自助式工具，方便您全天候快速地自行解決問題。如要存取支援入口網站，請前往 <https://www.sonicwall.com/en-us/support>。

支援入口網站可以讓您：

- 檢視知識庫文章和技術文件
- 檢視視訊教學
- 存取 MySonicWall
- 瞭解 SonicWall 專業服務
- 檢閱 SonicWall 支援服務和保固資訊
- 註冊訓練和認證
- 需要技術支援或客戶服務

若要聯絡 SonicWall 支援，請造訪 <https://www.sonicwall.com/en-us/support/contact-support>。

如需查看 SonicWall 最終使用者產品合約，請移至：

<https://www.sonicwall.com/en-us/legal/license-agreements>。根據您的地理位置選擇語言以查看適用您所在地區的 EUPA。